

10/25/89

Not Reviewed. Registrant claims to be in accordance with
Guidance for Phase 2
Court Change in Status.

BAYSECT

RESIDUAL SPRAY INSECTICIDE

CONTAINS BAYGON® propoxur
FOR PROFESSIONAL, INDUSTRIAL
AND INSTITUTIONAL USE

A highly effective ready-to-use formulation for control of the insects listed below, including those resistant to certain chlorinated hydrocarbon and phosphate insecticides. This product drives insects from their hiding places, gives residual control and rapid kill of insects specified below.

Kills: Ants, Brown Dog Ticks, Centipedes, Cockroaches, Clover Mites, Crickets, Earwigs, Firebrats, Fleas, Flies, Gnats, Millipedes, Mosquitoes, Paperlice, Punkies, Sandflies, Scorpions, Silverfish, Sowbugs and Spiders. Exposed stages of Cigarette Beetles, Drugstore Beetles, Indian Meal Moths, Mediterranean Flour Moths, Red Flour Beetles and Saw-toothed Grain Beetles.

ACTIVE INGREDIENTS:
2-(1-Methylethoxy) phenyl methylcarbamate 1.00%
INERT INGREDIENTS: 99.00%
TOTAL 100.00%

BAYGON® is the registered trademark of the Parent Co. of
Farbenfabriken Bayer GmbH, Germany.

CAUTION:
KEEP OUT OF REACH OF CHILDREN
FLAMMABLE
KEEP AWAY FROM HEAT OR OPEN FLAME
SEE OTHER CAUTIONS ON THE SIDE PANEL

U.S. Patent No. 3,111,830
Canadian Patent No. 725,294

EPA Reg. No. 11694-99
EPA Est. No. 11694-Ks-1

DIRECTIONS FOR USE CONT

GENERAL: For use in and around buildings, dwelling areas and similar structures. Apply with a low-pressure sprayer equipped with a coarse spray nozzle. Spray surfaces only until wet. Avoid excessive run-off. Apply to all insect breeding sites and harborage. Not to be used as a mosquito larvicide. Also treat adjacent exposed surfaces where insects may crawl when they come out of hiding. Repeat treatment as necessary.

COCKROACHES: Thoroughly treat the infested area. Spray baseboard, cracks and crevices around window and door frames, under surfaces of shelves, drawers and work tables; behind and beneath cabinets, refrigerators, stoves and stoves; in and around waste containers, trash pails, junction boxes and floor drains.

ANTS: Apply to trails and places where ants enter premises, such as windows and door frames, spray hills and runways outdoors.

CADILLAC, CIGARETTE BEETLES, DRUGSTORE BEETLES, INDIAN MEAL MOTHS, MEDITERRANEAN FLOUR MOTHS, RED FLOUR BEETLES, SAW-TOOTHED GRAIN BEETLES (EXPOSED STAGES): Thoroughly treat floors and walls of the infested area with attention to cracks, crevices, corners and partitions. Sanitation and dust control are of primary importance. Puncture or destroy infested products.

SILVERFISH, PUNKIES AND PAPERLICE: Apply to treated areas infested by these insects.

BROWN DOG TICKS: Spray sleeping quarters of pets, around baseboards, window and door frames, wall cracks, and base of walls. Repeat as needed. Fresh bedding should be placed in treated quarters after spraying. Do not spray animals.

CLOVER MITES, CRICKETS, EARWIGS, MILLIPEDES, CENTIPEDES, SCORPIONS AND SPIDERS: Thoroughly spray the interior and exterior perimeter of the infested premises. For CLOVER MITES, give special attention to window frames.

FLEAS, FLIES, GNATS, MOSQUITOES, PUNKIES AND SAWFLIES: (Outdoors only) Spray infested areas thoroughly, including outside surfaces of porches, doors, window frames, foundations, patios and other areas where insects may enter.

NON-FOOD AREAS: Do not use in edible product processing areas except as a crack and crevice treatment. Use in garbage rooms, restrooms, floor drains (in sewers), animal and veterinary offices, locker rooms, machine rooms, boiler rooms, garages, ship decks and storage (after canning or bottling). Apply to baseboard areas, around water pipes, surfaces behind and beneath stoves, lockers, tables, patios and similar areas where insects hide or through which they may enter.

Apply in small amounts directly into cracks and crevices using equipment capable of delivering a pin stream of insecticide in joints between different elements of construction, between equipment and floors, openings leading to voids and hollow spaces in walls, equipment legs and bases, in conduits, meter housings, in motion or switch boxes where Resistant and Non-Resistant Cockroaches, Ants, Spiders, Silverfish, Crickets, Centipedes and Millipedes hide. Prior to application de-energize electrical equipment. After application allow time for oil to evaporate before starting motors or plugging switches in the "On" position.

dyson, inc.
3401 KANSAS AVENUE
KANSAS CITY, KANSAS 64106

B-110

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals
CAUTION

May be harmful if swallowed, inhaled or absorbed through the skin. Do not get in eyes, on skin or on clothing. Avoid breathing spray mist. Wash all contaminated clothing with soap and hot water before re-use. Do not use as a space spray. Provide adequate ventilation of area being treated. Do not allow children to contact treated areas until surfaces are thoroughly dry. Do not store near food or food products. Avoid contamination of food, feed, food processing equipment and food handling surfaces. Do not apply to animals. Remove pets and cover fish bowls before spraying. Do not reuse empty drum. Return to drum manufacturer or destroy by perforating or crushing and burying in a safe place away from water supplies.

Environmental Hazards

This product is toxic to birds and wildlife. Do not apply directly to water. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

Chemical Hazards

FLAMMABLE: Keep away from heat or open flame.

STATEMENT OF PRACTICAL TREATMENT

If swallowed: Do not induce vomiting because of possible aspiration hazard. Call a physician immediately.
If on skin: Wash thoroughly with soap and warm water.
If in eyes: Flush with plenty of water. Call a physician.
NOTE TO PHYSICIAN: Acetone sulfate is caustic.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL

Storage: Keep containers tightly sealed when not in use. Store containers indoors and in a dry area. Keep from freezing. Use from original container or only.

Pesticide Disposal: Do not contaminate water, food or feed by storage or disposal. Open dumping is prohibited. Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

Container Disposal: Triple rinse (or equivalent). Then offer for recycling or reconditioning or puncture and dispose (in a sanitary landfill or by other procedures approved by state and local authorities). **General:** Consult federal, state or local disposal authorities for approved alternative procedures.

INSECT CONTROL IN RESEARCH FACILITIES

The use in and around research animal quarters for insect control, use not induce changes in their physiological or genetic activity or reproduction.

NET CONTENTS **U.S. GALLONS**

For Commercial/Industrial Use Only