

# DURAMIST

A Combination of Insecticides Offering Quick Knockdown and Residual Kill of Cockroaches for up to 4 weeks.

FOR RESIDUAL AND CONTACT CONTROL OF COCKROACHES, CRICKETS, SILVERFISH, CLOVER BITES, CENTIPEDES, MILLIPEDES, FIREBRATS, EARWIGS, SCORFLIES, SPIDERS, BROWN DOG TICKS, LONE STAR TICKS, ANTS, CARPET BEETLES, FLEAS.

#### ACTIVE INGREDIENTS:

4-Pyridazinone 0.08% w/w

\*Chlorpyrifos (0,6-diethyl 0-cyano-0-hydroxy-2-pyridyl) phosphorothioate 8.50%

INERT INGREDIENTS: 88.42%

100.00% w/w

\*Clothes hangers rate: max. 30% (+) and min. 70% (-) trans.

U.S. Patent Nos. 3,488,887, 3,683,876 and 3,542,988

Residual life: 800-1382 (brand of residual insecticide)

Residual life Corp., 170 Beaver Brook Road, Lincoln Park, NJ 07038

\*U.S. Patent No. 3,244,588. Duration is a trademark of Dow Chemical Co.

PRECAUTIONAL LABELING: Do not use on food, do not use on

product being used in equipment to have side equipment.

TRANSLATION: (TO THE USER: If you cannot read English, do not

use this product until the label has been fully explained to you.)

KEEP OUT OF REACH OF CHILDREN

CAUTION

See side panel for additional precautionary statements.

Can be used in non-food areas of food handling establishments. Shake well before using.

#### PRECAUTIONARY STATEMENTS Hazardous to humans & domestic animals CAUTION

Harmful if swallowed. Avoid contact with eyes, skin or clothing. Wash hands after using. Do not contaminate food or foodstuffs with this spray. Do not allow spray to contact food, foodstuffs or water supplies. Thoroughly wash food contact surfaces with soap and water, followed by a potable water rinse, if they become contaminated by application of this product. Do not allow children or pets to contact treated surfaces until spray has dried. Remove pets and cover fish tanks (aerated) before spraying. Do not use this product in edible product areas of food processing plants, restaurants or other areas where food is being commercially processed or prepared. Do not use in serving areas while food is exposed.

#### ENVIRONMENTAL HAZARDS

This pesticide is highly toxic to fish, and toxic to birds and other wildlife. Do not apply directly to water or wetlands (swamps, bogs, marshes, and peatlands). Drift and runoff from treated sites may be hazardous to fish in adjacent waters. Do not contaminate water when disposing of equipment washwaters.

#### DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

For use in non-food areas of food handling establishment, hotels, motels, pre-schools, apartment buildings, commercial, office, institutional and storage buildings, recreational buildings, boats, ship cabins, and hospitals.

In hospitals: Remove patients prior to use. Ventilate rooms for two hours before returning patients.

This product is for use in non-food areas only, such as corridors, offices, loyers, laboratories, garages, utility rooms, storage rooms and basements of packaging and processing plants, supermarkets, restaurants, bottling plants, canneries, flour and feed mills and bakeries.

Also for use in campers, mobile homes, buses and automobiles. This product can be used in planes, trucks, trailers and ship cargo holds only if the vehicles are not used for transport of food products at any time.

Also for use in kennels, and stables. Do not spray on pets or feed items.

Note to pest control operators: One gallon of spray is sufficient to treat 1500 linear feet with a 8 inch spray.

For contact and residual sprays, use the product without diluting. For repeat applications, dilute with equal parts of water.

#### DIRECTIONS FOR USE (CONTINUED)

**CONTACT SPRAY-KILLS AND REDUCES INFESTATIONS:** Cockroaches, Crickets, Silverfish, Carpet Beetles, Clover Mites, Centipedes, Millipedes, Firebrats, Earwigs, Sawflies, Ants, Spiders, Fleas: Use as a spot treatment. When possible, spray directly on pests to reduce infestations. Apply as a coarse spray or with a paint brush into cracks, crevices, moist areas, openings around pipes and sinks, under refrigerators and other appliances, baseboards and storage areas. Apply spray until area is wet, but avoid run-off. Repeat as necessary. **ANTS:** To kill ants, spray trails, nests and points of entry within buildings and homes. Spray directly on ants where possible. Repeat as necessary.

**FLEAS, BROWN DOG AND LONE STAR TICKS:** Thoroughly apply as a spot treatment to infested areas such as pet's beds and resting areas, nearby cracks and crevices; along and behind baseboards, window and door frames and localized areas of floor and floor covering where pests may be present. Old bedding should be removed and replaced with clean fresh bedding after treatment of pet areas.

To control the source of flea infestation, treat pets with a registered flea control product.

#### DO NOT TREAT PETS WITH THIS PRODUCT

**CARPET BEETLES:** Apply liberally as a spot treatment along baseboards and edges of carpeting, under carpeting, rugs and furniture, in closets and on shelving, and wherever insects may reside.

**ATTENTION: (Do not indoors):** Do not apply this water-based product in conduits, motor housing, junction and switch boxes or other electrical equipment because of possible shock hazard. If there is need to treat such areas use only oil base sprays. Prior to application, de-energized electrical equipment. After application allow time for oil to evaporate before starting motors or plugging switches in the "ON" position.

**RESIDUAL SPRAY:** Aids in the control of cockroaches, crickets, silverfish, centipedes, millipedes, earwigs, sawflies. Kills up to 4 weeks. Apply on baseboards, cracks, crevices, around door and window frames, and other hiding places such as closets, in back of and under appliances, shirts and cupboards in kitchens, etc. Apply as a coarse wet spray in a 6 inch band until area is thoroughly wet but not to the point of run-off. Treat on a monthly basis or as necessary.

#### STATEMENT OF PRACTICAL TREATMENT

If swallowed: Get immediate medical attention. If in eyes or on skin: Flush with plenty of water for at least 15 minutes. For eyes: Get medical attention. **NOTE TO PHYSICIAN:** Chlorpyrifos is a cholinesterase inhibitor. If symptoms of cholinesterase inhibition appear, atropine only by injection is an antidote.

#### STORAGE AND DISPOSAL

**Storage:** Keep containers tightly sealed when not in use. Store containers indoors and in a dry area. Keep from freezing. Use from original container only.

**Pesticide Disposal:** Do not contaminate water, food, or feed by storage or disposal. Pesticide wastes are toxic. Improper disposal of certain pesticides, spray mixtures, or residues is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

**Container Disposal:** Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.

For Commercial/Industrial use only  
EPA Reg. No. 11084-01 EPA Est. No. 11084-KB-1

Net Contents \_\_\_\_\_ Gallons

B-200

ACCEPTED  
AUG 16 1990  
Under the Federal Insecticide,  
Fungicide, and Rodenticide Act,  
as amended, for the pesticide  
registered under  
EPA Reg. No. 110-11-01

MANUFACTURED BY  
**Dymon, Inc.** 3401 KANSAS AVENUE  
KANSAS CITY, KANSAS 64106  
(913) 331-1537