

271



An effective disinfectant for hard surfaces and a deodorant for general hospital use, schools, medical, dental and business offices, sickrooms, nursing homes and ambulances.

This product will control the following organisms: Salmonella choleraesuis, Staphylococcus aureus, Trichophyton mentagrophytes, Pseudomonas aeruginosa, Streptococcus pyogenes, HIV-1 (associated with AIDS) and tubercle bacilli.

**DIRECTIONS FOR USE**

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

**For Pre-cleaning:** Pre-clean surfaces with a suitable detergent prior to disinfecting. For Disinfecting: Hold dispenser upright 6 to 8 inches from surface. Spray 2 to 3 seconds or until entire surface is wet. Allow to remain at least 10 minutes. Allow to air dry or remove with clean dry cloth.

**For Deodorizing:** Hold dispenser upright. Spray toward center of room 3 to 5 seconds. For Mildew Control: Spray surface until moist. Do not use on polished wood furniture or rayon fabrics. Repeat application periodically to maintain control.

**KILLS HIV-1 ON PRE-CLEANED ENVIRONMENTAL SURFACES/OBJECTS PREVIOUSLY SOILED WITH BLOOD/BODY FLUIDS** in health care settings or other settings in which there is an expected likelihood of soiling of inanimate surfaces/objects with blood or body fluids, and in which the surfaces/objects likely to be soiled with blood or body fluids can be associated with the potential for transmission of human immunodeficiency virus Type 1 (HIV-1)(associated with AIDS).

**SPECIAL INSTRUCTIONS FOR CLEANING AND DECONTAMINATION AGAINST HIV-1 OF SURFACES/OBJECTS SOILED WITH BLOOD/BODY FLUIDS.**

**PERSONAL PROTECTION:** When handling items soiled with blood or body fluids, use disposable latex gloves, gowns, masks, or eye coverings.

**CLEANING PROCEDURES:** Blood and other body fluids must be thoroughly cleaned from surfaces and objects before application.

**CONTACT TIME:** Allow surface to remain wet for 10 minutes.

**DISPOSAL OF INFECTIOUS MATERIALS:** Blood and other body fluids should be autoclaved and disposed of according to local regulations for infectious waste disposal.

# Medaphene® Plus

## Disinfectant Deodorant

Pseudomonacidal • Virucidal\* Mildewcidal†  
Fungicidal • Staphylocidal • Tuberculocidal

†Controls mildew growth on fabric for 14 days and on hard surfaces for 21 days.  
\*Virucidal against Influenza A/Hong Kong, Herpes Simplex Type 1 and Herpes Simplex Type 2, on pre-cleaned, inanimate, and hard surfaces.

<b>ACTIVE INGREDIENTS:</b>	
o-phenylphenol .....	0.19%
ethyl alcohol .....	68.00%
<b>INERT INGREDIENTS:</b> .....	31.81%

**KEEP OUT OF REACH OF CHILDREN.**

**DANGER**

See side panel for additional precautionary statements.

Net Contents 1 Quart (.9463 L.)

EPA Reg. No. 11694-98 EPA Est. No. 11694-KS-1 SDA-KS-0755

**GENERAL USES**

Disinfecting: Bed springs and frames \* bedside and office furniture \* chart racks and equipment cabinets \* countertops \* door knobs \* office machinery \* sinks and mirrors \* light fixtures and switches \* supply, dressing and trash carts \* telephones \* waste cans and laundry hampers \* wheel chairs and walkers \* urinals.

Deodorizing: Odors from post-colostomy, post-ileostomy dressing and bags, malignant diseases, homes, kitchens, bathrooms, industrial plant processes, food processing and packaging plants, food stores, fecal matter, urine, burns, smoke, mildew and mold, decay, garlic, onions, food putrefaction, perspiration, stale air, tobacco, sickrooms, musky closets and fish.

**PRECAUTIONARY STATEMENTS**

**Hazards to Humans and Domestic Animals**  
**DANGER: Corrosive.** Causes eye damage. Do not get in eyes. Wear goggles or face shield and rubber gloves when handling. Harmful or fatal if swallowed. Causes skin irritation. Do not get on skin or on clothing.

**STATEMENT OF PRACTICAL TREATMENT**

If in eyes: Immediately flush with copious amounts of water, lifting eyelids to insure complete removal. Flush for 15 minutes minimum. Consult a physician. If on skin: Flush with water 15 minutes minimum. If irritation persists, consult a physician. If swallowed: Immediately drink a large quantity of water. Contact a physician immediately.

**PHYSICAL OR CHEMICAL HAZARDS**

Flammable. Keep away from heat, sparks and open flame.

**STORAGE & DISPOSAL**

**Storage:** Keep containers tightly sealed when not in use. Store containers indoors and in a dry area. Keep from freezing. Use from the original container only.

**Pesticide Disposal:** Do not contaminate water, food or feed by storage or disposal. Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

**Container Disposal:** Do not reuse empty container. Rinse container thoroughly and discard in trash.

For Commercial/Industrial Use Only

MANUFACTURED BY  
**Dymon, Inc.**

DQ-347  
3401 KANSAS AVENUE  
KANSAS CITY, KANSAS 66106  
(913) 621-5537

Prod. DQ-347 qt.  
2/21/91  
Disk #102

**ACCEPTED**  
**APR 24 1991**

Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 11694-98

**BEST AVAILABLE COPY**