

May 22, 2003

Ms. Kelly R. Hoskins
Supervisor, Regulatory Compliance
Illinois Tool Works, Inc.
D/B/A/ ITW Dymon
805 East Old 56 Highway
Olathe, KS 66061

Subject: Additional Brand Names per Notice 98-10
Medaphene Plus Disinfectant Deodorant
EPA Registration Number 11694-98
Your Notification Application Dated April 28, 2003

Dear Ms. Hoskins:

This will knowledge receipt of your notification, submitted under the provisions of FIFRA section 3c 9. Based on a review of the submitted material the following comment apply.

Proposed Amendment:

Additional brand names

- Medaphene Plus Mint Disinfectant Deodorant
- Medaphene Plus Spearmint Disinfectant Deodorant
- Medaphene Plus Orange Disinfectant Deodorant
- Medaphene Plus Country Garden Disinfectant Deodorant
- Medaphene Plus Lemon Disinfectant Deodorant

CONCURRENCES							
SYMBOL							
SURNAME							
DATE							

General Comment:

Based on a review of the material submitted, the following comment apply:

The notification is acceptable. A copy has been inserted in your file for future reference.

Should you have any questions concerning this letter please contact me at (703)308-6422 or Drusilla Copeland at (703) 308-6224.

Sincerely,

per Drusilla Copeland

Adam Heyward
Product Manager (34)
Regulatory Management Branch II
Antimicrobials Division (7510C)

NOTIFICATION
 Date Reviewed: 5-14-03
 Reviewed By: Copeland



An effective disinfectant for hard surfaces for general hospital use, schools, medical, dental and business offices, sickrooms, nursing homes and ambulances. This product will control the following organisms: Salmonella choleraesuis, Staphylococcus aureus, Trichophyton mentagrophytes, Pseudomonas aeruginosa, Streptococcus pyogenes, HIV-1 (associated with AIDS) and tubercle bacilli.

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

For Pre-cleaning: Pre-clean surfaces with a suitable detergent prior to disinfecting.
For Disinfecting: Hold dispenser upright 6 to 8 inches from surface. Spray 2 to 3 seconds or until entire surface is wet. Allow to remain at least 10 minutes. Allow to air dry or remove with clean dry cloth.

For Mildew Control: Spray surface until moist. Do not use on polished wood furniture or rayon fabrics. Repeat application periodically to maintain control.

***KILLS HIV-1 ON PRE-CLEANED ENVIRONMENTAL SURFACES/OBJECTS PREVIOUSLY SOILED WITH BLOOD/BODY FLUIDS** in health care settings or other settings in which there is an expected likelihood of soiling of inanimate surfaces/objects with blood or body fluids, and in which the surfaces/objects likely to be soiled with blood or body fluids can be associated with the potential for transmission of human immunodeficiency virus Type 1 (HIV-1)(associated with AIDS).

SPECIAL INSTRUCTIONS FOR CLEANING AND DECONTAMINATION AGAINST HIV-1 OF SURFACES/OBJECTS SOILED WITH BLOOD/BODY FLUIDS.

PERSONAL PROTECTION: When handling items soiled with blood or body fluids, use disposable latex gloves, gowns, masks or eye coverings.

CLEANING PROCEDURES: Blood and other body fluids must be thoroughly cleaned from surfaces and objects before application.

CONTACT TIME: Allow surface to remain wet for 10 minutes.

DISPOSAL OF INFECTIOUS MATERIALS: Blood and other body fluids should be autoclaved and disposed of according to local regulations for infectious waste disposal. This product is not to be used as a terminal sterilant/high level disinfectant on any surface or instrument that (1) is introduced directly into the human body, either into or in contact with the bloodstream or normally sterile areas of the body, or (2) contacts intact mucous membranes but which does not ordinarily penetrate the blood barrier or otherwise enter normally sterile areas of the body. This product may be used to preclean or decontaminate critical or semi-critical medical devices prior to sterilization or high level disinfection.

Medaphene® Plus Orange

Disinfectant Deodorant

Pseudomonacidal • Virucidal* • Mildewcidal†
 Fungicidal • Staphylocidal • Tuberculocidal

**Disinfects Herpes Simplex Virus Type 1 & 2
 Influenza A₂ (Hong Kong) & HIV-1 (AIDS Virus)***

†Controls Mildew growth on fabric for 14 days and on hard surfaces for 21 days.
 *Virucidal against Influenza A₂/Hong Kong, Herpes Simplex Type 1 and Herpes Simplex Type 2, on precleaned and inanimate hard surfaces. Kills HIV-1 (AIDS virus) on precleaned environmental surfaces/objects previously soiled with blood/body fluids.

ACTIVE INGREDIENTS:

o-phenylphenol	0.19%
ethyl alcohol	68.00%
OTHER INGREDIENTS:	31.81%

PRECAUCION AL CONSUMIDOR: Si usted no lee ingles, no use este producto hasta que la etiqueta le haya sido explicada ampliamente.

KEEP OUT OF REACH OF CHILDREN DANGER

STATEMENT OF PRACTICAL TREATMENT

If in EYES: Immediately flush with copious amounts of water, lifting eyelids to insure complete removal. Flush for 15 minutes minimum. Consult a physician. **If on SKIN:** Flush with water 15 minutes minimum. If irritation persists, consult a physician. **If SWALLOWED:** Immediately drink a large quantity of water. Contact a physician immediately.

See side panel for additional precautionary statements.

Net Contents 32 fl oz (1 qt) (946.4 mL)

GENERAL USES

Disinfecting: Bed springs and frames • bedside and office furniture • chart racks and equipment cabinets • countertops • door knobs • office machinery • sinks and mirrors • light fixtures and switches • supply, dressing and trash carts • telephones • waste cans and laundry hampers • wheel chairs and walkers • urinals.

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

DANGER

Corrosive. Causes eye damage. Do not get in eyes. Wear goggles or faceshield and rubber gloves when handling. Harmful or fatal if swallowed. Causes skin irritation. Do not get on skin or on clothing.

PHYSICAL OR CHEMICAL HAZARDS

Flammable. Keep away from heat, sparks and open flame.

STORAGE & DISPOSAL

Storage: Keep containers tightly sealed when not in use. Store containers indoors and in a dry area. Keep from freezing. Use from original container only.

Pesticide Disposal: Do not contaminate water, food or feed by storage or disposal. Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

Container Disposal: Do not reuse empty container. Rinse container thoroughly and discard in trash.

For Commercial/Industrial Use Only

EPA Reg. No. 11694-98 EPA Est. No. 11694-KS-1

SDA-KS-774

Manufactured in the U.S.A. by



806 E. Old 56 Highway
 Olathe, KS 66061
 www.dymon.com

FastBack MSDS online


877-818-3284

PRODUCT/MSDS DOCUMENT # 42632

020911



9/11/02
 KNG
 DYMOM
 Ck/DYMOM
 P#42632
 QuantX-Press4.11
 FOLDER(S):
 MacShare
 Labels
 BRAND
 DYMOM
 426 DYMOM
 42632DymomSS.qxd
 COLORS:
 Pms 293
 Pms 18C
 Pms 347
 CAP COLOR:
 White
 Vendor:
 Contech
 LABEL TYPE:
 SS
 BOX ART:
 ITW Dymon
 Box Printer-Black
 IF CTIONS:
 none



3
 2
 1

NOTIFICATION
Date Reviewed: 5-14-03
Reviewed By: C. Peled



An effective disinfectant for hard surfaces for general hospital use, schools, medical, dental and business offices, sickrooms, nursing homes and ambulances. This product will control the following organisms: Salmonella choleraesuis, Staphylococcus aureus, Trichophyton mentagrophytes, Pseudomonas aeruginosa, Streptococcus pyogenes, HIV-1 (associated with AIDS) and tubercle bacilli.

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

For Pre-cleaning: Pre-clean surfaces with a suitable detergent prior to disinfecting. For Disinfecting: Hold dispenser upright 6 to 8 inches from surface. Spray 2 to 3 seconds or until entire surface is wet. Allow to remain at least 10 minutes. Allow to air dry or remove with clean dry cloth.

For Mildew Control: Spray surface until moist. Do not use on polished wood furniture or rayon fabrics. Repeat application periodically to maintain control.

*KILLS HIV-1 ON PRE-CLEANED ENVIRONMENTAL SURFACES/OBJECTS PREVIOUSLY SOILED WITH BLOOD/BODY FLUIDS in health care settings or other settings in which there is an expected likelihood of soiling of inanimate surfaces/objects with blood or body fluids, and in which the surfaces/objects likely to be soiled with blood or body fluids can be associated with the potential for transmission of human immunodeficiency virus Type 1 (HIV-1)(associated with AIDS).

SPECIAL INSTRUCTIONS FOR CLEANING AND DECONTAMINATION AGAINST HIV-1 OF SURFACES/OBJECTS SOILED WITH BLOOD/BODY FLUIDS.

PERSONAL PROTECTION: When handling items soiled with blood or body fluids, use disposable latex gloves, gowns, masks or eye coverings.

CLEANING PROCEDURES: Blood and other body fluids must be thoroughly cleaned from surfaces and objects before application.

CONTACT TIME: Allow surface to remain wet for 10 minutes.

DISPOSAL OF INFECTIOUS MATERIALS: Blood and other body fluids should be autoclaved and disposed of according to local regulations for infectious waste disposal. This product is not to be used as a terminal sterilant/high level disinfectant on any surface or instrument that (1) is introduced directly into the human body, either into or in contact with the bloodstream or normally sterile areas of the body, or (2) contacts intact mucous membranes but which does not ordinarily penetrate the blood barrier or otherwise enter normally sterile areas of the body. This product may be used to preclean or decontaminate critical or semi-critical medical devices prior to sterilization or high level disinfection.

Medaphene[®] Plus Country Garden Disinfectant Deodorant

Pseudomonacidal • Virucidal* • Mildewcidal†
Fungicidal • Staphylocidal • Tuberculocidal

Disinfects Herpes Simplex Virus Type 1 & 2
Influenza A₂ (Hong Kong) & HIV-1 (AIDS Virus)*

†Controls Mildew growth on fabric for 14 days and on hard surfaces for 21 days.
*Virucidal against Influenza A₂/Hong Kong, Herpes Simplex Type 1 and Herpes Simplex Type 2, on precleaned and inanimate hard surfaces. Kills HIV-1 (AIDS virus) on precleaned environmental surfaces/objects previously soiled with blood/body fluids.

ACTIVE INGREDIENTS:

o-phenylphenol 0.19%
ethyl alcohol 68.00%

OTHER INGREDIENTS: 31.81%

PRECAUCION AL CONSUMIDOR: Si usted no lee ingles, no use este producto hasta que la etiqueta le haya sido explicada ampliamente.

KEEP OUT OF REACH OF CHILDREN
DANGER

STATEMENT OF PRACTICAL TREATMENT

If in EYES: Immediately flush with copious amounts of water, lifting eyelids to insure complete removal. Flush for 15 minutes minimum. Consult a physician. If on SKIN: Flush with water 15 minutes minimum. If irritation persists, consult a physician. If SWALLOWED: Immediately drink a large quantity of water. Contact a physician immediately.

See side panel for additional precautionary statements.

Net Contents 32 fl oz (1 qt) (946.4 mL)

GENERAL USES

Disinfecting: Bed springs and frames • bedside and office furniture • chart racks and equipment cabinets • countertops • door knobs • office machinery • sinks and mirrors • light fixtures and switches • supply, dressing and trash carts • telephones • waste cans and laundry hampers • wheel chairs and walkers • urinals.

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

DANGER

Corrosive. Causes eye damage. Do not get in eyes. Wear goggles or faceshield and rubber gloves when handling. Harmful or fatal if swallowed. Causes skin irritation. Do not get on skin or on clothing.

PHYSICAL OR CHEMICAL HAZARDS

Flammable. Keep away from heat, sparks and open flame.

STORAGE & DISPOSAL

Storage: Keep containers tightly sealed when not in use. Store containers indoors and in a dry area. Keep from freezing. Use from original container only.

Pesticide Disposal: Do not contaminate water, food or feed by storage or disposal. Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

Container Disposal: Do not reuse empty container. Rinse container thoroughly and discard in trash.

For Commercial/Industrial Use Only

EPA Reg. No. 11694-98 EPA Est. No. 11694-KS-1

SDA-KS-774

Manufactured in the U.S.A. by



805 E. Old 56 Highway
Olathe, KS 66061
www.dymon.com

FaxBack MSDS online
877-818-3284 www.dymon.com

PRODUCT/MSDS DOCUMENT # 42632

020911



9/11/02
KNG
DYMOM
C#DYMOM
P#42632
QuarXPrese4.11
FOLDER(S):
MacShare
Labels
BRAND
DYMOM
426 DYMOM
42632DymomSS.qxd
COLORS:
Pms 293
Pms 186
Pms 347
CAP COLOR:
White
Vender:
Contech
LABEL TYPE:
SS
BOX ART:
ITW Dymon
Box Printer-Black
IF CTIONS:
none

4/7

NOTIFICATION
 Date Reviewed: 5-14-03
 Reviewed By: C. P. [Signature]



An effective disinfectant for hard surfaces for general hospital use, schools, medical, dental and business offices, sickrooms, nursing homes and ambulances. This product will control the following organisms: Salmonella choleraesuis, Staphylococcus aureus, Trichophyton mentagrophytes, Pseudomonas aeruginosa, Streptococcus pyogenes, HIV-1 (associated with AIDS) and tubercle bacilli.

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

For Pre-cleaning: Pre-clean surfaces with a suitable detergent prior to disinfecting.
For Disinfecting: Hold dispenser upright 6 to 8 inches from surface. Spray 2 to 3 seconds or until entire surface is wet. Allow to remain at least 10 minutes. Allow to air dry or remove with clean dry cloth.

For Mildew Control: Spray surface until moist. Do not use on polished wood furniture or rayon fabrics. Repeat application periodically to maintain control.

***KILLS HIV-1 ON PRE-CLEANED ENVIRONMENTAL SURFACES/OBJECTS PREVIOUSLY SOILED WITH BLOOD/BODY FLUIDS** in health care settings or other settings in which there is an expected likelihood of soiling of inanimate surfaces/objects with blood or body fluids, and in which the surfaces/objects likely to be soiled with blood or body fluids can be associated with the potential for transmission of human immunodeficiency virus Type 1 (HIV-1)(associated with AIDS).

SPECIAL INSTRUCTIONS FOR CLEANING AND DECONTAMINATION AGAINST HIV-1 OF SURFACES/OBJECTS SOILED WITH BLOOD/BODY FLUIDS.

PERSONAL PROTECTION: When handling items soiled with blood or body fluids, use disposable latex gloves, gowns, masks or eye coverings.

CLEANING PROCEDURES: Blood and other body fluids must be thoroughly cleaned from surfaces and objects before application.

CONTACT TIME: Allow surface to remain wet for 10 minutes.

DISPOSAL OF INFECTIOUS MATERIALS: Blood and other body fluids should be autoclaved and disposed of according to local regulations for infectious waste disposal. This product is not to be used as a terminal sterilant/high level disinfectant on any surface or instrument that (1) is introduced directly into the human body, either into or in contact with the bloodstream or normally sterile areas of the body, or (2) contacts intact mucous membranes but which does not ordinarily penetrate the blood barrier or otherwise enter normally sterile areas of the body. This product may be used to preclean or decontaminate critical or semi-critical medical devices prior to sterilization or high level disinfection.

Medaphene[®] Plus

Disinfectant Deodorant

Pseudomonacidal • Virucidal* • Mildewcidal†
 Fungicidal • Staphylocidal • Tuberculocidal

**Disinfects Herpes Simplex Virus Type 1 & 2
 Influenza A₂ (Hong Kong) & HIV-1 (AIDS Virus)***

†Controls Mildew growth on fabric for 14 days and on hard surfaces for 21 days.
 *Virucidal against Influenza A₂/Hong Kong, Herpes Simplex Type 1 and Herpes Simplex Type 2, on precleaned and inanimate hard surfaces. Kills HIV-1 (AIDS virus) on precleaned environmental surfaces/objects previously soiled with blood/body fluids.

ACTIVE INGREDIENTS:

o-phenylphenol 0.19%
 ethyl alcohol 68.00%
OTHER INGREDIENTS: 31.81%

PRECAUCION AL CONSUMIDOR: Si usted no lee ingles, no use este producto hasta que la etiqueta le haya sido explicada ampliamente.

**KEEP OUT OF REACH OF CHILDREN
 DANGER**

STATEMENT OF PRACTICAL TREATMENT

If in EYES: Immediately flush with copious amounts of water, lifting eyelids to insure complete removal. Flush for 15 minutes minimum. Consult a physician. **If on SKIN:** Flush with water 15 minutes minimum. If irritation persists, consult a physician. **If SWALLOWED:** Immediately drink a large quantity of water. Contact a physician immediately.

See side panel for additional precautionary statements.

Net Contents 32 fl oz (1 qt) (946.4 mL)

GENERAL USES
 Disinfecting: Bed springs and frames • bedside and office furniture • chart racks and equipment cabinets • countertops • door knobs • office machinery • sinks and mirrors • light fixtures and switches • supply, dressing and trash carts • telephones • waste cans and laundry hampers • wheel chairs and walkers • urinals.

**PRECAUTIONARY STATEMENTS
 Hazards to Humans and Domestic Animals**

DANGER
Corrosive. Causes eye damage. Do not get in eyes. Wear goggles or faceshield and rubber gloves when handling. Harmful or fatal if swallowed. Causes skin irritation. Do not get on skin or on clothing.

PHYSICAL OR CHEMICAL HAZARDS
Flammable. Keep away from heat, sparks and open flame.

STORAGE & DISPOSAL
Storage: Keep containers tightly sealed when not in use. Store containers indoors and in a dry area. Keep from freezing. Use from original container only.

Pesticide Disposal: Do not contaminate water, food or feed by storage or disposal. Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

Container Disposal: Do not reuse empty container. Rinse container thoroughly and discard in trash.

For Commercial/Industrial Use Only
 EPA Reg. No. 11694-98 EPA Est. No. 11694-KS-1
 SDA-KS-774

Manufactured in the U.S.A. by



805 E. Old 56 Highway
 Olathe, KS 66061
 www.dymon.com


FaxBack **MSDS** online
 877-810-3284 www.dymon.com

PRODUCT/MSDS DOCUMENT # 42632

020911



9/11/02
 KNG
 DYMOM
 CHDYMOM
 P#42632
 QuarXRPreced4.11
 FOLDER(S):
 MacShare
 Labels
 BRAND
 DYMOM
 426 DYMOM
 42632DymomSS.qxd
 COLORS:
 Pms 283
 Pms 186
 Pms 347
 CAP COLOR:
 White
 Vendor:
 Contech
 LABEL TYPE:
 SS
 BOX ART:
 ITW Dymon
 Box Printer-Black
 I: CTIONS:
 .cme



5/7

NOTIFICATION
Date Reviewed: 5-14-03
Reviewed By: C. J. [Signature]



An effective disinfectant for hard surfaces for general hospital use, schools, medical, dental and business offices, sickrooms, nursing homes and ambulances. This product will control the following organisms: Salmonella choleraesuis, Staphylococcus aureus, Trichophyton mentagrophytes, Pseudomonas aeruginosa, Streptococcus pyogenes, HIV-1 (associated with AIDS) and tubercle bacilli.

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

For Pre-cleaning: Pre-clean surfaces with a suitable detergent prior to disinfecting.
For Disinfecting: Hold dispenser upright 6 to 8 inches from surface. Spray 2 to 3 seconds or until entire surface is wet. Allow to remain at least 10 minutes. Allow to air dry or remove with clean dry cloth.

For Mildew Control: Spray surface until moist. Do not use on polished wood furniture or rayon fabrics. Repeat application periodically to maintain control.

***KILLS HIV-1 ON PRE-CLEANED ENVIRONMENTAL SURFACES/OBJECTS PREVIOUSLY SOILED WITH BLOOD/BODY FLUIDS** in health care settings or other settings in which there is an expected likelihood of soiling of inanimate surfaces/objects with blood or body fluids, and in which the surfaces/objects likely to be soiled with blood or body fluids can be associated with the potential for transmission of human immunodeficiency virus Type 1 (HIV-1)(associated with AIDS).

SPECIAL INSTRUCTIONS FOR CLEANING AND DECONTAMINATION AGAINST HIV-1 OF SURFACES/OBJECTS SOILED WITH BLOOD/BODY FLUIDS.

PERSONAL PROTECTION: When handling items soiled with blood or body fluids, use disposable latex gloves, gowns, masks or eye coverings.

CLEANING PROCEDURES: Blood and other body fluids must be thoroughly cleaned from surfaces and objects before application.

CONTACT TIME: Allow surface to remain wet for 10 minutes.

DISPOSAL OF INFECTIOUS MATERIALS: Blood and other body fluids should be autoclaved and disposed of according to local regulations for infectious waste disposal. This product is not to be used as a terminal sterilant/high level disinfectant on any surface or instrument that (1) is introduced directly into the human body, either into or in contact with the bloodstream or normally sterile areas of the body, or (2) contacts intact mucous membranes but which does not ordinarily penetrate the blood barrier or otherwise enter normally sterile areas of the body. This product may be used to preclean or decontaminate critical or semi-critical medical devices prior to sterilization or high level disinfection.

Medaphene[®] Plus Mint Disinfectant Deodorant

Pseudomonacidal • Virucidal* • Mildewcidal†
Fungicidal • Staphylocidal • Tuberculocidal

Disinfects Herpes Simplex Virus Type 1 & 2
Influenza A₂ (Hong Kong) & HIV-1 (AIDS Virus)*

†Controls Mildew growth on fabric for 14 days and on hard surfaces for 21 days.
*Virucidal against Influenza A₂/Hong Kong, Herpes Simplex Type 1 and Herpes Simplex Type 2, on precleaned and inanimate hard surfaces. Kills HIV-1 (AIDS virus) on precleaned environmental surfaces/objects previously soiled with blood/body fluids.

ACTIVE INGREDIENTS:	
o-phenylphenol	0.19%
ethyl alcohol	68.00%
OTHER INGREDIENTS:	
	31.81%

PRECAUCION AL CONSUMIDOR: Si usted no lee ingles, no use este producto hasta que la etiqueta le haya sido explicada ampliamente.

KEEP OUT OF REACH OF CHILDREN DANGER

STATEMENT OF PRACTICAL TREATMENT

If in EYES: Immediately flush with copious amounts of water, lifting eyelids to insure complete removal. Flush for 15 minutes minimum. Consult a physician. **If on SKIN:** Flush with water 15 minutes minimum. If irritation persists, consult a physician. **If SWALLOWED:** Immediately drink a large quantity of water. Contact a physician immediately.

See side panel for additional precautionary statements.

Net Contents 32 fl oz (1 qt) (946.4 mL)

GENERAL USES
Disinfecting: Bed springs and frames • bedside and office furniture • chart racks and equipment cabinets • countertops • door knobs • office machinery • sinks and mirrors • light fixtures and switches • supply, dressing and trash carts • telephones • waste cans and laundry hampers • wheel chairs and walkers • urinals.

PRECAUTIONARY STATEMENTS Hazards to Humans and Domestic Animals

DANGER

Corrosive. Causes eye damage. Do not get in eyes. Wear goggles or faceshield and rubber gloves when handling. Harmful or fatal if swallowed. Causes skin irritation. Do not get on skin or on clothing.

PHYSICAL OR CHEMICAL HAZARDS

Flammable. Keep away from heat, sparks and open flame.

STORAGE & DISPOSAL

Storage: Keep containers tightly sealed when not in use. Store containers indoors and in a dry area. Keep from freezing. Use from original container only.

Pesticide Disposal: Do not contaminate water, food or feed by storage or disposal. Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

Container Disposal: Do not reuse empty container. Rinse container thoroughly and discard in trash.

For Commercial/Industrial Use Only

EPA Reg. No. 11694-98 EPA Est. No. 11694-KS-1
SDA-KS-774

Manufactured in the U.S.A. by




805 E. Old 56 Highway
Olathe, KS 66061
www.dymon.com

Fax Back **MSDS** online
877-818-3284 www.dymon.com

PRODUCT/MSDS DOCUMENT # 42632

020911



9/11/02
KNG
[DYMON]
C#D'MON
P-42332
Q:ark:rease4.11
FOLDER(S):
MacShare
Labelse
5-RAND
DYMOM
426 DYMOM
42632DymonSS.qxd
COLORS:
Pms 293
Pms 186
Pms 347
CAP COLOR:
White
Vendor:
Contech
LABEL TYPE:
SS
BOX ART:
ITW Dymon
Box Printer-Black
IF CTIONS:
.one

6/9

NOTIFICATION
 Date Reviewed: 5-14-03
 Reviewed By: C-DO/SL/MC



An effective disinfectant for hard surfaces for general hospital use, schools, medical, dental and business offices, sickrooms, nursing homes and ambulances. This product will control the following organisms: Salmonella choleraesuis, Staphylococcus aureus, Trichophyton mentagrophytes, Pseudomonas aeruginosa, Streptococcus pyogenes, HIV-1 (associated with AIDS) and tubercle bacilli.

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

For Pre-cleaning: Pre-clean surfaces with a suitable detergent prior to disinfecting.
For Disinfecting: Hold dispenser upright 6 to 8 inches from surface. Spray 2 to 3 seconds or until entire surface is wet. Allow to remain at least 10 minutes. Allow to air dry or remove with clean dry cloth.

For Mildew Control: Spray surface until moist. Do not use on polished wood furniture or rayon fabrics. Repeat application periodically to maintain control.

***KILLS HIV-1 ON PRE-CLEANED ENVIRONMENTAL SURFACES/OBJECTS PREVIOUSLY SOILED WITH BLOOD/BODY FLUIDS** in health care settings or other settings in which there is an expected likelihood of soiling of inanimate surfaces/objects with blood or body fluids, and in which the surfaces/objects likely to be soiled with blood or body fluids can be associated with the potential for transmission of human immunodeficiency virus Type 1 (HIV-1)(associated with AIDS).

SPECIAL INSTRUCTIONS FOR CLEANING AND DECONTAMINATION AGAINST HIV-1 OF SURFACES/OBJECTS SOILED WITH BLOOD/BODY FLUIDS.

PERSONAL PROTECTION: When handling items soiled with blood or body fluids, use disposable latex gloves, gowns, masks or eye coverings.

CLEANING PROCEDURES: Blood and other body fluids must be thoroughly cleaned from surfaces and objects before application.

CONTACT TIME: Allow surface to remain wet for 10 minutes.

DISPOSAL OF INFECTIOUS MATERIALS: Blood and other body fluids should be autoclaved and disposed of according to local regulations for infectious waste disposal. This product is not to be used as a terminal sterilant/high level disinfectant on any surface or instrument that (1) is introduced directly into the human body, either into or in contact with the bloodstream or normally sterile areas of the body, or (2) contacts intact mucous membranes but which does not ordinarily penetrate the blood barrier or otherwise enter normally sterile areas of the body. This product may be used to preclean or decontaminate critical or semi-critical medical devices prior to sterilization or high level disinfection.

Medaphene[®] Plus Spearmint Disinfectant Deodorant

Pseudomonacidal • Virucidal* • Mildewcidal†
 Fungicidal • Staphylocidal • Tuberculocidal

Disinfects Herpes Simplex Virus Type 1 & 2
 Influenza A₂ (Hong Kong) & HIV-1 (AIDS Virus)*

†Controls Mildew growth on fabric for 14 days and on hard surfaces for 21 days.
 *Virucidal against Influenza A₂/Hong Kong, Herpes Simplex Type 1 and Herpes Simplex Type 2, on precleaned and inanimate hard surfaces. Kills HIV-1 (AIDS virus) on precleaned environmental surfaces/objects previously soiled with blood/body fluids.

ACTIVE INGREDIENTS:

o-phenylphenol	0.19%
ethyl alcohol	68.00%
OTHER INGREDIENTS:	31.81%

PRECAUCION AL CONSUMIDOR: Si usted no lee ingles, no use este producto hasta que la etiqueta le haya sido explicada ampliamente.

**KEEP OUT OF REACH OF CHILDREN
 DANGER**

STATEMENT OF PRACTICAL TREATMENT

If in **EYES:** Immediately flush with copious amounts of water, lifting eyelids to insure complete removal. Flush for 15 minutes minimum. Consult a physician. If on **SKIN:** Flush with water 15 minutes minimum. If irritation persists, consult a physician. If **SWALLOWED:** Immediately drink a large quantity of water. Contact a physician immediately.

See side panel for additional precautionary statements.

Net Contents 32 fl oz (1 qt) (946.4 mL)

GENERAL USES

Disinfecting: Bed springs and frames • bedside and office furniture • chart racks and equipment cabinets • countertops • door knobs • office machinery • sinks and mirrors • light fixtures and switches • supply, dressing and trash carts • telephones • waste cans and laundry hampers • wheel chairs and walkers • urinals.

**PRECAUTIONARY STATEMENTS
 Hazards to Humans and Domestic Animals**

DANGER

Corrosive. Causes eye damage. Do not get in eyes. Wear goggles or faceshield and rubber gloves when handling. Harmful or fatal if swallowed. Causes skin irritation. Do not get on skin or on clothing.

PHYSICAL OR CHEMICAL HAZARDS

Flammable. Keep away from heat, sparks and open flame.

STORAGE & DISPOSAL

Storage: Keep containers tightly sealed when not in use. Store containers indoors and in a dry area. Keep from freezing. Use from original container only.

Pesticide Disposal: Do not contaminate water, food or feed by storage or disposal. Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

Container Disposal: Do not reuse empty container. Rinse container thoroughly and discard in trash.

For Commercial/Industrial Use Only

EPA Reg. No. 11694-98 EPA Est. No. 11694-KS-1
 SDA-KS-774

Manufactured in the U.S.A. by



805 E. Old 56 Highway
 Olathe, KS 66061
 www.dymon.com


FaxBack **MSDS** online
 877-818-3284 www.dymon.com

PRODUCT/MSDS DOCUMENT # 42632

020911



9/11/02
 KNG
 DYMON
 C-DYMON
 P#42632
 QuantXPress4.11
 FOLDER(S):
 MicShare
 Labels
 BRAND
 DYMON
 426 DYMON
 42632DymonSS.qxd
 COLORS:
 Pms 293
 Pms 186
 Pms 347
 CAP COLOR:
 White
 Vendor:
 Contech
 LABEL TYPE:
 SS
 BOX ART:
 ITW Dymon
 Box Printer-Black
 IN STIONS:
 -one



7/7