

MAY 17 1994

Ms. Nancy R. Robey  
Dymon, Incorporated  
3401 Kansas Avenue  
Kansas City, KS 66106

Dear Ms. Robey:

Subject: Medaphene Plus Disinfectant Spray  
EPA Registration No. 11694-99  
Your Amendment Dated January 24, 1994

This is in response to your amendment to add the words "& HIV-1(Aids virus)+" and footnote "+ Kills HIV-1 (Aids virus) on precleaned environmental surfaces/objects previously soiled with blood/body fluids" to current EPA label for the subject product.

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended is acceptable subject to the following comment.

- 1. Delete the plus sign and add asterisk after the phrase "& HIV-1 (Aids virus)".

A stamped copy is enclosed for your records. Submit five copies of the final printed label

If you have any questions about these comments, please call Marianne Clark at (703) 305-7879.

Sincerely yours,

Ruth Douglas  
Product Manager (32)  
Antimicrobial Program Branch  
Registration Division (7505C)

CONCURRENCES

SYMBOL							
SURNAME							
DATE							



**Dymon®**  
The new idea company.

Contains no CFCs or other ozone depleting substances. Federal regulations prohibit CFC propellants in aerosols.

An effective disinfectant for hard surfaces for general hospital use, schools, medical, dental and business offices, sickrooms, nursing homes and ambulances.

This product will control the following organisms: *Salmonella choleraesuis*, *Staphylococcus aureus*, *Trichophyton mentagrophytes*, *Pseudomonas aeruginosa*, *Streptococcus pyogenes*, HIV-1 (associated with AIDS) and tubercle bacilli.

**DIRECTIONS FOR USE**

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

**For Pre-cleaning:** Pre-clean surfaces with a suitable detergent prior to disinfecting. **For Disinfecting:** Hold dispenser upright 6 to 8 inches from surface. Spray 2 to 3 seconds or until entire surface is wet. Allow to remain at least 10 minutes. Allow to air dry or remove with clean dry cloth.

**For Deodorizing:** Hold dispenser upright. Spray toward center of room 3 to 5 seconds.

**For Mildew Control:** Spray surface until moist. Do not use on polished wood furniture or rayon fabrics. Repeat application periodically to maintain control.

**\*KILLS HIV-1 ON PRE-CLEANED ENVIRONMENTAL SURFACES/OBJECTS PREVIOUSLY SOILED WITH BLOOD/BODY FLUIDS** in health care settings or other settings in which there is an expected likelihood of soiling of inanimate surfaces/objects with blood or body fluids, and in which the surfaces/objects likely to be soiled with blood or body fluids can be associated with the potential for transmission of human immunodeficiency virus Type 1 (HIV-1) (associated with AIDS).

**SPECIAL INSTRUCTIONS FOR CLEANING AND DECONTAMINATION AGAINST HIV-1 OF SURFACES/OBJECTS SOILED WITH BLOOD/BODY FLUIDS.**

**PERSONAL PROTECTION:** When handling items soiled with blood or body fluids, use disposable latex gloves, gowns, masks, or eye coverings.

**CLEANING PROCEDURES:** Blood and other body fluids must be thoroughly cleaned from surfaces and objects before application.

**CONTACT TIME:** Allow surface to remain wet for 10 minutes.

**DISPOSAL OF INFECTIOUS MATERIALS:** Blood and other body fluids should be autoclaved and disposed of according to local regulations for infectious waste disposal.

**GENERAL USES**

**Disinfecting:** Bed springs and frames • bedside and office furniture • chart racks and equipment cabinets • countertops • door knobs • office machinery • sinks and mirrors • light fixtures and switches • supply, dressing and trash carts • telephones • waste cans and laundry hampers • wheel chairs and walkers • urinals.

**Deodorizing:** Odors from post-colostomy, post-leostomy dressing and bags, malignant diseases, homes, kitchens, bathrooms, industrial plant processes, food processing and packaging plants, food stores, fecal matter, urine, burns, smoke, mildew and mold, decay, garlic, onions, food putrefaction, perspiration, stale air, tobacco, sickrooms, musty closets and fish.

**PRECAUTIONARY STATEMENTS**

Hazardous to Humans and Domestic Animals

**DANGER**

Corrosive. Causes eye damage. Do not get in eyes. Wear goggles or faceshield and rubber gloves when handling. Harmful or fatal if swallowed. Causes skin irritation. Do not get on skin or on clothing.

**PHYSICAL OR CHEMICAL HAZARDS**

Flammable. Contains under pressure. Keep away from heat, sparks and open flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting.

**STORAGE & DISPOSAL**

**Storage:** Replace cap when not in use. Store containers indoors and in a dry area. Keep from freezing. **Pesticide/Disposal:** Do not contaminate water, food or feed by storage or disposal. Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

**Contains Disposal:** Do not use empty container. Wrap and discard in trash.

For Commercial/Industrial Use Only.

EPA Reg. No. 11894-89 EPA Est. No. 11894-KS-1 SDA-KS-0755

# Medaphene® Plus

## DISINFECTANT SPRAY

Pseudomonacidal • Virucidal\* • Mildewcidal†  
Fungicidal • Staphylocidal • Tuberculocidal

Disinfects Herpes Simplex  
Virus Type 1 & 2  
Influenza A<sub>2</sub> (Hong Kong)  
& HIV-1 (AIDS virus)±

†Controls Mildew growth on fabric for 14 days and on hard surfaces for 21 days.

\*Virucidal against Influenza A/Hong Kong, Herpes Simplex Type 1 and Herpes Simplex Type 2, on pre-cleaned, inanimate, and hard surfaces.

±Kills HIV-1 (AIDS virus) on pre-cleaned environmental surfaces/objects previously soiled with blood/body fluids.

**Net Wt. 16 oz (454 g)**

**ACTIVE INGREDIENTS:**  
o-phenylphenol..... 0.19%  
ethyl alcohol..... 68.00%  
**INERT INGREDIENTS:**..... 31.81%



**KEEP OUT OF REACH OF CHILDREN  
DANGER**

**STATEMENT OF PRACTICAL TREATMENT**

If in eyes: immediately flush with copious amounts of water, lifting eyelids to insure complete removal. Flush for 15 minutes minimum. Consult a physician. If on skin: Flush with water for 15 minutes minimum. If irritation persists, consult a physician. If swallowed: Immediately drink large quantity of water. Contact a physician immediately.

See side panel for additional precautionary statements.



MANUFACTURED BY:  
DYMION, INC.  
3401 KANSAS AVENUE  
KANSAS CITY, KANSAS 66106  
(913) 321-5537

DA347

▲ INSTITUTIONAL ▲ INDUSTRIAL ▲ COMMERCIAL ▲ AUTOMOTIVE ▲ INDUSTRIAL