SHAKE BEFORE USING AND AT INTERVALS DURING PROLONGED USE.

Hold container upright with nozzle away from you. Press valve down and spray as directed. To avoid possible staining of fabrics or surfaces, do not spray at close range.

(Flies,) (Mosquitoes,) (Gnats,) (Midges,) (Wasps,) (Hornets) and (Flying Moths(Millers)): Close all doors and windows and spray room at a rate of 1 second per 1000 cubic feet. Direct spray to all parts of room, especially windows and other light sources which attract these insects. Keep nozzle in constant motion. Keep room closed for 10 to 15 minutes after treatment. Repeat treatment as necessary.

> PRECAUTIONARY STATEMENTS Hazards To Humans & Domestic Animals

CAUTION. Harmful if swallowed or absorbed through skin. Avoid breathing vapors or spray mist. Avoid contact with skin and eyes. In case of contact, immediately flush eyes or skin with plenty of water. Obtain medical attention if irritation persists. Vacate premises after treatment and ventilate before reoccupying.

Do not apply directly to food, (in commercial food handling facilities, cover or remove any food and food processing equipment during application. Do not apply while food processing is underway. After space spraying in food processing plants, wash with potable water all equipment, benches, shelving, etc., where exposed food will be handled. In the home, all food processing surfaces and utensils should be covered during treatment or thoroughly washed before use.}

Remove pets and birds, and cover fish aquariums before spraying.

ENVIRONMENTAL HAZARDS

This product is toxic to fish and other aquatic invertebrates. Do not apply directly to water.

PHYSICAL OR CHEMICAL HAZARDS

Contents under pressure. Do not use or store near heat or open flame. Do not puncture or incinerate container. Exposure to temperatures above 1300F may cause bursting. FIRST AID

IF SWALLOWED: Call a poison control center or doctor immediately for treatment advice. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give any liquid to the person. Do not give anything by mouth to an uncon-

IF IN EYES: Hold eve open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a poison control center or doctor for further treatment advice.

IF ON SKIN OR CLOTHING: Take off contaminated clothing and wash before reuse. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

STORAGE AND DISPOSAL

SZQQAGE: Store in a cool dry area away from heat or open flame.

OISPOSAL: By Not pincture or incinerate!

[Learnity: Place in train or offer for recycling if available.

If partly filled: Call your local solid waste agency or 1-800-CLEANUP for disposal

(Buyer assumes all risk of use, storage or handling of this product not in strict accordance with directions given herewith.)

> EPA Reg(No. 11694-107 (-XXXX) EPA Est. No. 11694-KS-1 {Manufactured, Distributed, Sold} (in the USA) (by, for) 1TW Dymon, Olathe, K\$ 66061

For an MSDS, cail XXX-XXXX or visit www.xxxxx.com and request document

MAS LER LABEL

All word(s), phrases, or symbols in { } and bolded are OPTIONAL * Denotes Additional Brand Name

Dry Foa™ Drop-Um {*The End.™ Dry Foa™ Flying Insect Killer}

- A Water-Based (Pvrenone®) Insecticide

- Use in (Schools, Hospitals, Institutions, Food Plants. Hotels, Motels, Dairies, Restaurants, Drugstores, Apartments, Supermarkets, Theaters, Drive-ins, Homes, Trucks, and Office Buildings).

(Pyrenone is a Registered Trademark of Valent Biosciences Corp.)

ACTIVE INGREDIENTS:

Pyrethrins	0.30%
*Piperonyl Butoxide	1.50%
OTHER INGREDIENTS:	98.20%
	{100.00%}

*Equivalent to min. 1.2% (butylcarbityl) (6-propylpiperonyl) ether and 0.3% related compounds.

8/27/03 45120MV1 KRH

PRN 2001-6 PRN 2001-1 PRN 1992-2

Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide EPA Feg. No. //694-107

(PRECAUCION AL CONSUMIDOR: Si ested no lee inglés, no ese este producto hasta que la etiqueta le haya sido explicada ampliamente.)

KEEP OUT OF REACH OF CHILDREN CAUTION

See (back, rear, side) panel for additional precautionary statements.

Net Weight XXXX



Contains no CFCs or other ozone depleting substances. Federal regulations prohibit CFC propeltants in aerosols

You can recycle this steel container in an increasing number of communities.