

U.S. ENVIRONMENTAL PROTECTION AGENCY
Office of Pesticide Programs
Registration Division (H7505C)
401 "M" St., S.W.
Washington, D.C. 20460

11694-108

EPA Reg. Number:

Date of Issuance

302 NAL 815

NOTICE OF PESTICIDE:

x Registration
Reregistration

(under FIFRA, as amended)

Term of Issuance:

Conditional

Name of Pericide Product: THE END.
RALLY! Total release
Fogger with Insect
Growth Regulator

Name and Address of Registrant (include ZIP Code):

Dymon, Inc.

3401 Kansas City, Kansas 66106

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered/reregistered under the Federal Insecticide, Fungicide and Rodenticide Act.

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA sec. 3(c)(7)(A) provided that you:

- 1. Submit and/or cite all data required for registration/ reregistration of your product under FIFRA sec. 3(c)(5) when the Agency requires all registrants of similar products to submit such data; and submit acceptable responses required for reregistration of your product under FIFRA section 4.
 - Make the following label changes:
 - a. Revise the EPA Registration Number to read, "EPA Reg. No. 11694-108".
 - b. Delete the statement, "Repeat spraying in two weeks or when necessary.".
 - c. After the statement, "Open all doors and windows and allow to air for 30 minutes.", add the statement, "If additional units are used for remote rooms or where free flow of mist is not assured, increase airing-out time accordingly.".

Signature of Approving Official:

Date

RPK

Richard P. Keigwin, Jr.

28 JAN 1996

3. Submit two (2) copies of the revised final printed label for the record.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.


A stamped copy of the label is enclosed for your records.

Sincerely,

RPK

Richard P. Keigwin, Jr.
Product Manager 10
Insecticide & Rodenticide Branch
Registration Division (7505C)

BEST COPY AVAILABLE



farmful if swallowed or absorbed through alun. Do not breathe vapors or spray mist. Avoid contact with skin or eyes, in case of contact, flush with plenty of water. Wash with soap and water after use Obtain medical attention if irritation persists. Avoid contamination of food or feedstuffs.

ENVIRONMENTAL HAZARDS

Do not contaminate water when disposing of equipment washwaters

PHYSICAL OR CHEMICAL HAZARDS

Contents under pressure. Keep away from heat, sparks, and open flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting. Extremely Flammable.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent v SHAKE WELL BEFORE USE, KEEP CONTAINER UPRIGHT.

SHAKE WELL BEFORE USE. KEEP CONTAINER UPRIGHT.

This product will kill Ants, Cockroaches, Crickets, Fleas, Houseflies, Mosquitose, Rice Weevils, SawToothed Grain Beetles, Small Flying Molhs, Ticks, Walerbugs, Palmeto Beetles, Grasshoppers,
Carpet Beetles, Boxelder Bugs, Flat Grain Beetles, Cadelles, Flour Beetles, Cigarette Beetles,
Drugstore Beetles, Lesser Grain Borers, Merchant Grain Beetles, Grain Weevils, Fled Flour Beetles,
Sowbugs, Millipedies, Centipedes, Pillbugs, Silverlish, Firebrats, Bedbugs, Flies, Graits, Bookice,
Homets, Wasps, Yallowjackets, Warehouse Beetles, Confused Flour Beetles, Deer Ticks, Ticks that may carry and transmit Lyme Disease, Fruit Fires, Foreging Ants, Harvester Ants, Slying Moths, Indian Meal Moths, Indian Mealworm, Angournois Grain Moths and Yellow Mealworm. It wilt clap prevent

Un

Fu

A429-

DYMO

9/26/9

Meal worse, involve meal-worm, angournois crain worse and restow Meal-worm. If will clip prevent preactiff leas from developing into the actit bitting stage up to 7 months (210 days). Cover exposed lood, dishes and food-handling equipment. Open cabinets and doors to area to be treated. Shut off tans and air conditioners. Put out all filemes and pilot lights, Close doors and windows. Point valve opening away from face and eyes when releasing. Use one unit for each 6,000 cubic feel of unobstructed area. Use additional units for remote rooms or where tree flow of mist is not assured. Do not remain in the area during treatment and ventilate thoroughly before re-entry. Remove pets, where the quart fails negative the entry of the control of the previous forms. birds, and cover lish aquartums before spraying.

TO OPERATE VALVE: To lock valve in open position for automatic discharge, press the valve button

all the way down, hooking the catch. Then place logger on stand or table in the center of the room with valve locked open, placing several layers of newspaper or pad under logger. Leave building at once and keep building closed for two hours before aiming out. Open all doors and windows and allow to air full 20 millules. Repeal spraying in two weeks or when necessary.

To Control Ticks and Fleas: Old bedding should be removed and replaced with fresh, clean bedding after treatment. Pets should be treated with a registered product for flea and tick control in conjunction with this treatment

Do not use this unit in a cabinet or under a counter or table. Do not use this unit in an area less than

STORAGE AND DISPOSAL

STORAGE: Store in a cool dry area away from heat or open flame.

CONTAINER DISPOSAL: This container may be recycled in aerosol recycling centers. At present, there are only a few such centers in the country. Before offering for recycling, empty the can by using the product according to the label (DO NOT PUNCTURE!). If recycling is not available, wrap the cunlainer and discard in the trash.

> MANUFACTURED IN U.S.A. BY DYMON, INC. 3401 KANSAS AVENUE - KANSAS CITY, KANSAS 66106 (913) 321-5537

Dymon* The new idea company."

THE END. RALLY!

Total Release Fogger with Insect Growth Regulator

Total Release Fogger for Fleas with Insect Growth Regulator Kills Adult and Preadult Fleas

Prevents Reinfestation for 7 Months For Use in Rooms, Apartments, Homes, Attics, Basements, Campers, Boats, Household Storage Areas, Garages, Pet Sleeping Areas, Cabins One Unit Treats up to 4,000 Cubic Feet. **ACTIVE INGREDIENTS:**

2-[1-Methyl-2-(4-phenoxyphenoxy) ethoxy] pyridine......0.100% Pyrethnins.... 0.050% N-Octyl bicycloheptene dicarboximide0.400% Parmethrin (**(3-Phenoxyphenyl) methyl (+ or -) cistrans-3-(2,2-dichloroethenyl) 2,2-.0.400%

dimethylcyclopropanecarboxylate) Related compounds..... ..0.035% INERT INGREDIENTS... 100.000%

MGK 26-, Insecticide Synergist
**Cis-trans isomers ratio: Max. 55% (+ or -) cis and Min. 45% (+ or -)

EVERCIDE MGK* - Registered trademarks of McLaughtin Gormley King Co.

EPA Reg. No 11894-XXX Net Wt. 4 0Z. (114 g) EPA Est. No 11694-KS-1

KEEP OUT OF REACH OF CHILDREN CAUTION

STATEMENT OF PRACTICAL TREATMENT IF SWALLOWED: Call a physician or Poison Control Center immedi

IF IN EYES: Flush with plenty of water. Get medical attention if

IF ON SKIN OR CLOTHING: Remove contaminated clothing and wash before reuse. Wash skin with soap and warm water. Get medical attention if imitation persists.

IF INHALED:Remove victim to fresh air if effects occur, and call a physician.

BEST COPY AVAILANT