

11694-110

10-24-2003

1/4



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

WASHINGTON, D.C. 20460

OFFICE OF
PREVENTION, PESTICIDES
AND TOXIC SUBSTANCES

OCT 21 2003

Ms. Kelly R. Hoskins
ITW Dymon
805 E. Old 56 Highway
Olathe. KS 66061

Subject: Label Amendment to Update First Aid Statements (PR Notice 2001-1), Disposal Instructions (PR Notice 2001-6), and CFC Statements (PR Notice 1992-2)

EPA Reg. No. 11694-110
The End
Your Submission Dated August 29, 2003

Dear Ms. Hoskins:

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, is acceptable subject to the comments listed below. Two (2) copies of the finished labeling must be submitted prior to releasing the product for shipment. A stamped copy of the label is enclosed for your records.

1. Move the statements beginning with "*Avoid contamination of feed...*" and ending "*...until surfaces are dry*" from the Precautionary Statements to the Directions for Use section of the label.
2. The only First Aid statement required for this product is the "If Inhaled" statement. If you choose to keep the other statements, delete "*...and wash before reuse*" from the first sentence of the "If on Skin" statement.
3. Delete "Repeat as necessary" throughout the label or specify a specific time interval based upon efficacy of the product.
4. Under "Storage and Disposal" add: "*Do not contaminate water, food, or feed by storage and disposal*".

5. Revise the first sentence under Crawling Insects to read *"Hold can two (2) to three (3) feet from surface to be treated and spray in infested surface of patio or picnic area. hitting as many insects as possible. Spray to slightly moisten surface"*.
6. Add the following precaution to the first paragraph under Outdoors use directions: *"Remove all exposed food and cooking utensils. Cover all food handling surfaces or wash thoroughly after treatment and before use. Do not use on edible crops"*.
7. Under Directions for Use add: *"In the home all food processing surfaces and utensils should be covered during treatment or thoroughly washed before use. Exposed food should be covered or removed"*.

If you have any questions regarding this action, please contact Olga Odiott of my team at (703) 308-9369.

Sincerely,



George T. LaRocca
Product Manager (13)
Insecticide Branch
Registration Division (7505C)

Enclosure

MASTER LABEL

All word(s), phrases, or symbols in { } and **bolded** are OPTIONAL

* Denotes Additional Brand Name

Page 1 of 2

3/4

THE END.

{*THE END. FLYING INSECT KILLER}

{*THE END. CRAWLING INSECT KILLER}

- [AUTHORIZED FOR USE IN NON-FOOD/FEEED AREAS OF FOOD/FEEED PROCESSING PLANTS AND OFFICIAL ESTABLISHMENTS OPERATING UNDER THE MEAT, POULTRY, SHELL EGG GRADING AND EGG PRODUCTS INSPECTION PROGRAMS.]
- [CONTAINS PYRENONE® AND PERMANONE®]
- [CONTROLS INDUSTRIAL INSECTS]
- [SEEKS OUT BUGS WHERE THEY HIDE]
- [KILLS ON CONTACT]
- [FOR COMMERCIAL, AGRICULTURAL/INSTITUTIONAL USE]
- [A BROAD SPECTRUM INSECTICIDE HIGHLY EFFECTIVE AGAINST (ANTS) ((INCLUDING CARPENTER ANTS,)) (BEES,) (BEETLES) ((INCLUDING (CARPET, (FLOUR,)) (GRAIN,)) (AND) (GROUND BEETLES)),) (CENTIPEDES,)) (CLOVER MITES,)) (COCK-ROACHES,)) (CRICKETS) ((INCLUDING MOLE CRICKETS,)) (EARWIGS,)) (FIREBRATS,)) (FLEAS,)) (MILLIPEDES,)) (MOTHS,)) (PILLBUGS,)) (SCORPIONS,)) (SILVERFISH,)) (SOWBUGS,)) (SPIDERS,)) (TICKS,)) (WASPS,)) AND OTHER PESTS LISTED ON THE LABEL]
- [KILLS LICE AND THEIR EGGS]
- [FOR USE ON BEDDING, FURNITURE AND OTHER INANIMATE OBJECTS INFESTED WITH LICE]
- [NON-STAINING]
- [NO UNPLEASANT ODOR]
- [WATER-BASED FORMULA]
- [FOR USE ON PREMISES TO CONTROL FLEAS AND TICKS]
- [PROTECTS FOR UP TO (4 WEEKS,)) (12 WEEKS,)) (3 MONTHS)]

ACTIVE INGREDIENTS:

Pyrethrins	0.10%
*Piperonyl Butoxide, Technical	0.50%
**Permethrin	0.20%

OTHER INGREDIENTS: 99.20%
(100.00%)

*Equivalent to min. 0.4% (butylcarbityl)(6-propylpiperonyl) ether and 0.1% related compounds.

** (3-phenoxyphenyl) methyl (+/-) cis/trans 3-(2,2-dichloroethenyl) 2, 2-dimethylcypropanecarboxylate. Cis/trans ratio: min. 35% (+/-) cis and max. 65% (+/-) trans. yraperm, Pyrenone And Permanone - Registered Trademarks of Valent Biosciences Corp.)

EPA REG. NO. 11694-110 (-XXXX) EPA EST. NO. 11694-KS-1

(PRECAUCION AL CONSUMIDOR: Si usted no lee inglés, no use este producto hasta que la etiqueta le haya sido explicada ampliamente.)

KEEP OUT OF REACH OF CHILDREN

CAUTION

See (back, rear, side) panel for additional precautionary statements.

Net Weight XXXX

PRECAUTIONARY STATEMENTS Hazards To Humans & Domestic Animals

CAUTION. Harmful if inhaled. Avoid breathing vapor or spray mist. Remove contaminated clothing and wash before reuse. Avoid contamination of feed and food-stuffs. Remove pets and birds and cover fish aquaria before spraying. Vacate room after treatment and ventilate before reoccupying. Do not allow children or pets to contact treated areas until surfaces are dry.

FIRST AID

IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a poison control center or doctor for further treatment advice.

IF SWALLOWED: Call a poison control center or doctor immediately for treatment advice. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give any liquid to the person. Do not give anything by mouth to an unconscious person.

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

IF ON SKIN OR CLOTHING: Take off contaminated clothing and wash before reuse. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Do not apply directly to any body of water.

PHYSICAL OR CHEMICAL HAZARDS

Contents under pressure. Do not use or store near heat or open flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting. Do not use this product in or on electrical equipment due to the possibility of shock hazard.

STORAGE AND DISPOSAL

STORAGE: Store in a cool dry area away from heat or open flame.

DISPOSAL: Do Not puncture or incinerate!

If empty: Place in trash or offer for recycling if available.

If partly filled: Call your local solid waste agency or 1-800-CLEANUP for disposal instructions.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Do not use in food/feed areas of food/feed handling establishments, restaurants or other areas where food/feed is commercially prepared or processed. Do not use in serving areas while food is exposed of facility is in operation. Serving areas are areas where prepared foods are served such as dining rooms but excluding areas where foods may be prepared or held.

Nonfood areas are areas such as garbage rooms, lavatories, floor drains (to sewers), entries and vestibules, offices, locker rooms, machine rooms, boiler rooms, garages, mop closets and storage (after canning or bottling).

Do not use in rooms/areas while occupied by patients, the elderly or infirm. Do not apply to classrooms when in use.

SHAKE WELL BEFORE USING

Remove protective cap, hold container upright and spray from a distance of 12 to 15 inches.



(INDOORS):



(CLUSTER FLIES,) (HOUSEFLIES,) (FRUIT FLIES,) (MOSQUITOES,) (GNATS,) (WASPS,) (HORNETS,) (BEES,) (BLACK FLIES,) (SKIPPER FLIES,) (BLOW FLIES) AND (SMALL FLYING MOTHS): (Close all doors and windows and direct spray upward into center of room with a slow sweeping motion. Spray 5-10 seconds for average room, moving toward the door. Direct spray to all parts of the room, especially windows and other light sources which attract these insects. Keep nozzle in constant motion. Leave room and keep area closed for 15 minutes after spraying. Ventilate room thoroughly before re-entry. Sweep up and discard fallen insects. Repeat treatment as necessary.)

(COCKROACHES,) (WATERBUGS,) (PALMETTO BUGS,) (SILVERFISH,) (FIREBRATS,) (CRICKETS,) (SCORPIONS,) (SPIDERS,) (MILLIPEDES,) (CENTIPEDES,) (SOWBUGS) AND (PILLBUGS): (Spray into hiding places such as cracks and crevices, behind sinks, cabinets, along baseboards and floors, around drains and plumbing, hitting insects with spray when ever possible. Repeat treatment as necessary.)

(ANTS: Spray trails, nests and points of entry. Spray on ant where possible. Repeat as necessary.)

(INDIAN MEAL MOTHS,) (ANGOUMOIS GRAIN MOTHS): (Close doors and windows, direct spray into all parts of room especially around stored food product containers, pallets and darkened areas. Spray 7 to 10 seconds for each 1000 cubic feet of space, moving toward the door. Leave room and keep area closed for 15 minutes following treatment. Repeat application as necessary.)

(EXPOSED STAGES OF CONFUSED FLOUR BEETLES,) (CIGARETTE BEETLES,) (DRUG STORE BEETLES,) (SAW-TOOTHED GRAIN BEETLES,) (RED FLOUR BEETLES,) (RICE WEEVILS,) (GRANARY WEEVILS,) (GRAIN MITES IN EXPOSED ADULT

{  Contains no CFCs or other ozone depleting substances. Federal regulations prohibit CFC propellants in aerosols }
{  You can recycle this steel container in an increasing number of communities. }
ACCEPTED
with COMMENTS

In EPA Letter Dated

OCT. 21 2003

Under the Federal Insecticide Fungicide, and Rodenticide Act as amended, for the pesticide registered under EPA Reg. No

11694-110

4/4

AND LARVAE STAGES): (Spray into cracks and crevices, processing and handling equipment, around cartons or containers or other areas where these insects tend to congregate. Contact as many insects as possible. Spray 30 seconds for each 100 square feet of surface. Keep area closed for 45 minutes to 1 hour after treatment. Space spray: Spray 20 seconds per 1000 cu. ft. of space, moving toward the door. Leave room and keep area closed for 15 minutes following treatment. Repeat application weekly or as necessary. Infested stored food products should be disposed of, or treated using an approved product intended for this purpose.)

(CARPET BEETLES: Spray directly on beetles, floors, baseboards, shelves and carpets. Repeat treatment as necessary.)

(BEDBUGS: Spray mattresses, particularly around tufts and seams. Take beds apart and spray into all joints. Treat baseboards, molding and floors. Repeat treatment as necessary. Allow all sprayed articles to dry thoroughly before use.)

(TO CONTROL (CLOTHES MOTHS) AND (CARPET BEETLES) On wool and other proteinaceous fibers: Remove infested articles from storage, brush thoroughly, and air for several hours in sunlight, if possible. Apply spray liberally to empty chests, closets, bureaus and other storages directing the spray into cracks, joints and crevices. After airing, infested articles may be treated by spraying lightly, keeping nozzle at least three feet from fabric to avoid staining.)

(FLEAS IN BUILDINGS - SPACE SPRAY: Hold can 36 inches above floor and direct spray toward floor and lower walls at a rate of 10 seconds per 100 sq. ft. making sure that all floor, sofa and chair surfaces are contacted. Leave room and keep area closed for 15 minutes. Open and ventilate before reoccupying. Repeat treatment after 7 days or as needed.)

(FLEAS & TICKS (ADULT AND LARVAE): Remove and thoroughly clean or destroy pet bedding. Spray pet sleeping quarters, bed, entire floor and floor covering, with special attention to cracks and crevices around baseboards, and window and door frames. Infested upholstered furniture and mattresses may also be treated with this product. A test application should be made to upholstery or drapery fabrics in an inconspicuous place before use.)

(TO KILL LICE AND LOUSE EGGS: Spray in an inconspicuous area to test for possible staining or discoloration. Inspect again after drying, then proceed to spray entire area to be treated. Hold container upright with nozzle away from you. Depress valve and spray from a distance of 8 to 10 inches. Spray each square foot for three seconds. Spray only those garments and parts of bedding, including mattresses and furniture that cannot be either laundered or dry cleaned. Allow all sprayed articles to dry thoroughly before use.)

(IN ANIMAL QUARTERS AND MILK ROOMS: Remove animals prior to treatment. For rapid control of House Flies, Mosquitoes, Gnats, Wasps, Hornets, Bees and Small-Flying Moths, close windows and doors and spray at the rate of 2 seconds per 1000 cubic feet of space. For best results, keep area closed for 10 minutes after spraying. Do not remain in treated area and ventilate after treatment is completed.)

(TO TREAT LIVESTOCK: To protect beef cattle, dairy cattle, goats, sheep, hogs and horses from attacks of Stable Flies, Horse Flies, Deer Flies, Face Flies, House Flies, Horn Flies, Mosquitoes, and Gnats: Spray about 3 seconds on each side being careful to spray back, withers and forelegs thoroughly. To protect from Face Flies, spray the face and head, but do not spray into eyes. Repeat treatment when flies are troublesome.)

(FOR SWINE: Do not ship animals for slaughter within 5 days of last treatment.)

(TO CONTROL BLOOD SUCKING LICE: Apply to the infested areas of the animal, using a stiff brush to get the spray to the base of the hair. Repeat every 3 weeks if required.)

(TO CONTROL POULTRY LICE, spray roosts, walls and nests or cages thoroughly. This should be followed by spraying over the birds with a fine mist.)

(FOR CONTROL OF BEDBUGS AND MITES IN POULTRY HOUSES, spray crevices of roost poles, cracks in walls, and cracks in nests where the bedbugs and mites hide.)

(OUTDOORS):

(Point spray nozzle away from face. Hold can on slight downward angle. For best results, spray when air is calm. Allow a few minutes for product to take effect. Spray with wind if breeze is blowing.)

(FLYING INSECTS): (Flies,) (Mosquitoes,) (Gnats,) (Small Flying Moths,) (Hornets,) (Wasps) and (Yellow Jackets). (Allow fog to drift over area. Direct spray toward bushes or grass from at least 4 to 6 feet away. Give special attention to breeding areas such as garbage cans and compost piles. Repeat as necessary.)

(MUD DAUBERS AND WASP NESTS: Spray mist directly on insects and their nests from approximately 2 feet away. Contacted insects will fly away from fog. Applications should be made in late evening when insects are at rest. Spray into hiding and breeding places contacting as many insects as possible.)

(CRAWLING INSECTS): (Ants,) (Cockroaches,) (Including Asian Cockroaches,) (Crickets,) (Mole Crickets,) (Centipedes,) and (Silverfish). (Spray infested surface of patio or picnic area, hitting as many insects as possible. Also spray legs of tables and chairs to repel ants. Spray ant hills for best control.)

(Buyer assumes all risk of use, storage or handling of this product not in strict accordance with directions given herewith.)

(Manufactured, Distributed, Sold) (in the USA) (by, for)
ITW Dymon, Olathe, KS 66061

(For an MSDS, call XXX-XXX-XXXX or visit www.xxxxx.com and request document #xxxxx)

8/27/03
184-185MV1
KRH

PRN 2001-6
PRN 2001-1
PRN 1992-2