

**USE DIRECTIONS  
FOR CLEANING**

Lightly soiled areas - surfaces to be cleaned should be mopped or brushed with a solution containing 1 ounce of TRIPLE THREAT per gallon of water. Rinse cleaned area with fresh water.

Heavily soiled areas - mop or brush soiled surface with a solution containing 2-3 ounces of TRIPLE THREAT per gallon of water. Rinse cleaned surface with fresh water.

**GENERAL PURPOSE DISINFECTION**

To disinfect walls, floors and other hard surfaces in homes, schools, restaurants, rest rooms and other public areas, mop or brush the surface to be treated with a solution containing 1 ounce of TRIPLE THREAT per gallon of water. Surfaces that are heavily soiled should be cleaned with 2 ounces of TRIPLE THREAT per gallon of water and then disinfected. Those surfaces which may later come in contact with food must be rinsed with clear water of drinking quality.

To disinfect locker rooms, shower stalls, walkways around pools and other areas where fungicidal action is required, mop area with a solution containing 2 ounces in 3 gallons of water. This solution will destroy Trichophyton interdigitale, a causative agent of athlete's foot.

**HOSPITAL DISINFECTION**

To disinfect walls, floors, furniture and other hard surfaces in hospitals and nursing homes, mop or brush surface to be treated with a solution containing 2 ounces of TRIPLE THREAT per gallon of water. Those surfaces that are heavily soiled with blood, fecal material or exudates should be thoroughly scrubbed with a solution containing 2 ounces per gallon of water and then rinsed with a fresh solution containing 2 ounces per gallon of water before disinfection.

**SANITIZATION**

To sanitize walls, floors and equipment in food processing plants, first clean thoroughly with a solution containing 1 ounce of TRIPLE THREAT

**TRIPLE THREAT**  
**DISINFECTANT CLEANER**  
**SANITIZER - FUNGICIDE - DEODORANT**



**ACTIVE INGREDIENTS**

n-Alkyl (50% C<sub>14</sub>, 40% C<sub>12</sub>, 10% C<sub>16</sub>)dimethyl benzyl ammonium chloride..... 5.0%

Tetrasodium salt of ethylene diamine tetraacetic acid..... 2.3%

Sodium carbonate..... 2.0%

**INERT INGREDIENTS**..... 90.7%

EPA Reg. No. 11709-3

EPA EST. #11709-MN-1

**DANGER CORROSIVE**  
**KEEP OUT OF REACH OF CHILDREN**

See side panel for additional precautionary handling instructions.  
Container Disposal: When empty, rinse container thoroughly with water and destroy it by crushing or burying in a safe place.

**MANUFACTURED BY:**  
**BIO CHEM LABORATORIES, INC.**  
**745 Boone Avenue North**  
**Minneapolis, Minnesota 55427**

**NET CONTENTS**  
**1 U. S. GALLON**

per gallon of water. If surface is heavily soiled, use TRIPLE THREAT at a rate of 2-3 ounces per gallon to insure thorough cleaning. Sanitize cleaned surface with a rinse solution containing 1/2 ounce of TRIPLE THREAT per gallon of water. Sanitized surfaces which may later come in contact with food must be rinsed with clean water of drinking quality.

**DEODORIZATION**

To deodorize surfaces during cleaning, mop or brush surfaces with a solution containing 2 ounces of TRIPLE THREAT per gallon of water.

TRIPLE THREAT is an effective antibacterial cleaner designed for use in household, industrial and institutional cleaning. When used as directed, TRIPLE THREAT will disinfect hard surfaces, such as floors, walls, counter tops and furniture. It may be relied upon to deodorize bathroom areas, garbage pails, food storage areas, kennel areas and other areas where obnoxious odors may develop. This product may be used as a general purpose antibacterial-antifungal detergent in homes, schools, restaurants, hospitals, nursing homes, public rooms, food processing plants and in other places where efficient cleaning and antimicrobial action is desired. See left panel for use directions.

**DANGER CORROSIVE**

**KEEP OUT OF REACH OF CHILDREN**

Causes eye damage and skin irritation. Do not get in eyes, on skin or on clothing. Protect eyes and skin when handling. Harmful if swallowed. Avoid contamination of food.

**FIRST AID**

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse.

If swallowed, drink promptly a large quantity of milk, egg whites, gelatin solution or if these are not available, drink large quantities of water. Call a physician immediately.

AUG 27 1974

UNDER THE FEDERAL INSECTICIDE  
FUNGICIDE AND RODENTICIDE ACT  
FOR ECONOMIC POISON REGISTERED  
UNDER NO. 11709-3

376666-2