

SPEER HOME & GARDEN INSECT SPRAY

(with .25% SBP-1382)

**KILLS FLIES, MOSQUITOS, ROACHES,
SPIDERS & WASPS.**

ACTIVE INGREDIENTS:

*†Resmethrin: [5-(Phenyl(methyl)-3-furanyl)Methyl-2,2-dimethyl-3-(2-methyl-1-propenyl)-cyclopropanecarboxylate.....0.284%

INERT INGREDIENTS:.....99.716%
100.000%

*cis/trans isomer ratio: max. 30% (+/-) cis, min.
70% (+/-) trans

†U.S. Patent No. 3,456,007. Roussel-Bio Corp.


KEEP OUT OF REACH OF CHILDREN

CAUTION

See additional precautions on back panel

NET WEIGHT: _____

EPA Reg. No. 11715-04
EPA Est. No. 11715-TN-1



PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS CAUTION

Harmful if swallowed or absorbed through the skin. Avoid breathing vapors or spray mist. Avoid contact with skin and eyes. Wash thoroughly with soap and water after handling. Do not apply directly to food. All food processing surfaces and utensils should be covered during treatment, or thoroughly washed before use. Remove pets, birds and cover fish aquariums before spraying.

FIRST AID	
IF SWALLOWED:	<ul style="list-style-type: none">• Call poison control center or doctor immediately for treatment advice.• Have person sip a glass of water if able to swallow.• Do not induce vomiting unless told to do so by the poison control center or doctor.• Do not give anything by mouth to an unconscious person.
IF INHALED:	<ul style="list-style-type: none">• Move person to fresh air.• If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible.• Call a poison control center or doctor for further treatment advice.

IF ON SKIN OR CLOTHING:	<ul style="list-style-type: none">• Take off contaminated clothing.• Rinse skin immediately with plenty of water for 15-20 minutes.• Call a poison control center or doctor for treatment advice.
IF IN EYES:	<ul style="list-style-type: none">• Hold eye open and rinse slowly and gently with water for 15-20 minutes.• Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.• Call a poison control center or doctor for treatment advice.
HOT LINE NUMBER Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-877-757-4943 for emergency medical treatment information.	

PHYSICAL HAZARDS

Contents under pressure. Do not use or store near fire or open flame. Do not puncture or incinerate container. Exposure to temperatures above 130° F. may cause bursting.

ENVIRONMENTAL HAZARDS

This pesticide is highly toxic to fish. Do not apply directly to water. Drift and runoff from treated sites may be hazardous to fish in adjacent waters. Do not use on edible crops.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Indoor-For Houseflies, Mosquitoes, & Gnats:
Close all doors and windows. Point nozzle upward to direct the spray mist to all parts of the

11715-4

4/28/2003

Page 182

room, especially windows and other light sources, which attract these insects. Fill the room with mist; then leave the treated area. Keep the room closed for at least 15 minutes. Ventilate the room when treatment is completed.

Wasps: Application should be made in late evening when insects are at rest. Spray liberally into hiding and breeding places contacting as many insects as possible. Repeat as necessary.

Indoors-For Crawling Insects: Roaches, earwigs, grain mites, sowbugs, spiders, and centipedes:

Spray thoroughly into hiding places such as cracks, crevices, moist areas, openings around pipes and sinks, under refrigerators, baseboards and storage areas. Spray directly on insects where possible. Repeat as necessary.

Ants: Spray trails, nests and points of entry. Spray on ants where possible. Repeat as necessary.

Outdoors-To Kill Flying Insects: Control mosquitoes, gnats (midges), houseflies, biting flies and certain flying moths by spraying their resting areas. Follow precautions listed above. Hold container 18 to 24 inches from shrubs, bushes and grassy areas. Spray these areas with a slow sweeping motion at the rate of from 1 to 3 seconds per cubic yard of space while moving away from the treated areas. To reduce annoyance from these flying insects, treat open porches and patios in a similar manner. Spray only when the air is still. Allow spray to dissipate before occupying the treated area. Repeat as necessary.

Outdoors-To Control Ornamental Plant Pests: Aphids, exposed thrips, adult whiteflies, leafhoppers, plant bugs, spittlebugs, Japanese beetles, spiders and mimosa webworm larvae: Spray directly on insects by holding the container 12 to 18 inches from the infested plants. Spray in short bursts of one to three seconds over one linear

foot of plant foliage. Direct spray to all sides, covering foliage until slightly moist. Avoid heavy wetting. Use with caution on the tender foliage of Quince, Juniper Cypress, Mulberry, Ash, Cotonaster, Rose, Camellia, Azalea, Pyracantha, and Caenothus, as certain varieties have shown some leaf browning with heavier dosages. Repeat applications as necessary.

Outdoors-To Protect Ornamental Plants: When infested, spray smaller evergreens, deciduous trees and shrubs as; rhododendrons, pines, spruces, hemlocks, yews, arborvitae, junipers, holly, podocarpus, boxwood, laurel, lilac, spirea, dogwood, palm, tree mimosa, toyan, viburnum, euonymus, oaks, maples, locust, forsythia, althea for control of aphids, and other pests listed above.

STORAGE AND DISPOSAL

STORAGE: Store in a cool, dry area away from heat or open flame.

DISPOSAL: Do Not Puncture or Incinerate! If empty: Place in trash or offer for recycling if available. If partly filled: Call your local solid waste agency or 1-800-CLEANUP for disposal instructions.

[Distributors may chose to use their own emergency numbers and times of operation]

**MANUFACTURED BY:
SPEER PRODUCTS, INC.
P.O. BOX 18993
MEMPHIS, TN 38118-0993**

c:\MSPUB\veg104.pub (9/11/97)-11715-04-NOTIF-2001-1&6-(2-11-03)

282