CITRUS INSECT CONTROL

CITRUS: For use on Grapelruit, Kumquats, Lemons, Limes, Oranges, Tangerines, and Tangelos. For control of Black Scale, California Scale, Citricola Scale, Soft Scale and Yellow Scale — Use 2 leaspoonfuls per gallon of water. For Control of Florida Red & Purple Scale and the Mediterranean Fruit Fly - Use 2 teaspoonfuls per gallon of water For Thrips and Aphids — Use 2 teaspoonluls per gallon of water (This spray will also suppress Spider Miles that may be present.) Apply sprays to give thorough coverage of fruit and the upper and lower sides of leaves and twigs when insects are present or their damage is eminent. Do not apply when trees are in bloom or within 7 days of harvest

CONDITIONS OF SALE AND WARRANTY

Our recommendations for use of this product are based upon tests believed to be reliable. Follow directions carefully. Timing and method of application, weather and crop conditions, mixtures with other chemicals and other influencing factors in the use of this product are beyond the control of the seller Buyer assumes all risks of use, storage, and handling not in strict accordance with the directions and precautions given herewith.

BEST AVAILABLE COPY

Mr. David Williams, J.D. Legal/Regulatory Affairs Director Speer Products, Inc. 4242 B.F. Goodrich Boulevard P.O. Box 18993 Memphis, TN 38118 BEST AVAILABLE COP

DEC 1 8 100

Dear Mr. Williams:

Subject: Speer Professional Insect Killer EPA Registration No. 11715-5 Your Submission Dated April 28, 1990

The amendment referred to above, submitted in connection with registration under section 3(c)(7)(A) of the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA), is acceptable provided that you:

- Submit/cite all data required for registration/reregistration of your product under PIPRA section 3(c)(5) or 4(a) when the Agency requires all registrants of similar products to submit such data.
- 2. Make the labeling changes listed below before you release the product for shipment bearing the amended labeling:
 - a. The disclosure statement "Not for use in USDA meat and poultry processing plants" should be moved to the front panel of your labeling.
 - b. Correct the nomenclature of RESMETHRIM to read:

RESMETHRIN:

[5-(Phenylmethyl)-3-furanylmethyl 2,2-dimethyl-3-(2-methylproxpenyl) cyclopropanecarboxylate)

3. Submit five (5) copies of your final printed labeling before you release the product for shipment.

57625: I: CR-44: Nelson: C. Disk: KENCO: 11/20/90: de: EK: DD

	CONCURRENCES								
	SYMBOL								
/	SURNAME		ļ	ļ					<u> </u>
,	PATE			}	[,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		[

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product bearing the smended labeling constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

Sincerely yours,

Phil Hutton Product Manager (17) Insecticide-Rodenticide Branch Registration Division (H7505C)

Enclosure

