

16 APR 1992

T. David Williams
Speer Products, Inc.
4242 B.F. Goodrich Blvd.
P.O. Box 18993
Memphis, TN 38181-0993

Dear Mr. Williams:

Subject: Final Labeling
Speer Professional Insect Killer
EPA Reg. No. 11715-5
Submission: March 30, 1992

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, is acceptable subject to the comments listed below. One copy of the finished labeling must be submitted prior to releasing the product for shipment.

1. Separate the statement "Not for use in U.S.D.A. meat and poultry processing plants." from the ingredient statement while retaining it on the front panel of the label.

2. The declaration for resmethrin in the ingredient statement should read as follows:


Resmethrin..... %

The percent of resmethrin should be a total of all active components of this product. Unless otherwise substantiated, add the related compounds percentage to the ~~resmethrin~~ percentage, and delete the reference to related compounds. *inert*

3. The use sites listed on the label indicate that this product is solely for indoor use. Therefore, the Environmental Hazard Statement is inappropriate in relation to this labeling.

4. Delete the term "Professional" from the product name in accordance with PR Notice 91-7.

Sincerely,


Richard F. Mountfort
Product Manager 10
Insecticide/Rodenticide Branch
Registration Division (H7505C)

SPEER PROFESSIONAL INSECT KILLER

With .25% SBP-1382

For Bakeries, Food Plants, Restaurants, Schools,
Hotels, Motels, Office Buildings, Food Handling Plants.

ACTIVE INGREDIENTS:

*+RESMETHRIN:

[5-(Phenylmethyl)-3-furanylmethyl 2,2-
dimethyl-3-(2-methylproxyphenyl)

cyclopropanecarboxylate..... 0.250%

Related compounds..... 0.034%

INERT INGREDIENTS:..... 99.716%

Total..... 100.000%

*Cis/trans isomers ratio: max. 30%(+/-cis and min
70% (+/-)trans Not for Use in U.S.D.A. meat and poultry
processing plants

+U.S. Patent No. 3,465,007

KEEP OUT OF REACH OF CHILDREN CAUTION

See Back Panel for Additional Precautionary Statements

Net Weight oz.

EPA Reg. No. 11715-5

EPA Est. No. 11715-TN-1

Manufactured by
SPEER PRODUCTS, INC.
Memphis, TN 38118

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS CAUTION

Harmful if swallowed. avoid contact with eyes or skin.
Cover or remove fishbowls. Remove all pets from area
to be treated. Avoid contamination of food and feedstuff.
Food should be removed or covered in such a way as
to prevent contamination before treatment. Food con-
tact surfaces and equipment must be washed with a
potable water rinse after treatment. When using this
product in these areas, apply only when the facility is
not in operation. In hospitals, patients should be
removed from room prior to treatment. Room should be
ventilated for 2 hours after spraying. Do not return
patients to room until after ventilation.

ENVIRONMENTAL HAZARDS

This product is highly toxic to fish. Drift and runoff from
treated sites may be hazardous to fish in adjacent
waters. Consult your State's Fish and Wildlife Agency
before treating such waters.

PHYSICAL HAZARDS

Contents under pressure. Do not use or store near heat,
sparks, or flame. Do not puncture or incinerate con-
tainer. Exposure to temperatures above 130 F may
cause bursting.

STATEMENT OF PRACTICAL TREATMENT

If **Swallowed**: Call a physician or Poison Control Cen-
ter. Do not induce vomiting. This product contains
petroleum distillate. Aspiration may be a hazard.

If in **eyes**: Flush eyes with plenty of cold water. Get
medical attention if irritation persists.

If **inhaled**: Remove victim to fresh air.

If on **skin**: Wash contaminated skin with soap and
water. Get medical attention if irritation persists.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a
manner inconsistent with its labeling.

Remove protective cap. Holding dispenser upright,
point valve in desired direction and press dispenser
button to spray.

Mosquitoes, Flies, Gnats : Close all doors and win-
dows. Direct the spray to all parts of the room. Fill the
room with mist, then leave the treated area. Keep room
closed for at least 15-30 minutes. Ventilate the room
when treatment is completed.

Wasps: Application should be made in late evening
when insects are at rest. Spray liberally into hiding and
breeding places, contacting as many insects as pos-
sible. Repeat as necessary.

For Crawling Insects: Roaches, earwigs, grain mites,
sowbugs, spiders and centipedes: Spray thoroughly into
hiding places such as cracks, crevices, moist areas,
openings around pipes and sinks, under refrigerators,
baseboards and storage areas. Spray directly on in-
sects where possible.

Ants: Spray trails, nests, and points of entry. Spray on
ants where possible. Repeat as necessary.

STORAGE

Storage: Store in a
flame.

Disposal: Replace
puncture or incinerate

ACCEPTED
with COMMENT
in EPA Letter

18 APR
Under the
Fungicide,
as amended
registered