

1987 Reg. No. 11715-6

Precautionary Statements

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

Harmful if swallowed. Avoid contact with eyes or skin. Cover or remove fishbowls. Remove all pets from area to be treated. Avoid contamination of food and feedstuff. Foods should be removed or covered during treatment. All food processing surfaces should be covered during treatment or thoroughly cleaned before using. When using this product in these areas, apply only when the facility is not in operation. In hospitals, patients should be removed from rooms prior to treatment. Room should be ventilated for 2 hours after spraying. Do not return patients to room until after ventilation.

PHYSICAL HAZARDS

Contents under pressure. Do not use or store near heat or open flame. Do not puncture or incinerate container. Exposure to temperatures above 130° F. may cause bursting.

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Call a physician or Poison Control Center. Do not induce vomiting. This product contains petroleum distillates. Aspiration may be a hazard.
IF IN EYES: Flush eyes with plenty of cool water. Consult physician if irritation persists.
IF INHALED: Remove victim to fresh air.
IF ON SKIN: Wash contaminated skin with soap and water.

**SPEER
PROFESSIONAL
INSECT SPRAY**

With 0.35% SBP-1382

For Bakeries, Restaurants, Schools, Hotels, Motels, Office Buildings, Hospitals
Not to be used in USDA Meat and Poultry Processing Plants

ACTIVE INGREDIENTS:

* 1 RESMETHRINS, [5-(phenylmethyl)-3-(furan-2-yl)methyl-2,2-dimethyl-3-(2-methyl-1-propenyl)cyclopropane-carboxylate] 0.350% w/w
Related compounds 0.048%

INERT INGREDIENTS: 99.602%
Contains petroleum distillate 100.000%

* Cis/trans isomers ratio: max. 30% (+/-) cis and min. 70% (+/-) trans.
† U.S. Patent No. 3,465,007

**KEEP OUT OF REACH OF CHILDREN
CAUTION**

See back panel for additional precautionary statements

Net Wt. _____ oz.

EPA Reg. No. 11715-6

Manufactured by
SPEER PRODUCTS, INC.
Memphis TN 38116

EPA Est. No. 11715-1M

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Remove protective cap. Holding dispenser upright, point valve in desired direction and press dispenser button to spray.

MOSQUITOES, FLIES, GNATS: Close all doors and windows. Direct the spray to all parts of the room. Fill the room with mist, then leave the treated area. Keep room closed for at least 15-30 minutes. Ventilate the room when treatment is completed.

WASPS: Application should be made in late evening when insects are at rest. Spray liberally into hiding and breeding places, contacting as many insects as possible. Repeat as necessary.

FOR CRAWLING INSECTS: Roaches, earwigs, grain mites, sowbugs, spiders and centipedes: Spray thoroughly into hiding places such as cracks, crevices, moist areas, openings around pipes and sinks, under refrigerators, baseboards and storage areas. Spray directly on insects where possible.

ANTS: Spray trails, nests, and points of entry. Spray on ants where possible. Repeat as necessary.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.
Storage: Store in a cool area away from heat or open flame.
Disposal: Replace cap and discard in trash. Do not puncture or incinerate.

Not Reviewed. Registrant claims to be in accordance with Reregistration of Pesticide Product Guidance for Phase 2 Response, Page 2.12, Active to Inert Change in Status.

12-31-89