

11715-9 PM15 181

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

SHAKE WELL BEFORE USING

DIRECTIONS: Clip hair around all affected areas—if necessary clip the entire body. Then wash the animal thoroughly with soap and water. Rinse well and allow animal to dry or wipe dry before applying medication.

SARCOPTIC MANGE: Spray all affected areas. Rub the medication in lightly. Allow this application to dry, then apply a second time. Repeat applications at 7 day intervals for two or more treatments as needed.

DEMODECTIC MANGE (Red Mange): Spray on and around each lesion twice a week (once every 3 or 4 days) and massage in gently. Continue the applications at such intervals until lesions start to heal. In extensive infestations never treat an area larger than the equivalent of 1/3 the body surface at one time, but treat such areas on alternate days. Since Demodectic Mange (Red Mange, Follicular Mange) is often difficult to diagnose and may require prolonged treatment, if no improvement is noted within 10 days consult a veterinarian. Examine animal closely each day for 30 days and treat promptly any lesions observed. Thereafter, treat as often as necessary. **DO NOT USE ON CATS.**

Dogs under treatment should be fed an adequate diet containing all the essential minerals and vitamins. To prevent reinfestation, change bedding daily. Wash bedding thoroughly after using.

SPEER Dog Mange Remedy

AN EFFECTIVE TREATMENT FOR
SARCOPTIC MANGE AND
DEMODECTIC (RED) MANGE
(FOR DOGS ONLY)

CONVENIENT — STAINLESS
GREASELESS
LOW ODOR TREATMENT

ACTIVE INGREDIENT:

Benzyl Benzoate 29.0%

INERT INGREDIENTS: 71.0%

Total: 100.0%

**KEEP OUT OF REACH OF CHILDREN
CAUTION:**

Contents under pressure.
See other warnings on back panel.

NET WT. 12 OZ.

EPA Reg No 11715-9

EPA Est No 11715-TN-1

Rev 3/85

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS & DOMESTIC ANIMALS

CAUTION

Never treat more than 1/3 of animal at any one time. Irritating to eyes. Do not spray in or toward eyes or scrotum. Affected areas near the eyes should be treated with care to avoid getting the medication into the eyes. May produce irritation. Repeated exposure may cause sensitization. Do not use on cats nor on young puppies or bitches with suckling pups.

Harmful if swallowed. Animal remedy hazardous for human use. Avoid prolonged contact with skin. May be absorbed through the skin. Wash hands thoroughly with soap and warm water after handling or applying this product to animals. Avoid contamination of food or feedstuffs. Keep out of reach of children.

PHYSICAL HAZARDS

Contents under pressure. Do not use or store near heat or open flame. Do not puncture or incinerate container. Exposure to temperature above 130°F may cause bursting.

Storage: Store in a cool, dry area away from heat or flame
Disposal: Replace cap and discard container in trash. Do not incinerate or puncture.

MANUFACTURED BY
SPEER PRODUCTS, INC.
Memphis, Tennessee 38118

ACCEPTED
AUG 23 1985
EPA Reg. No. 11715-9