

SPEER
FLEA AND TICK SPRAY
FOR DOGS & CATS
KILLS
FLEAS—TICKS—LICE
Repels
Flies, Gnats, Mosquitoes

ACTIVE INGREDIENTS:

Pyrethrins	0.050%
*Piperonyl Butoxide, Technical	0.100%
**N-Octyl Bicycloheptene Dicarboximide	0.167%
**2,3,4,5-Bis(2-butylene) tetrahydro-2-furaldehyde	0.240%
***Carbaryl(1-naphthyl N-methylcarbamate)	0.500%
Petroleum distillate	3.843%
INERT INGREDIENTS	95.100%

*Equivalent to .080% (butylcarbityl (6-propylpiperonyl) Ether and .020% other related compounds)
 **MGK 264, Insecticide Synergist
 ***MGK Repellent 11, U.S. Pat. No. 2,610,116
 ****Sevin, U.S. Pat. No. 2,903,478

KEEP OUT OF REACH OF CHILDREN
CAUTION
 Harmful if swallowed or inhaled. Avoid contact with skin.
 See rear panel for additional precautions.

MANUFACTURED BY
SPEER PRODUCTS, INC.
 Memphis, Tennessee 38118

EPA Reg. No. 11715-10

Net Wt. _____

ACCEPTED
 EPA REG. NO. 11715-10
OCT 16 1984
 Under the Federal Insecticide, Fungicide and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 11715-10

SPEER
FLEA & TICK SPRAY FOR DOGS & CATS

PRECAUTIONARY STATEMENTS
HAZARDS OF HUMANS & DOMESTIC ANIMALS
CAUTION
 Harmful if swallowed or inhaled. Avoid contact with skin or inhalation of spray mist. Wash thoroughly immediately after use. Avoid contamination of feed, foodstuffs or utensils. Do not spray into pet's eyes, face, genital areas or open wounds.
PHYSICAL OR CHEMICAL HAZARDS
 Contents under pressure. Do not use or store near heat or open flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting.

DIRECTIONS FOR USE
 It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL
 Do not incinerate. Wrap container and put in trash collection.

To control fleas, ticks and lice: Remove protective cap. Hold can upright. Start spraying at tail, moving spray rapidly and making sure entire pet's body is covered, including the legs and under portions of the body. Ruffle hair while spraying, but spray only until tips of hair are moist. Spray directly on ticks. Repeat spraying as necessary but not more than once every seven days.
Spraying a cat 20 to 30 seconds or an average dog 30 to 45 seconds is usually sufficient.
 Do not treat or cause exposure to kittens or puppies under four weeks of age. Do not use on pregnant dogs.
To control infestation in sleeping quarters, after treating animals, spray bedding, walls and floor with special attention to cracks and crevices.
Flies, Gnats and Mosquitoes: This product repels flies, gnats and mosquitoes but should not be used as a repellent. Do not spray your animal more than once every seven days.
 Buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions given here with.

SPEER
FLEA AND TICK SPRAY
FOR DOGS & CATS
KILLS
FLEAS—TICKS—LICE
Repels
Flies, Gnats, Mosquitoes

ACTIVE INGREDIENTS:

Pyrethrins	0.050%
*Piperonyl Butoxide, Technical	0.100%
*N-Octyl Bicycloheptene Dicarboximide	0.100%
**2,3:4,5-Bis(2-butylene) tetrahydro-2- furaldehyde	0.240%
***Carbaryl (1-naphthyl N-methylcarbamate)	0.500%
Petroleum distillate	3.843%
INERT INGREDIENTS	95.100%

*Equivalent to .080% (butylcarbly) (6-propylpiperonyl)
 Ether and .020% other related compounds
 *MGK 264, Insecticide Synergist
 **MGK Repellent 11, U.S. Pat. No. 2,810,116
 ***Serin. U.S. Pat. No. 2,903,476

KEEP OUT OF REACH OF CHILDREN
CAUTION

Harmful if swallowed or inhaled. Avoid contact with skin.

See rear panel for additional precautions.

MANUFACTURED BY
SPEER PRODUCTS, INC.
 Memphis, Tennessee 38118

EPA Reg. No. 11715-10

Net Wt. _____

SPEER
FLEA & TICK SPRAY FOR DOGS & CATS

PRECAUTIONARY STATEMENTS
HAZARDS OF HUMANS & DOMESTIC ANIMALS
CAUTION

Harmful if swallowed or inhaled. Avoid contact with skin or inhalation of spray mist. Wash thoroughly immediately after use. Avoid contamination of feed, foodstuffs or utensils. Do not spray into pet's eyes, face, genital areas or open wounds.

PHYSICAL OR CHEMICAL HAZARDS

Contents under pressure. Do not use or store near heat or open flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL

Do not incinerate. Wrap container and put in trash collection.

To control fleas, ticks and lice: Remove protective cap. Hold can upright. Start spraying at tail, moving spray rapidly and making sure entire pet's body is covered, including the legs and under portions of the body. Ruffle hair while spraying, but spray only until tips of hair are moist. Spray directly on ticks. Repeat spraying as necessary but not more than once every seven days.

Spraying a cat 20 to 30 seconds or an average dog 30 to 45 seconds is usually sufficient.

Do not treat or cause exposure to kittens or puppies under four weeks of age. Do not use on pregnant dogs.

To control infestation in sleeping quarters, after treating animals, spray bedding, walls and floor with special attention to cracks and crevices.

Flies, Gnats and Mosquitoes: This product repels flies, gnats and mosquitoes but should not be used as a repellent. Do not spray your animal more than once every seven days.

Buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions given here with.

ACCEPTED
 EPA Reg. No. 11715-10
OCT 16 1984
 Under the Federal Insecticide,
 Fungicide, and Rodenticide Act,
 as amended, for the pesticide
 registered under
 EPA Reg. No. 11715-10