PRECAUTIONARY STATEMENTS **HAZARDS TO HUMANS** AND DOMESTIC ANIMALS CAUTION

Avoid inhalation of spray mist. Avoid dermal contact. In case of skin contact, wash with soap and water. Avoid contamination of food. In food processing facilities, cover or remove all benches, shelving, foodcontact surfaces, utensils, etc. prior to treatment or wash with an effective cleaning compound followed by a potable water rinse prior to use. Food should be removed or protected during treatment. Do not spray on skin of animals. Remove any cold blooded animals. birds, pets and fish from area being treated. Use in food processing plants only when plant is not in operation.

PHYSICAL OR CHEMICAL HAZARDS

Contents under pressure. Do not use or store near heat, sparks, or flame. Do not puncture or incinerate container. Exposure to temperatures above 130 F. may cause bursting.

STATEMENT OF PRACTICAL TREATMENT

If inhaled: Remove victim to fresh air. Apply artificial respiration if indicated.

If on skin or clothing: Remove contaminated clothing. Wash skin with soap and warm water, Get medical attention if irritation persists.

If in eyes: Flush eyes with plenty of water. Obtain medical attention if irritation persists.

If swallowed: Call a physician or Poison Control Center immediately. Do not induce vomiting without medical supervision because of possible aspiration hazard.

STORAGE AND DISPOSAL

Storage: Store in a cool area away from heat or open

Disposal: Replace cap and discard container in trash. Do not incinerate or puncture.

> Manufactured by: SPEER PRODUCTS, INC. 4242 B.F. Goodrich Blvd. Memphis, TN 38118

SPEER PY-1 INSECT KILLER

For Use Against Mosquitoes, Flies, Gnats and Small Flying Moths.

ACTIVE INGREDIENTS: Pyrethrins...... 0.600% Piperonvl butoxide, technical*...... 1,400% INERT INGREDIENTS:**98.000%

*Equivalent to I.I2% (butylcarbityl) (6-Propylpiperonyl) ether and 0.28% related compounds.

KEEP OUT OF REACH OF CHILDREN CAUTION

See Back Panel for Additional Precautionary Statements

Net Wt.____

EPA Reg. No. 11715-15

EPA Est. No. 11715-TNA CCEEPEED

23 NOV 1992

Undo the Fadoral lesecticide;


DIRECTIONS FOR USE

Restaurants, Homes, Food Packaging and Food restaurants, lor the Processing Plants: For control of flies, mosquitoes EPA 200 110.

gnats and small flying moths, fill the room with sprainted. cially windows or light source which attracts these insects. Do not remain in treated areas, ventilate the area after treatment is completed. Repeat as neces-

Dairy Farms, Stables, Hog Houses: For the control of flies, gnats, and mosquitoes apply at the rate of seven seconds for each 1,000 cubic feet. Best time to apply is when stuck is not in barn. Repeat as necessary.

Directions: If possible close space to be treated. Release three feet from any surface, holding the dispenser above the head. Moving the dispenser about while spraying aids in dispersion. Dispense only for time indicated. USE SPARINGLY, Seven seconds of spraying is ample for each 1,000 cubic feet (IO'x 10'x 10"). Not necessary to spray directly on insects but merely release in the air since the spray mist will perse throughout the enclosed area. Termanarily ctive in sheltered outdoor area.



^{**}Contains petroleum distillates