

SPEER BIRD SPRAY

A special formulation for Canaries, Parakeets
and other caged birds

ACTIVE INGREDIENTS:

Pyrethrins.....	0.09%
Piperonyl Butoxide, Technical*.....	5.18%
N-Octyl bicycloheptene dicarboximide.....	0.30%
Triethylene Glycol.....	0.10%
Propylene Glycol.....	0.10%
INERT INGREDIENTS:	<u>99.23%</u>
	100.000%

*Equivalent to .144% (butylcarbityl) (6-Propylpiperonyl) ether and .036% related compounds.


KEEP OUT OF REACH OF CHILDREN

CAUTION

See rear panel for additional precautions.

NET WEIGHT:

EPA Reg. No. 11715-20
EPA Est. No. 11715-TN-1



"FOR THE OWNER WHO CARES"

SPEER BIRD SPRAY

Formulated especially to control Red Lice and
Mites on Canaries, Parakeets and all Caged Birds.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS CAUTION

Harmful if swallowed. Avoid breathing vapors.
Wash hands with soap and warm water after use.

In home, all food processing surfaces, exposed
food and utensils should be covered during
treatment, or thoroughly washed before use.

Cover or remove fish aquariums before spraying.

FIRST AID

IF SWALLOWED:	<ul style="list-style-type: none">• Call poison control center or doctor immediately for treatment advice.• Have person sip a glass of water if able to swallow.• Do not induce vomiting unless told to do so by the poison control center or doctor.• Do not give anything by mouth to an unconscious person.
IF INHALED:	<ul style="list-style-type: none">• Move person to fresh air.• If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible.• Call a poison control center or doctor for further treatment advice.

IF ON SKIN OR CLOTHING:	<ul style="list-style-type: none">• Take off contaminated clothing.• Rinse skin immediately with plenty of water for 15-20 minutes.• Call a poison control center or doctor for treatment advice.
IF IN EYES:	<ul style="list-style-type: none">• Hold eye open and rinse slowly and gently with water for 15-20 minutes.• Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.• Call a poison control center or doctor for treatment advice.
HOT LINE NUMBER Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-877-757-4943 for emergency medical treatment information.	

PHYSICAL HAZARDS

Contents under pressure. Do not use or store near heat or open flame. Do not puncture or incinerate container. Exposure to temperatures above 130° F. may cause bursting.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

DIRECTIONS

SHAKE WELL. Spray Parakeets, Canaries and other caged birds as follows:

FOR CAGE MITE CONTROL: Remove bird and thoroughly spray perches and cage. Clean and spray at regular intervals.

FOR BIRD LICE CONTROL: Leave bird in cage and spray directly on bird, holding container at least 3 feet from bird or any surface. Spray lightly--one burst of 2 or 3 seconds. Apply no more than 2 times per week.

11/7/15-20

05/01/2003

1/2

STORAGE AND DISPOSAL

STORAGE: Store in a cool area away from heat or open flame.

DISPOSAL: Do Not Puncture or Incinerate! **If empty:** Place in trash or offer for recycling if available. **If partly filled:** Call your local solid waste agency or 1-800-CLEANUP for disposal instructions.

[Distributors may chose to use their own emergency numbers and times of operation]

**MANUFACTURED BY:
SPEER PRODUCTS, INC.
P.O. BOX 18993
MEMPHIS, TN 38118-0993**

c:\MSPUB\reg104.pub-(9/11/97)-11715-20-NOTIF-2001-1&6-(2-13-03)

2/2