C 9 JUN 1992

Pir-

Mr. T.David Williams, J.D. Speer Products Incorporated 4242 B. F. Goodrich Boulevard P.O. Box 18993 Memphis, TN 38181-0993

Dear Mr. Williams::

Subject: Updated Labeling Speer Livestock Spray EPA Registration Number 11715-23 Submission dated May 29, 1992

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, is acceptable subject to the comments listed below. Submit one (1) copy of the final printed label prior to releasing the product for shipment. A stamped copy of the product label is enclosed for your records.

- 1. For the record, submit a current Confidential Statement of .-ormula for this product.
- 2. Revise the sentence "Spray face and other...", which appears in the paragraph under the heading FOR FACE FLIES to read: Spray face being sure to avoid the eyes and mouth, and spray other body regions where flies gather for 3-4 seconds per animal.

Sincerely,

Fr Richard F. Mountfort

Product Manager 10

		Insecticide Branch							
	Concurrences								
SYMBOL			_		Sharanon				
SURNAME									
DATE									

EPA Form 1320-1A (1/90)

Printed on Recycled Paper

U.S. Government Prenting Office: 1992 -- 620-856/40672

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS CAUTION

Harmful if swallowed, inhaled or absorbed through the skin. Avoid breathing spray mist or contact with skin. Wash thoroughly after using. Avoid storage near food or feed. Do not contaminate feed, water, or mineral supplements with this spray. Do not contaminate milk or milk handling equipment with this spray. Wash udder and teats before milking. Avoid overspraying which will result in wetting the animals's hide.

PHYSICAL HAZARDS

Flammable. Contents under pressure. Do not use or store near fire, sparks, or flame. Do not puncture or incinerate container. Exposure to temperatures above 130 F. may cause bursting.

STATEMENT OF PRACTICAL TREATMENT

If swallowed: Do not induce vomiting due to aspiration hazard.

Call a physician or Poison Control Center immediately. If inhaled; Remove to fresh air.

If on skin: Remove contaminated clothing and wash affected areas with soap and water. Get medical attention if irritation persists.

If in eyes: Flush with plenty of water. Get medical attention if irritation persists.

NOTE TO PHYSICIAN: Contains petroleum distillates. Vomiting may cause aspiration pneumonia.

SPEER LIVE-STOCK SPRAY

For Temporary Protection of Dairy Cattle, Beef Cat tle and Horses from Attack from Houseflies, Horn Flies, Stable Flies, Deer Flies, Houseflies, Mosquitoes and Gnats.

- - - - - -

ACTIVE INGREDIENTS:

Pyrethrins	0.18%
Piperonyl butoxide, technical*	0.36%
N-ocytl bicycloheptene dicarboximide**	0.60%
Di-n-propyl isocinchomeronate***	1.20%
INERT INGREDIENTS:+9	7.66%
Totai 10	0.00%

*Consists of 0.288% (butylcarbityl) (6-propylpiperonyl) ether and 0.072% related compounds.

***MGK 264 Insecticide Synergist.

+Contains petroleum distillates

KEEP OUT OF REACH OF CHILDREN CAUTION

See side panel for additional Precautionary Statements and Statement of Practical Treatment

> Net Wt. 11 oz. Manufactured by: SPEER PRODUCTS, INC. 4242 B.F. Goodrich Blvd. Memphis, TN 38ll8

EPA Reg. No. 11715-23

EPA Est No. 11715-TN-I

DIREC

It is a violation of f manner inconsister

STORA

Do not contaminat disposal. Storage: Stole inflame. Disposal: Replace Do not incinerate of

Fai

Remove mucouls a face of animal. "He animal. Spray face gather for 3-4 seco needed.

FOR HORS STABLE HOUSEFLIE

Hold container l8 to to coat with a sweep or leg regions when Do not spray entire ingly. Do not apply Repeat daily, or as

> ACCEPTED with CONDIENT

109 JUN

Under the Fodern E Fungicide, and Roden as anomoded, for the registered under EPA // 7/5-2