

SPEER EQUINE SPRAY

For Temporary Protection of Horses (Not For Human Consumption) from Attack from Horse Flies, Horn Flies, Stable Flies, Deer Flies, Houseflies, Mosquitos, and Gnats.

ACTIVE INGREDIENTS:

Pyrethrins.....	0.18%
Piperonyl butoxide, technical*.....	0.36%
N-octyl bicycloheptene dicarboximide**.....	0.60%
Di-n-propyl isocinchomerate***.....	1.20%
INERT INGREDIENTS †.....	<u>97.66%</u>
Total.....	100.00%

* Consists of 0.288% (butylcarbityl) 6-propylpiperonyl ether and 0.072% related compounds.

**MGK 264 Insecticide Synergist.

***MGK Repellent 326.

†Contains petroleum distillates.

**KEEP OUT OF REACH OF
CHILDREN**

CAUTION

See side panel for additional Precautionary
Statements and Statement of Practical
Treatment

Net Wt. 11 oz.

Manufactured by:
SPEER PRODUCTS, INC.
4242 B.F. Goodrich Blvd.
Memphis, TN 38118

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS CAUTION

Harmful if swallowed, inhaled or absorbed through the skin. Avoid breathing spray mist or contact with skin. Wash thoroughly after using. Avoid storage near food or feed. Do not contaminate feed, water, or mineral supplement with this spray. Avoid overspraying which result in wetting the animal's hide.

PHYSICAL OR CHEMICAL HAZARDS

Flammable. Contents under pressure. Do not use or store near fire, sparks, or flame. Do not puncture or incinerate container. Exposure to temperatures above 130 F. may cause bursting.

STATEMENT OF PRACTICAL TREATMENT

If swallowed: Do not induce vomiting due to aspiration hazard. Call a physician or Poison Control Center immediately.

If inhaled: Remove to fresh air.

If on skin: Remove contaminated clothing and wash affected areas with soap and water. Get medical attention if irritation persists.

If in eyes: Flush with plenty of water. Call a Physician if irritation persists.

NOTE TO PHYSICIAN: Contains petroleum distillates. Vomiting may cause aspiration pneumonia.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

Storage: Store in a cool area away from heat or open flame.

Disposal: Replace cap and discard container in trash. Do not incinerate or puncture.

FOR FACE FLIES

Remove mucous secretions and saliva deposits from face of animal. Hold dispenser 18 to 24 inches from animal. Spray face being sure to avoid eyes and mouth, and spray other body regions where flies gather for 3-4 seconds per animal. Repeat daily, or as needed.


FOR HORSE FLIES, HORN FLIES, STABLE FLIES, DEER FLIES, HOUSEFLIES, MOSQUITOS, AND GNATS:

Hold container 18-24 inches from animal. Apply lightly to coat with a sweeping motion. Apply to back, belly, ear, or leg regions where the specific attacking insect feeds. Do not spray entire animal. Spray young animals sparingly.

Do not apply to back of horses prior to saddling. Repeat daily, or as needed, for protection.

EPA Reg. No. 11715-23
EPA Est. No. 11715-TN-1

C:pub.reg23/(12/31/96)



PM-03

Reg# 11715-23

9/19/97

191