

11715-23

03-31-2004

4/3



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY  
WASHINGTON, D.C. 20460

OFFICE OF  
PREVENTION, PESTICIDES AND  
TOXIC SUBSTANCES

MAR 31 2004

William L. Washburn  
Speer Products Inc.  
4242 B.F. Goodrich Blvd.  
Memphis, TN 38118

Dear Mr. Washburn:

Subject: Speer Equine Spray  
EPA Reg. No. 11715-23  
Submission dated 9-16-03

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, is acceptable. If you have questions, please call Ann Sibold at 703 305-6502.

Sincerely,

*for Ann Sibold*  
Richard Gebken

Acting Product Manager 10  
Insecticide Branch  
Registration Division (7505C)

# SPEER EQUINE SPRAY

**For Temporary Protection of Horses from Attack from:  
Horse Flies, Horn Flies, Stable Flies, Deer Flies,  
Houseflies, Mosquitos, and Gnats.**

**ACTIVE INGREDIENTS:**

Pyrethrins.....	0.18%
Piperonyl butoxide, technical*.....	0.36%
N-octyl bicycloheptene dicarboximide**.....	0.60%
Di-n-propyl isocinchomerate***.....	1.20%
<b>INERT INGREDIENTS†:</b> .....	<b>97.66%</b>
	100.00%

\*Consists of 0.288% (butylcarbityl)( 6-propylpiperonyl) ether and 0.072% related compounds.

\*\*MGK 264 Insecticide Synergist.

\*\*\*MGK Repellent 326.

†Contains petroleum distillates.

**KEEP OUT OF REACH OF CHILDREN**

**CAUTION**

See side panel for additional Precautionary Statements and Statement of Practical Treatment

NET W/T. \_\_\_\_\_

OZ. \_\_\_\_\_

**ACCEPTED**

MAR 31 2004

Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 11715-23

EPA Reg. No. 11715-23  
EPA Est. No. 11715-TN-1

**PRECAUTIONARY STATEMENTS  
HAZARDS TO HUMANS AND DOMESTIC ANIMALS  
CAUTION**

Harmful if swallowed, inhaled or absorbed through the skin. Avoid breathing spray mist or contact with skin. Wash thoroughly after using. Avoid storage near food or feed. Do not contaminate feed, water, or mineral supplementants with this spray. Avoid overspraying which result in wetting the animal's hide.

<b>FIRST AID</b>	
<b>IF SWALLOWED:</b>	<ul style="list-style-type: none"> <li>• Immediately call a poison control center or doctor.</li> <li>• Do not induce vomiting unless told to do so by a poison control center or doctor.</li> <li>• Do not give any liquid to the person.</li> <li>• Do not give anything by mouth to an unconscious person.</li> </ul>
<b>IF INHALED:</b>	<ul style="list-style-type: none"> <li>• Move person to fresh air.</li> <li>• If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible.</li> <li>• Call a poison control center or doctor for further treatment advice.</li> </ul>
<b>IF ON SKIN OR CLOTHING:</b>	<ul style="list-style-type: none"> <li>• Take off contaminated clothing.</li> <li>• Rinse skin immediately with plenty of water for 15-20 minutes.</li> <li>• Call a poison control center or doctor for treatment advice.</li> </ul>
<b>IF IN EYES:</b>	<ul style="list-style-type: none"> <li>• Hold eye open and rinse slowly and gently with water for 15-20 minutes.</li> <li>• Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.</li> <li>• Call a poison control center or doctor for treatment advice.</li> </ul>

2/3

**FIRST AID (Cont'd)**

**HOT LINE NUMBER**

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-877-757-4943 for emergency medical treatment information.

**NOTE TO PHYSICIAN:** Contains petroleum distillates. Vomiting may cause aspiration pneumonia

**PHYSICAL OR CHEMICAL HAZARDS**

Flammable. Contents under pressure. Do not use or store near fire, sparks, or flame. Do not puncture or incinerate container. Exposure to temperatures above 130 F. may cause bursting.

**DIRECTIONS FOR USE**

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

**Not for use on horses intended for slaughter.**

**FOR FACE FLIES**

Remove mucous secretions and saliva deposits from face of animal. Hold dispenser 18 to 24 inches from animal. Spray face being sure to avoid eyes and mouth, and spray other body regions where flies gather for 3-4 seconds per animal. Repeat daily, or as needed.

**FOR HORSE FLIES, HORN FLIES, STABLE FLIES, DEER FLIES, HOUSEFLIES, MOSQUITOS, AND GNATS**

Hold container 18-24 inches from animal. Apply lightly to coat with a sweeping motion. Apply to back, belly, ear, or leg regions where the specific attacking insect feeds. Do not spray entire animal. Spray young animals sparingly.

Do not apply to back of horses prior to saddling. Repeat daily, or as needed, for protection.

**STORAGE AND DISPOSAL**

Do not contaminate water, food, or feed by storage or disposal.

**STORAGE:** Store in a cool area away from heat or open flame.

**DISPOSAL:** Do Not Puncture or Incinerate! **If empty:** Place in trash or offer for recycling if available. **If partly filled:** Call your local solid waste agency or 1-800-CLEANUP for disposal instructions.

[Distributors may choose own emergency numbers and times of operation]

**MANUFACTURED BY:  
SPEER PRODUCTS, INC.  
P.O. BOX 18993  
MEMPHIS, TN 38118-0993**

C:pub.reg23/(12/31/96)-11715-23-NOTIF-2001-1&6-(2-13-03)(EPA approved 9-3-03)fpI(revised 9-16-03)