

Reg # 11715-28

PM-10

181

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS
AND DOMESTIC ANIMALS**

CAUTION

Avoid spraying in eyes. Avoid breathing spray mist. Avoid contact with skin.

Statement of Practical Treatment

If inhaled: Remove affected person to fresh air. Apply artificial respiration if indicated.

If in eyes: Flush with plenty of water. Contact a physician if irritation persists.

If on skin: Wash affected area immediately with soap and water.

**PHYSICAL OR CHEMICAL
HAZARDS**

Contents under pressure. Do not use or store near heat or open flame. Do not puncture or incinerate container. Exposure to temperatures above 130 degrees F may cause bursting.

STORAGE AND DISPOSAL

STORAGE: Store in a cool dry area away from heat and open flame.

DISPOSAL: Replace cap and discard container in trash collection.

SPEER

FLEA SPRAY

FOR

DOGS & CATS

With .25% SBP-1382

For Control of Fleas on Both Long-Haired and Short-Haired Dogs, and Cats of Various Ages and Breeds

Active Ingredients:

*Resmethrin 0.250%

Related compounds 0.034%

INERT INGREDIENTS: 99.716%

*CIS/TRANS ISOMERS RATION: max. 30% (+) cis and min. 70% (+) trans

**KEEP OUT OF REACH OF
CHILDREN
CAUTION**

See side panel for additional precautions.

Net Wt. 7 oz.

Manufactured by:
SPEER PRODUCTS, INC.

Memphis, TN 38118

EPA REG No 11715-28

EPA Est No 11715 EN1

Not Reviewed. Registrant claims to be in accordance with Reregistration of Pesticide Product Guidance for Phase 2 Response, Page 2.12, Active to Inert Change in Status.

SHAKE WELL BEFORE USING

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

SHAKE WELL. Remove protective cap and aim spray opening away from person. Push button to spray.

ANIMAL PESTS:

DOGS, CATS - Fleas: Apply directly to animals along back, under forelegs and on other areas. Part hair to contact skin and insure good coverage. Hold nozzle about one foot away while spraying. Apply until hair is thoroughly moist. Do not spray in eyes, ears or mouth of animal.

ANIMAL QUARTERS:

To reduce reinfestation, thoroughly spray the animal's bedding and other resting places. Treat these areas at the rate of two seconds per linear foot while spraying at a distance of 12 to 18 inches. Also spray entire inside surface of dog houses. Repeat as necessary.

**CAUTION
KEEP OUT OF REACH OF
CHILDREN**

Harmful if swallowed. Avoid contamination of feed and foodstuffs. Cover or remove fishbowls. Do not use on edible crops.