$z = \int_{-\infty}^{\infty} \frac{1}{|z|^2} \int_{-\infty}^{\infty} \frac{1}{|z|^2} dz = \int_{-\infty}^{\infty} \frac{1}{|z|^2} \int_{-\infty}^{\infty} \frac{1}{|z|^2} dz$

ACCEPTED

FLEA

TICK SPRAY FOR DOGS

RESIDUALLY KILLS

• TICKS • GNATS . LICE • FLEAS

ACTIVERINGREDICNTS

056% Pyrethrips 500% Carbarys (3 Naphithyl N methylcarbamate)* 224% Petroleum dist l'ate 99 220% INERT INGREDIENTS 100 000%

·Sevin Registered trademark of Union Carbide Corporation for the active ingredient Carbaryl

CAUTION:

KEEP OUT OF REACH OF CHILDREN

See back panel for additional cautions

NET WT. 8 9Z.

SPEER OCT 1 6 1984 SHAKE WELL BEFORE USING, ALWAYS HOLD CAN UPRIGHT WHILE SPFAYING.

TO KILL FLEAS, LICE, TICKS AND GNATS ON DOGS: Spray the animal from a distance of 8 to 12 inches. Start spraying at the tail, moving dispenser rapidly and making EFA Reg No. 11715 36 sure that the animal's entire body is covered, including the legs and under the body. As you spray, fluff the hair so that the spray will penetrate to the skin. Make sure spray wets ticks thoroughly. Do not spray into eyes, face or scrotum. Do not use more often than once every 7 days.

Note: Avoid treatment of nursing pupplies. Over treatment may cause toxic symptoms.

Do not use on pregnant dogs.

CAUTION: KEEP OUT OF REACH OF CHILDREN.

Harmful if swallowed, inhaled, or absorbed through skin. Avoid contact with skin. Avoid breathing mist, application to skin, or spraying on feed or foodstuffs. Avoid storage near food or feedstuffs. Wash thoroughly after using.

Do not spray in animal's eyes. Do not spray on birds, or on nursing puppies or around fish bowls.

WARNING: Contents under pressure. Do not puncture. Do not use or store near heat or open flame. Exposure to temperatures above 130°F may cause bursting. Never throw container into fire or incinerator.

> Manufactured By SPEER PRODUCTS, INC. Memphis, Tennessee 38118

EPA Est. No. 11715 TN 1

EPA Reg. No. 11715-36