

1061
PM 12

1173-38

SPEER FLEA & TICK PUMP SPRAY FOR DOGS & CATS

ACCEPTED

OCT 12 1984

U.S. DEPARTMENT OF AGRICULTURE
ANIMAL AND PLANT HEALTH INSPECTION SERVICE
WASHINGTON, D.C. 20250
EPA Reg. No. 1175-38

PRECAUTIONARY STATEMENTS
Hazards to Humans and Domestic Animals
CAUTION
If swallowed. Avoid inhalation of vapors. Avoid contact with skin. Wash contaminated skin promptly with soap and warm water. Avoid spraying food or foodstuffs. Do not spray in eyes. Do not spray on birds, or on nursing puppies or around fish bowls. Do not treat kittens less than four weeks of age.
Physical Hazards
FLAMMABLE Keep away from heat or open flame

RESIDUALLY KILLS
FLEAS • LICE • TICKS • GNATS

ACTIVE INGREDIENTS	
Pyrethrins	0.0500%
Carbaryl (1-Naphthyl N-methylcarbamate)	0.5000%
Permethrin (cis isomer)	0.2000%
INERT INGREDIENTS	
	99.2500%
Total Registered Active Ingredients Subject to the Federal Insecticide, Fungicide, and Rodenticide Act	

KEEP OUT OF REACH OF CHILDREN
CAUTION
See back panel for additional cautions

CONTENTS **FL. OZ.**
Manufactured By
SPEER PRODUCTS, INC.
Memphis, TN 38118

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Disposal: Do not reuse empty container. Wrap container and put in trash collection.

SHAKE WELL BEFORE USING

Do not use on pregnant dogs.
Point sprayer toward animal and pump. Sprayer works best with forceful, pumping strokes. Start spraying at tail, making sure animal's entire body is covered, including the legs and under the body. Apply evenly to coat (until tips of hair are moist). As you spray, fluff the hair so spray will reach the skin. Ticks are difficult to kill but, if sprayed directly, they will die within 24 hours.

Use on bedding and immediate areas of animal's quarters.
Do not spray into eyes, face, or genital area. Do not use more than once every 7 days.