

FOOD PLANT PRESSURIZED INSECT SPRAY With .50% SBP-1382

NON-FLAMMABLE

FOR: Food Plants, Bakeries, Restaurants, Schools, Hotels, Motels, Office Buildings, Hospitals and Food Handling Plants.

Active Ingredients:


*+(5-Benzvl-3-furyl) methyl 2,2-dimeth	yi-3-
(2-methylpropenyl) cyclopropane	
carboxylate	0.500%
Related compounds	
Aromatic petroleum hydrocarbons	
Inert Ingredients:	99.768°
· ·	'00 000°

*Cis trans isomers ratio: max 30° (+)cis and min 70° (+)trans +U.S Patent No. 3 465,007

CAUTION

See other precautions on back panel.

NET WT. 12.5 OZ.



DIRECTIONS FOR USE

Shake well before each use. Remove Protective cap. Aim spray opening away from person. Push but on to spray.

FOR HOUSEFLIES MOSQUITOES AND GNATS Close all doors and windows Point nozzle upward direct the spray mist to all parts of the room, especially windows and other light sources which attract these insects. All the room with mist, then leave the treated area. Keep the room closed for at least 15 minutes. Ventilate the room when treatment is completed.

WASPS Application should be made in late examing when insects are at rest. Spray liberally into hiding and breeding places, contacting as many insects as possible. Repeat as necessary.

FOR CRAWLING INSECTS. Roaches, ea wigs, grain mites, sowbugs, spiders and centipedes. Spray thoroughly into hiding places such as cracks, crevices, moist areas, openings around pipes and sinks, under refrigerators, baseboards, and storage areas. Spray directly on insects where possible. Repeat as necessary.

ANTS Spray trails, nests and points of entry Spray on ants where possible. Repeat as necessary

FLEAS: Protect dogs and cats from fleas and thee by spraying their resting areas. Hold spray nozzle about 18 inches from area to be treated. Apply spray at the rate of two seconds per linear foot. Direct spray on resting areas and floor around these areas. Treat bedding the same way. Also spray entire inside surface of dog houses. Repeat as necessary.

Also treat dogs and cats with a registered product before they reenter the area just treated with this product

CAUTION KEEP OUT OF REACH OF CHILDREN. HARMFUL IF SWALLOWED.

Avoid contamination of feed and foodstuffs. Use in food processing plants only when plant is not in operation. Foods should be removed or covered during treatment. All food processing surfaces should be covered or thoroughly cleaned before using. Remove pets, birds and cover fish aquariums before spraying.

In hospitals, patients should be removed from course on to treatment. Room should be very and took, how with spraying. Do not return patient to come unit over ventilation.

 $V_*\Delta RN_*(0,0)$ (where synder pressure is not proved to the interest party of specific temperatures above 1300% of a constant of the interest pressure is the constant of t

EPA ROS TENTE TO THE TOTAL PROPERTY OF THE TOTAL

CERRING CONTRACTOR