

BEST AVAILABLE COPY



FOOD PLAN PRESSURIZED INSECT SPRAY With .50% SBP-1382

NON FLAMMABLE

FOR Food Plants, Bakeries, Restaurants, Schools,
Hotels, Motels, Office Buildings, Hospitals,
Food Handling Plants and For Use in and
Around the Home.

Active Ingredients

* (5-Benzyl-3-(cyclopropylmethyl)-2,2-dimethyl-3-
(2-methylpropenyl)-cyclopropane
carboxylate 0.500%
Related compounds 0.068%
Aromatic petroleum hydrocarbons 0.064%

Inert Ingredients 99.368%
100.000%

* Cis:trans isomers ratio - max. 30% cis and min.
70% trans (U.S. Patent No. 3,465,001)

**KEEP OUT OF REACH OF CHILDREN
CAUTION**

See other precautions on back panel

NET WT. 12.5 OZ.

ACCEPTED

JUN 3 1978

U.S. DEPT. OF AGRICULTURE
NATIONAL ANIMAL HEALTH
LABORATORY
WASHINGTON, D.C. 20501

DIRECTIONS FOR USE

Shake well before each use. Remove Protective cap. Aim spray opening away from person. Push button to spray. **FOR HOUSEFLIES, MOSQUITOES AND GNATS:** Close all doors and windows. Point nozzle upward, direct the spray mist to all parts of the room, especially windows and other light sources which attract these insects. Fill the room with it, then leave the treated area. Keep the room closed for at least 15 minutes. Ventilate the room when treatment is complete.

FLIES: Application should be made in late evening when insects are at rest. Spray liberally into hiding and breeding areas, contacting as many insects as possible. Repeat as necessary.

FOR CRABING INSECTS: ~~Remove insects from traps.~~ ~~Remove insects from containers.~~ Spray thoroughly into hiding places such as cracks, crevices, moist areas, openings around pipes and sinks, under refrigerators, dishboards and storage areas. Spray directly on insects where possible. Repeat as necessary.

ANTS: Spray trails, nests and points of entry. Spray on ants where possible. Repeat as necessary.

FLIES: Protect eggs and call from flies by spraying their resting areas. Hold spray nozzle about 18 inches from area to be treated. Apply spray at the rate of two strokes per foot. Direct spray on resting areas and floor around these areas. Treat feeding the same way. After spray enters inside surface of dishboards. Repeat as necessary. After treat dogs and cats with a registered product before they reenter the area just treated with this product.

**CAUTION
KEEP OUT OF REACH OF CHILDREN
HARMFUL IF SWALLOWED**

Avoid contamination of food and feedstuffs. Use in food processing plants only when plant is not in operation. Foods should be removed or covered during treatment. All food processing surfaces should be covered or thoroughly cleaned before using. Remove pots, birds and other fish aquariums before spraying.

Do not use in areas where it is necessary to keep children or pets away from the treated area. Do not use in areas where it is necessary to keep children or pets away from the treated area.

WARNING: Do not use in areas where it is necessary to keep children or pets away from the treated area. Do not use in areas where it is necessary to keep children or pets away from the treated area.

EPA Reg. No. 100-100-100 EPA Est. No. 100-100-100
Manufactured by
SPEER PRODUCTS, INC.
Minneapolis, Minnesota 55401