08 MAY 1992

T. David Williams, J.D. Speer Products, Inc. 4242 B.F. Goodrich Blvd. P.O.Box 18993 Memphis, TN 38181-0993

Dear Mr. Williams::

Subject: Label Change

Speer Food Plant Pressurized Insect Spray

EPA Reg. No.: 11715-40

Submission Dated: Dec. 5, 1991 Received: May 5, 1992

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, is acceptable subject to the comments listed below. One copy of the finished labeling must be submitted prior to releasing the product for shipment.

Delete the phrase "Related compounds" from the ingredient statement. Unless otherwise indicated, related compounds should be included with the appropriate active ingredient. Therefore, adjust the Resmethrin content to include the related compounds percentage.

Sincerely,

Richard F. Mountfort Product Manager 10 Insecticide & Rodenticide Branch Registration Division (H7505C)

SPEER SPEER FOOD PLANT PRESSURIZED INSECT SPRAY

FOR: Food Plants, Bakeries, Restaurants, Schools, Hotels, Motels, Office Buildings, Hospitals, Food Handling Plants, and For Use in and Around the Home.

ACTIVE INGREDIENTS:

Resmethrin	0.500%
[5-(phynulmethyl)-3-furanyl] methyl	
2,2-dimethyl-3-(2-methyl-1-propertyl)	
cyclopropanecarboxylate	
Related compounds	0.068%
INERT INGREDIENTS:	99.432%
Total	100.000%
*Cis/trans isomers ratio: max. 30% (+)c (+)trans. =U.S. Patent No. 3.465,007.	is and min. 70%

KEEP OUT OF REACH OF CHILDREN CAUTION

See other precautions on back panel.

Net Wt. 12.5 oz.

Manufactured by: SPEER PRODUCTS, INC.

4242 B.F. Goodrich Blvd. Memphis, TN 38118

EPA REG. NO. 11715-40 EPA EST NO. 11715-TN-1

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS CAUTION HARMFUL IF SWALLOWED

Avoid contamination of feed and foodstuffs. Use in food processing plants only when plant is not in operation. Foc 's should be removed or covered during treatment. All food processing surfaces should be covered or thoroughly cleaned before using. Remove pets, birds and cover fish aquariums before spraying.

In hospitals, patients should be removed from room prior to treatment. Room should be ventilated for 2 hours after spraying. Do not return patients to room until after ventilation.

PHYSICAL OR CHEMICAL HAZARDS

Contents under pressure. Do not use or store near heat or open flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting.

Buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions above.

STATEMENT OF PRACTICAL TREATMENT

If 'nhaled: Remove affected person to fresh air. Apply artificial respiration if indicated.

If In Eyes: Flush with plenty of water. Contact a physician & imitation persists.

If On Skin: Wash affected area immediately with soap and water.

STORAGE AND DISPOSAL

Storage: Store in a cool dry area away from heat or open flame.

Disposal: Replace cap and wrap container in several layers of newspaper. Discard in trash. Do not incinerate or puncture.

DIREC

It is a violation of Femanner inconsistent Shake well before e Ain, spray opening spray:

FOR HOUSEFLIES Close all doors and v the spray mist to all dows and other light Fill the room with mis the room closed for room when treatmen **WASPS:** Applicatio when insects are at breeding places, co sible. Repeat as nec FOR CRAWLING I mites, sowbugs, s thoroughly into hidin moist areas, openin refrigerators, baseb

ANTS: Spray trails, ants where possible FLEAS: Protect dog their resting areas. If from area to be trea seconds per linear 1 and floors around the way. Also spray ent Repeat as necessar registered product I treated with this product.

directly on insects v

sary

ACCEI with CON lu EPA Le

 08 MA $^{\circ}$

Under the Fede Fungicide, and as amended, fo registered under