

SPEER FOOD PLANT PRESSURIZED INSECT SPRAY WITH .50% SBP-1382

FOR: Food Plants, Bakeries, Restaurants, Schools, Hotels, Motels, Office Buildings, Hospitals, Food Handling Plants, and For Use in and Around the Home.

ACTIVE INGREDIENTS:

Resmethrin..... 0.568%

[5-(phenylmethyl)-3-furanyl] methyl
2,2-dimethyl-3-(2-methyl-1-propenyl)
cyclopropanecarboxylate

INERT INGREDIENTS:..... 99.432%

Total..... 100.000%

*Cis/trans isomers ratio: max. 30% (+)cis and min. 70%
(+)trans. =U.S. Patent No. 3,465,007.


KEEP OUT OF REACH OF CHILDREN CAUTION

See other precautions on back panel.

Net Wt. 12.5 oz.

Manufactured by:
SPEER PRODUCTS, INC.
4242 B.F. Goodrich Blvd.
Memphis, TN 38118

EPA REG. NO. 11715-40 EST. NO. 11715-TN-1



PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS CAUTION

Harmful if swallowed. Avoid contamination of feed and foodstuffs. Use in food processing plants only when plant is not in operation. Foods should be removed or covered during treatment. All food processing surfaces should be covered or thoroughly cleaned before using. Remove pets, birds and cover fish aquariums before spraying. In hospitals, patients should be removed from room prior to treatment. Room should be ventilated for 2 hours after spraying. Do not return patients to room until after ventilation.

PHYSICAL OR CHEMICAL HAZARDS

Contents under pressure. Do not use or store near heat or open flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting. Buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions above.

STATEMENT OF PRACTICAL TREATMENT

If Inhaled: Remove affected person to fresh air. Apply artificial respiration if indicated.

If In Eyes: Flush with plenty of water. Contact a physician if irritation persists.

If On Skin: Wash affected area immediately with soap and water.

STORAGE AND DISPOSAL

Storage: Store in a cool dry area away from heat or open flame.

Disposal: Replace cap and wrap container in several layers of newspaper. Discard in trash. Do not incinerate or puncture.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Shake well before each use. Remove Protective cap. Aim spray opening away from person. Push button to spray.

FOR HOUSEFLIES, MOSQUITOES, AND GNATS: Close all doors and window. Point nozzle upward, direct the spray mist to all parts of the room, especially windows and other light sources which attract these insects. Fill the room with mist, then leave the treated area. Keep the room closed for at least 15 minutes. Ventilate the room when treatment is completed.

WASPS: Application should be made in late evening when insects are at rest. Spray liberally into hiding and breeding places, contacting as many insects as possible. Repeat as necessary.

FOR CRAWLING INSECTS: Roaches, earwigs, grain mites, sowbugs, spiders and centipedes: Spray thoroughly into hiding places such as cracks, crevices, moist areas, openings around pipes and sinks, under refrigerators, baseboards, and storage areas. Spray directly on insects where possible. Repeat as necessary.

ANTS: Spray trails, nests and points of entry. Spray on ants where possible. Repeat as necessary.

FLEAS: Protect dogs and cats from fleas by spraying their resting areas. Hold spray nozzle about 18 inches from area to be treated. Apply spray at the rate of two seconds per linear foot. Direct spray on resting areas and floors around these areas. Treat bedding the same way. Also spray entire inside surface of dog houses. Repeat as necessary. Also treat dogs and cats with a registered product before they reenter the area just treated with this product.

BEST AVAILABLE COPY