

Speer

Rose & Flower Spray

**KILLS ROSE AND FLOWER INSECTS
CONTROLS**

Black Spot, Powdery Mildew and Softbrown Scale (crawler stage).

Kills aphids, mites, thrips (exposed), white fly, lace bugs, rose slugs, rose chafer, cabbage looper, imported cabbage worm, climbing cutworms and Japanese beetles on ornamental plants and roses.

ACTIVE INGREDIENTS:

Pyrethrins020%
•N-octyl bicycloheptene dicarboximide.....	.300%
Rotenone100%
Other cube resins200%
*Methoxychlor, technical300%
Dichlone (2, 3-dichloro - 1, 4-naphthoquinone)120%
2, 4-Dinitro-6-octyl* phenyl crotonate)091%
2, 6-Dinitro-4-octyl* phenyl crotonate)	
Nitro octyl* phenols (principally dinitro)006%
Petroleum distillate115%
INERT INGREDIENTS:	98.748%

100.000%

•MGK 264, Insecticide Synergist

*2, 2-Bis (p-methoxyphenyl) - 1, 1, 1-trichloroethane .264%;
other isomers and reaction products .036%.

**Karathane, Rohm and Haas Chemical Company.

***A mixture of 1-methylheptyl, 1-ethylhexyl, and 1-propylpentyl isomers.

CAUTION

KEEP OUT OF REACH OF CHILDREN.

SEE BACK PANEL FOR OTHER CAUTIONS

NET WT. 15 OZ.

For control of powdery mildew, black spot, aphids, lace bugs, mites, ants, white flies and leaf hoppers. Direct spray contact will control Japanese beetles, flower thrips (exposed), rose chafers, and soft scale (crawler stage).

May be used on African Violets, Asters, Azaleas, Begonias, Camellias, Carnations, Chrysanthemums, Dahlias, Delphinium, Geraniums, Gladiolus, Grape Ivy, Fuchsia, Marigolds, Rhododendrons, Roses, Zinnias and other ornamentals. Do not spray sensitive plants such as cyclamen, lantana, maiden hair fern, nasturtiums, or dull-leaved varieties of roses. Do not use on tomatoes, vegetables or other food plants.

INDOORS: For best results apply sparingly in short bursts.

OUTDOORS: Spray in evening or on a cloudy day when air is still. Use slow, sweeping motion.

DIRECTIONS FOR USE

Remove protective cap. Holding can upright, point valve in desired direction and press dispenser button to spray. Hold container not less than 12 inches from plant to prevent freezing. If spray wets foliage, you are too close.

To Kill Insects on Ornamental Plants and Roses: Hold dispenser upright about 18" from foliage and spray lightly to dampen both sides of leaves. Do not overspray, but treatment may be repeated as necessary.

To Control Black Spot and Powdery Mildew on Roses: Apply when new growth appears in the spring and repeat at 7 to 10 day intervals throughout the season. Hold dispenser upright about 18" from foliage. Spray lightly to dampen both sides of leaves. Do not overspray—as burning will result.

CAUTION: KEEP OUT OF REACH OF CHILDREN

Harmful if swallowed. Avoid breathing spray mist. Avoid contact with skin and eyes as the spray from this product may be a skin irritant and sensitizer. In case of skin contact, wash with soap and water. Avoid contamination of feed or foodstuffs. Foods and utensils should be covered or removed before spraying. Do not spray when temperature exceeds 90°F.

Do not spray on pets, including fish and birds. Cover or remove aquariums before spraying. Do not spray on asphalt tile or plastics.

WARNING

Contents under pressure. Do not puncture. Do not use or store near heat or open flame. Exposure to temperatures above 130°F may cause bursting. Never throw container into fire or incinerator.

NOTICE: Seller warrants that this product conforms to the ingredient statement on the label. Since conditions of use, such as weather, compatibility with other chemicals, and condition of application equipment will vary, Seller makes no claims other than those stated on this label.

EPA REG. NO. 11715-42

EPA EST. NO. 11715-TN-1

Manufactured by:

SPEER PRODUCTS, INC.

Memphis, Tenn. 38109