

ACCEPTED

AUG 02 1990

Insecticide, Formulation
as amended, for use
under

11715-43

**SPEER
ONE SHOT
HI-PRESSURE FOGGER**

(Industrial Strength)

This "One-Shot" insecticide releases the entire contents of this can. The fog penetrates throughout the entire area.

FOR HOMES, APARTMENTS, RESTAURANTS, KITCHENS, FOOD PROCESSING PLANTS, WAREHOUSES, BOXCARS, TRUCKS, BARNs, KENNELS AND BUILDINGS UP TO 5000 CUBIC FEET.

ACTIVE INGREDIENTS:

Pyrethrins	0.50%
*Piperonyl Butoxide, technical	1.00%
+N-octyl bicycloheptane dicarboximide	1.67%
INERT INGREDIENTS:	96.83%
	100.00%

*Equivalent to .80% (butylcarbityl) (6-propylpiperonyl) ether and .20% other related compounds.

+MGK-264, insecticide Synergist.

**Contains Petroleum Distillates

KILLS EXPOSED ROACHES, SILVERFISH, CRICKETS, FLEAS, FLIES, MOSQUITOES, GNATS, FRUIT FLIES, SMALL FLYING MOTHS, WASPS AND HORNETS.

KEEP OUT OF REACH OF CHILDREN**CAUTION**

See rear panel for additional precautions.

NET WT. 8 OZ.

Manufactured by

SPEER PRODUCTS, INC.**Memphis, TN 38116**

EPA REG. NO. 11715-43

EPA EST. NO. 11715-14-1

**PRECAUTIONARY
STATEMENT****HAZARDS TO HUMANS
AND DOMESTIC ANIMALS**

Harmful if swallowed. Avoid inhalation, eye, skin and clothing contact; wash thoroughly after using.

Do not contaminate feed, water or foodstuffs. Food should be removed or covered during treatment. All food processing surfaces should be covered during treatment or thoroughly cleaned before using. When using fogger in these areas, apply only when facility is not in operation.

**PHYSICAL OR
CHEMICAL HAZARDS**

Contents under pressure. Do not use or store near heat or open flame. Do not puncture or incinerate container. Exposure to temperatures above 130° F may cause bursting.

**STATEMENT OF
PRACTICAL TREATMENT**

If inhaled — Remove victim to fresh air. Apply artificial respiration if indicated.

If on skin - Remove contaminated clothing and wash affected areas with soap and water.

If in eyes - Flush eyes with plenty of water. Consult physician if irritation persists.

If swallowed - Consult Poison Control Center or physician. Do not induce vomiting without medical supervision because of possible aspiration hazard.

Storage: Store in a cool, dry area away from heat or flame and out of reach of children.

Disposal: Replace cap and discard container in trash. Do not incinerate or puncture.

FOR USE ONLY WHEN BUILDING, BOXCAR, OR TRUCK HAS BEEN VACATED BY HUMAN BEINGS AND PETS.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Use one canister for each 5,000 cu. ft. of unobstructed area. Example: 25' long x 20' wide x 10' high = 5,000 cu. ft. Use additional units for remote rooms or where free flow of mist is not assured.

PREPARATION: Remove any insect-proofing debris. Cover exposed food, utensils and food handling surfaces. Open cabinets and doors to areas to be treated. Shut off fans and air conditioners. Put out all open flames including pilot light. Remove pets, birds, and cover fish aquariums before spraying. Close exterior doors and windows. Cover exposed foods, dishes, and food handling equipment.

TO START FOGGING: Place fogger on table, chair or stand. Place several thicknesses of newspapers under canister to prevent marring of surface. Hold can at arm's length with top of can pointing away from face and eyes and press down actuator tab to lock in position and start fogging action. Set canister in upright position on table, etc. and leave building at once. DO NOT RE-ENTER BUILDING FOR TWO HOURS, then open exterior doors and windows and allow to air for 30 minutes before reoccupying area.