

11715-43

5/12/2003

1/3

United States Environmental Protection Agency

Mr. William Washburn, Regulatory Affairs Manager
 Speer Products Incorporated
 4242 b.f. Goodrich blvd.
 P.O. Box 18993 Memphis, TN 36118

MAY 12 2003

Subject: Submission of a revised label in response to the following PR Notices:
 98-6, 2001-1 and 2001-6
 EPA Reg. No. 11715-43 Speer One Shot
 Date of submission: February 13, 2003

Dear Mr. Washburn,

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA), is acceptable subject to the comments listed below. Five copies of the finished labeling must be submitted prior to releasing the product for shipment.

1. Revise the First Aid Statement as follows: Replace the qualifier statement after the "IF SWALLOWED" subtitle with the following language:

"If swallowed: Immediately call a poison control center or doctor. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give any liquid to the person. Do not give anything by mouth to an unconscious person."

The language for products containing >10% petroleum distillates is outlined on page 5 of PR Notice 2001-1.

2. At the bottom of the FIRST AID STATEMENT box, insert another row with the following title: "NOTE TO PHYSICIAN" Directly below this title add the statement: "Contains petroleum distillate - vomiting may cause aspiration pneumonia." This language is required for products containing > 10% petroleum distillates as outlined on page 7 of PR Notice 2001-1.

A stamped copy is enclosed for your records. If you have any questions, you may contact Richard J. Gebken, at (703) 305-6701.

Sincerely,



Marion Johnson
 Product Manager 10
 Insecticide Branch
 Registration Division (7505C)

Enclosure

011715-00043 S631962.wpd

CONCURRENCES

SYMBOL >	H7505C							
SURNAME >	RGEBKEN							
DATE >	May 12, 2003							

SPEER ONE SHOT

HI-PRESSURE FOGGER (Industrial Strength)

This "One-Shot" Insecticide releases the entire contents of this can. The fog penetrates throughout the entire area.

**FOR HOMES, APARTMENTS,
RESTAURANTS, KITCHENS, FOOD
PROCESSING PLANTS, WAREHOUSES,
BOXCARS, TRUCKS, BARNs, KENNELS
AND BUILDINGS UP TO 5000 CUBIC FEET.**

ACTIVE INGREDIENTS:

Pyrethrins.....	0.50%
Piperonyl Butoxide, Technical*.....	1.00%
N-octyl bicycloheptane dicarboximide+.....	1.67%
INERT INGREDIENTS:	96.83%
	100.00%

*Equivalent to .80% (butylcarbityl) (6-Propylpiperonyl) ether and .20% other related compounds.

+MGK-264, Insecticide Synergist

**Contains petroleum distillates

KEEP OUT OF REACH OF CHILDREN

CAUTION

See rear panel for additional precautions.

NET WEIGHT: _____ Lbs. In EPA Letter Dated:

**ACCEPTED
with COMMENTS
MAY 12 2003**

EPA Reg. No. 11715-43
EPA Est. No. 11715-TN-1

Under the Federal Insecticide,
Fungicide, and Rodenticide Act,
as amended, for the pesticide
registered under EPA Reg. No.

11715-43

**KILLS EXPOSED ROACHES, SILVERFISH,
CRICKETS, FLEAS, FLIES, MOSQUITOES,
GNATS, FRUIT FLIES, SMALL FLYING
MOTHS, WASPS, AND HORNETS**

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS CAUTION

Harmful if swallowed. Avoid inhalation, eye, skin, and clothing contact; wash thoroughly after using. Do not contaminate feed, water or foodstuffs. Food should be removed or covered during treatment. All food processing surfaces should be covered during treatment or thoroughly cleaned before using. When using fogger in these areas, apply only when facility is not in operation.

FIRST AID	
IF SWALLOWED:	<ul style="list-style-type: none">• Call poison control center or doctor immediately for treatment advice.• Have person sip a glass of water if able to swallow.• Do not induce vomiting unless told to do so by the poison control center or doctor.• Do not give anything by mouth to an unconscious person.
IF INHALED:	<ul style="list-style-type: none">• Move person to fresh air.• If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible.• Call a poison control center or doctor for further treatment advice.

IF IN EYES:	<ul style="list-style-type: none">• Hold eye open and rinse slowly and gently with water for 15-20 minutes.• Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.• Call a poison control center or doctor for treatment advice.
IF ON SKIN OR CLOTHING:	<ul style="list-style-type: none">• Take off contaminated clothing.• Rinse skin immediately with plenty of water for 15-20 minutes.• Call a poison control center or doctor for treatment advice.

HOT LINE NUMBER

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-877-757-4943 for emergency medical treatment information.

PHYSICAL OR CHEMICAL HAZARD

Contents under pressure. Do not use or store near heat, sparks, or flame. Do not puncture or incinerate container. Exposure to temperatures above 130° F. may cause bursting.

This product contains a highly flammable ingredient. It may cause a fire or explosion if not used properly. Follow the "Directions for Use" on this label very carefully.



Highly Flammable Ingredient
Ingrediente Altamente Inflamable

**FOR USE ONLY WHEN BUILDING,
BOXCAR, OR TRUCK HAS BEEN
VACATED BY HUMAN BEINGS AND PETS.**

elo

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

DO NOT use more than one fogger per room. DO NOT use in small, enclosed spaces such as closets, cabinets or under counters or tables. Do not use in a room 5 ft. x 5 ft. or smaller, instead, allow fog to enter from other rooms.

Turn off ALL ignition sources such as pilot lights (shut off gas valves), other open flames or running electrical appliances that cycle off and on (i.e., refrigerators, thermostats, etc.) Call your gas utility or management company if you need assistance with your pilot lights.

PREPARATION: Remove any insect-proofing debris. Cover exposed food, utensils and food handling surfaces. Open cabinets and doors to areas to be treated. Shut off fans and air conditioners. Put out all open flames including pilot light. Remove pets, birds, and cover fish aquariums before spraying. Close exterior doors and windows. Cover exposed foods, dishes, and food handling equipment.

TO START FOGGING: Place Fogger on table, chair or stand. Place several thicknesses of newspapers under canister to prevent marring of surface. Hold can at arm's length with top of can pointing away from face and eyes and press down actuator tab to lock in position and start fogging action. Set canister in upright position on table, etc. and leave building at once.

DO NOT RE-ENTER BUILDING FOR TWO HOURS. then open exterior doors and windows and allow to air for 30 minutes before reoccupying area.

STORAGE AND DISPOSAL

DISPOSAL: Do Not Puncture or Incinerate! **If empty:** Place in trash or offer for recycling if available. **If partly filled:** Call your local solid waste agency or 1-800-CLEANUP for disposal instructions.

[Distributors may chose to use their own emergency numbers and times of operation]

**MANUFACTURED BY:
SPEER PRODUCTS, INC.
P.O. BOX 18993
MEMPHIS, TN 38118-0993**

c: MSPUB:reg104.pub(9/11/97)-11715-43NOTIF-98-6; 2001-1&6-(2-18-03)