SPEER INDUSTRIAL PRESSURIZED SPRAY

FOOD PLANTS, RESTAURANTS, HOSPITALS, SCHOOLS, SUPERMARKETS, MOTELS, HOTELS, DAIRIES, AND ANIMAL QUARTERS

Provides rapid Control of flies, Mosquitoes, Gnats, Wasps, Small Fluying Moths (Millers) and accessible stages of Roaches, Ants, Water Bugs, Silverfish, Flour Beetles, and Weevils (named on back panel), Grain Mites, and spiders.

ACTIVE INGREDIENTS:

Pyrethrins	0.5%
Piperonyl Butoxide, Technical*	
INERT INGREDIENTS:	95,5%
	100.0%

^{*}Equivalent to 3.2% (butylcarbityl) (6-Propylpiperonyl) ether and 0.8% related compounds.

KEEP OUT OF REACH OF CHILDREN

CAUTION

See side panel for additional precautions.

NET WEIGHT: ____Lbs.

EPA Reg. No. 11715-44 EPA Est. No. 11715-TN-1

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS CAUTION

Avoid breathing spray mist. Avoid contact with skin, eyes, or clothing. Vacate premises after treatment and ventilate before reoccupying.

Remove pets, birds, and cover fish aquariums before spraying.

Apply this product only as specified on this label. Avoid contamination of feed and foodstuffs. When using this product in food processing plants, foods should be removed or covered during treatment. All food processing surfaces should be covered during treatment or thoroughly cleaned before using. When using this product in these areas, apply only when facility is not in operation.

6	FIRST AID		
6	IF INHALED:	Move person to fresh air.	
<u>′o</u>		If person is not breathing,	
6		call 911 or an ambulance,	
		then give artificial	
		respiration, preferably by	
		mouth-to-mouth, if	
		possible.	
		Call a poison control center	
J		or doctor for further	
•		treatment advice.	
	IF ON SKIN OR	Take off contaminated	
	CLOTHING:	clothing.	
		 Rinse skin immediately 	
•		with plentry of water for	
		15-20 minutes.	
		Call a poison control center	
		or doctor for treatment	
		advice.	
ACC	EPTED		

Under the Federal Insecticide, Fundicide, and Rodenticide Act, as amended, for the pesticide

registered under EPA Reg. No.

IF IN EYES:	• ;	Hd a eye open and rinse slowly and gently with water for 15-20 minutes.
	•	Remove contact lenser, if present, after the first 5 minutes, then continue rinsing eye.
	•	Call a poison control center or doctor for treatment advice.
IF SWALLOWED:	•	Call poison control center or doctor immediately for treatment advice.
	•	Have person sip a glass of water if able to swallow.
	•	Do not induce vomiting unless told to do so by the poison control center or doctor.
	•	Do not give anything by mouth to an unconscious
HOT		person.

HOT LINE NUMBER

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-877-757-4943 for emergency medical treatment information.

PHYSICAL OR CHEMICAL HAZARD

Contents under pressure. Do not puncture. Do not use or store near heat or open flame. Exposure to temperatures above 130° F. may cause bursting. Never throw container into fire or incinerator.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

SHAKE BEFORE USING AND AT INTERVALS DURING PROLONGED USE.

Hold container upright with nozzle away from you. Press valve down and spray as directed. To avoid possible staining of fabrics or surfaces, do not spray at close range. Flies, Mosquitoes, Gnats, Wasps, Small Flying Moths: Close all doors and windows and spray room at the rate of 1 second per 1,000 cubic feet. Direct spray to all parts of the room, especially windows and other light sources which attract these insects. Keep nozzle in constant motion. Keep room closed for 10 to 15 minutes after treatment. Repeat treatment as necessary.

Roaches, Water Bugs, Crickets, Spiders, Centipedes, and Sow Bugs: Spray into hiding places such as cracks and crevices, behind sinks, cabinets, along baseboards and floors, around drains, and plumbing, hitting insects with spray when ever possible. Repeat treatment as necessary.

Ants: Spray trails, nests, and points of entry. Spray on ants where possible. Repeat as necessary.

Indian Meal Moth, Angoumois Grain Moth: Close doors and windows, direct spray into all parts of room especially around stored food product containers, pallets, and darkened areas. Spray 7 to 10 seconds for each 1,000 cubic feet of space. Keep area closed for 15 minutes following treatment. Repeat application weekly or as needed.

Confused Flour Beetles, Saw-Toothed Grain Beetles, Granary Weevils, Rice Weevils, Red Flour Beetles, Grain Mites: Spray into cracks and crevices, processing and handling equipment, around cartons or containers and other areas where these insects tend to congregate. Spray 30 seconds for each 100 square feet of surface. Keep area closed for 45 minutes to 1 hour after treatment. Repeat applications as necessary.

Silverfish: Spray baseboards, window and door frames, book cases, storage areas, and other surfaces suspected of silverfish infestation. Repeat treatment as necessary.

Carpet Beetles: Spray directly on beetles, floors, baseboards, shelves, and carpets. Repeat treatment as necessary.

Bedbugs: Spray mattresses, particularly around tufts and seams. Take beds apart and spray into all joints. Treat baseboards, moldings, and floors. Repeat treatment as necessary.

Fleas: Spray sleeping quarters, bedding, floor and floor covering where pets are kept. Repeat as necessary. Use only a recommended pet spray on pets.

STORAGE AND DISPOSAL

DISPOSAL: Do Not Puncture or Incinerate! If empty: Place in trash or offer for recycling if available. If partly filled: Call your local solid waste agency or 1-800-CLEANUP for disposal instructions.

[Distributors may chose to use their own emergency numbers and times of operation]

MANUFACTURED BY: SPEER PRODUCTS, INC. P.O. BOX 18993 MEMPHIS, TN 38118-0993

c:\MSPUB\reg104.pub-(9/11/97)-11715-44NOTIF-2001-1&6-(2-18-03)