

Directions for Use
General Classification
 It is a violation of Federal Law to use this product in a manner inconsistent with its labeling

Storage and Disposal
Storage: Store in a cool, dry area away from heat or open flame.
Disposal: Do not re-use empty container. Wrap container and put in trash collection.

To kill ticks, destroy old pet bedding and replace. Treat dogs and cats with a registered tick control product prior to re-entry. Aids in control of Cockroaches.

FOR USE ONLY WHEN BUILDING HAS BEEN VACATED BY HUMAN BEINGS AND PETS

Use one canister for each 5,000 cu. ft. of unobstructed area. Example: 25' long x 20' wide x 10' high = 5,000 cu. ft. Use additional units for remote rooms or where the free flow of the mist is not assured.

PREPARATION: Open cabinets and doors to areas to be treated. Shut off fans and air conditioners. Put out all open flames except pilot light. Remove pets and cover fish tanks or fish bowls with paper or remove from area. Close exterior doors and windows. Cover exposed foods, dishes and food handling equipment. Remove and dispose of insect infested food and feed products prior to fogging.

TO START FOGGING: Place Fogger on table, chair or stand, at least six feet from pilot light. Place several thicknesses of newspapers under canister to prevent marking of surface. Hold can at arm's length, with top of can pointing away from face and eyes. Push down on finger pad until it locks—this will start fogging action. Set canister in upright position on table, etc. and leave building at once. DO NOT RE-ENTER BUILDING FOR FOUR HOURS. Then open exterior doors and windows and allow to air for 30 minutes before reoccupying area.

REPEAT AS NECESSARY.

KILLS:

FLIES
 MOSQUITOES
 WASPS
 SMALL FLYING MOTHS

KILLS EXPOSED:

COCKROACHES
 SPIDERS
 FLEAS
 TICKS
 CENTIPEDES
 CRICKETS
 SILVERFISH
 BLACK CARPET BEETLES
 PILL BUGS
 SAW-TOOTHED GRAIN BEETLES
 RICE WEEVILS

SPEER PRODUCTS, INC.
MEMPHIS, TN 38118

SPEER
MINATURE FOGGER
(QUADRUPLE STRENGTH)

For Use in Rooms, Apartments, Homes, Attics, Basements, Campers, Boats, Barns, Garages, Kennels, Pet Sleeping Areas, Storage Areas, Cabins.

One Unit Treats Up to 5,000 cubic feet

ACTIVE INGREDIENTS
 d-trans A ethion, allyl homolog of Chlorin 1 1.200%
 Related Compounds 0.092%
 1,3-Phenylenebis (di-2-ethyl-4-methyl-5-propenyl cyclopropylmethyl) hexanate 0.064%
 Other isomers 0.036%
 Petroleum distillate 8.954%
NET INGREDIENTS 68.954%
 10 cis, trans, phenothrin
 10 cis, trans, somer, talo, isos 25% or more
 10 cis, trans, somer, talo, isos 25% or more

CAUTION
KEEP OUT OF REACH OF CHILDREN
 See Side Panel for Additional Precautionary Statements

Net Wt. 1.5 Oz.

Precautionary Statements

CAUTION:

Hazards to Human and Domestic Animals

Harmful if swallowed or absorbed through skin. Avoid contact with skin. Avoid breathing vapors. In case of contact, immediately flush skin with plenty of water.

Do not use in commercial food processing or preparation areas. In the home, all food processing surfaces and utensils should be covered during treatment or thoroughly washed before use. Cover exposed food.

Remove pets, birds and cover fish aquariums before spraying.

First Aid

In case of eye contact, flush with plenty of water, get medical attention if irritation persists.

Physical Hazards

Contents under pressure. Do not use or store near heat or open flame. Do not puncture or incinerate container. Exposure to temperatures above 130° may cause bursting.