Precautionary Statements Hazards to Humans

CAUTION

Avoid contact with eyes, skin or clothing. In case of contact immediately flush eyes and skin with plenty of water. Get medical attention if irritation persists. Harmful if swallowed.

Cover or remove exposed foods. Avoid contamination of cooking utensils and food preparation surfaces. DO NOT use in edible product areas of food processing plants, restaurants, or other areas where food is commercially prepared or processed. Do not use in food serving areas while food is exposed. Do not use on edible crops.

Remove birds, pets, and cover aquariums before spraying.

PHYSICAL HAZARDS

Contents under pressure. Do not use or store near heat or open flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting.

STORAGE AND DISPOSAL

STORAGE: Store in a cool area away from heat or open flame.

DISPOSAL: Do not reuse empty container. Wrap container and put in trash collection.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

SHAKE WELL BEFORE EACH USE. Remove protective cap. Aim spray opening away from person. Push button to spray. Apply this product only as specified on this label.

FOR USE IN HOUSEHOLDS AND INDUSTRIAL PLANTS

KILLS FLIES, MOSQUITOES, AND GNATS: Close all doors and windows. Point nozzle upward. Direct spray mist to all parts of the room especially windows and other light sources which attract these insects. Fill the room with mist, then leave the treated area. Keep the room closed for at least 15 minutes. Ventilate the room when treatment is completed. Sweep up and destroy fallen insects. Repeat treatment as necessary.

SPEER

AQUEOUS PRESSURIZED SPRAY

Professional Strength

For Use in Households, Hotels, Motels, Schools, Offices, Warehouses, Plants, and Non-Food Areas of Food Processing Plants.

ACTIVE INGREDIENTS:

* † *resmethrin

[5-(phenylmethyl) 3-furanyl] methyl 2, 2-dimethyl-3-(2-methyl-1-propenyl)

cylopropanocarboxylate	0.200%
Related compounds	0.027%
d-trans Allethrin (allyl homolog of Cinerin I)	0.400%
Related compounds	0.030%
Aromatic petroleum hydrocarbons	0.265%
Petroleum distillate	6.500%

INERT INGREDIENTS: 92.578%

100.000%

*Cis/trans isomers ratio: max. 30% (\pm) cis and min. 70% (\pm) trans.

†U.S. Patent Nos. 3,465,007 and 3,542,928.

Penick's SBP-1382 (R) brand of resmethrin insecticide, Penick Corp., 1050 Wall Street West, Lyndhurst, NJ 07071.

KEEP OUT OF REACH OF CHILDREN

CAUTION

See Side Panel for Additional Precautionary Statements

Kills Flies, Mosquitoes, Gnats, Wasps, Hornets, Roaches, Ants, Earwigs, Grain Mites, Sowbugs, Spiders and Centipedes.

Net Weight

ounces

KILLS CRAWLING INSECTS: Roaches, earwigs, grain mites, sowbugs, spiders and centipedes: Spray thoroughly into cracks, crevices, moist areas, openings around pipes and sinks, under refrigerators, baseboards, and storage areas. Spray directly on insects where possible as a contact spray. Repeat applications as necessary.

KILLS WASPS AND HORNETS, Space spray: Before applying, close all doors, windows and ventilator openings. In unfinished attics and crawl spaces where direct sprays cannot reach pests, point nozzle upward and fill the area with mist at the rate of 35 seconds per 1,000 cu. ft. of space. Leave treated area immediately after application is complete, closing off area for at least ½ hour. Ventilate area when treatment is complete. Repeat as necessary.

OUTDOORS—REDUCE ANNOYANCE FROM FLYING INSECTS AROUND PICNIC AND RECREATIONAL AREAS, HOMES AND INDUSTRIAL PLANTS.

Kill mosquitoes, gnats (midges), house flies, horse flies, deer flies, and flying moths (millers) by spraying their resting areas. Follow precautions listed above. Hold container 18 to 24 inches from shrubs, bushes and grassy areas. Spray these areas with a slow sweeping motion at the rate of from 1 to 3 seconds per cubic yard of space while moving away from the treated areas. To reduce annoyance from these flying insects, treat open porches and patios in a similar manner. Spray only when the air is still. Allow spray to dissipate before occupying the treated area. Repeat as necessary.

KILLS NUISANCE PESTS-ON OR ENTERING BUILDINGS:

WASPS AND HORNETS, Direct spray: Applications should be made in late evening when insects are at rest. Spray liberally into hiding and breeding places, contacting as many insects as possible. Repeat as necessary. Spray directly on stray wasps that enter buildings.

ANTS: Spray trails, nests and points of entry. Spray on ants where possible. Repeat as necessary.

SPIDERS: Direct short burst of spray on spiders and repeat as necessary.

EARWIGS: Spray directly on earwigs in crevices and other hiding places on outdoor porches, patio floor and doorway entrances. Repeat as necessary.

IMPORTANT—Sweep up all dead insects and deposit these sweepings into a closed garbage container within two hours after each treatment.

Manufactured by

SPEER PRODUCTS, INC. 4242 B. F. Goodrich Blvd.

4242 B. F. Goodrich Blvd Memphis, TN 38118

EPA Reg. No. 11715-56

EPA Est. No. 11715-TN-1

ACCEPTED 1 JUN 13 1979