



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY  
WASHINGTON, D.C. 20460

OFFICE OF  
PREVENTION, PESTICIDES AND  
TOXIC SUBSTANCES

AUG 26 2003

Mr. William L. Washburn  
SPEER Products, Inc.  
P.O. Box 18993  
Memphis, TN 38118-0993

SUBJECT: Label Amendment Per PR Notices 2001-1 and 2001-6  
SPEER Aqueous Pressurized Spray  
EPA Reg. No. 11715-59  
Your Application Dated February 25, 2003


Dear Mr. Washburn:

The labeling amendment referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act (FIFRA), as amended, is acceptable subject to the comments below:

1. Under ACTIVE INGREDIENTS, you may choose to use only the ANSI name "Resmethrin" and delete the rest of the chemical name or correct the nomenclature to read: "Resmethrin [5-(phenylmethyl)-3-furanyl]methyl 2,2-dimethyl-3-(2-methyl-1-propenyl)cyclopropanecarboxylate)".
2. Make "Active Ingredient" singular since it is only one active ingredient in the product.
3. Under PRECAUTIONARY STATEMENTS:
  - a. Add back the sentence in the second paragraph that reads "Do not use on edible crops." or justify its removal.
  - b. Delete the last paragraph starting with the sentence "In case of contact..".
4. In the STORAGE AND DISPOSAL box, include the statement "Do not contaminate water, food, or feed by storage or disposal."

You must submit two (2) final printed label before you release the product for shipment.  
A stamped copy is enclosed for your records.

Sincerely yours,

  
Linda G. Arrington  
Acting Product Manager 10  
Insecticide Branch  
Registration Division (7505C)

Enclosure

# SPEER AQUEOUS PRESSURIZED SPRAY

## FOR HOUSE & GARDEN

KILLS HOUSEFLIES, MOSQUITOES, GNATS, WASPS,  
ROACHES, EARWIGS, TWO-SPOTTED MITES,  
SOWBUGS, SPIDERS, ANTS, DEER FLIES, HORSE  
FLIES, APHIDS (PLANT LICE), LEAFHOPPERS,  
EXPOSED THRIPS, ADULT WHITEFLIES, AND FLEAS

### ACTIVE INGREDIENTS:

\*†°Resmethrin: [5-(phenylmethyl)-3-  
furanyl]Methyl-2,2-dimethyl-3-(2-methyl-1-  
propenyl)-  
cyclopropanecarboxylate.....0.200%  
INERT INGREDIENTS:.....99.800%  
100.000%

\*cis/trans isomer ratio: max. 30% (±) cis and  
min. 70% (±) trans

†U.S. Patent No. 3,456,007 and 3,542,928

°Penick's SBP-1382 (R) brand of resmethrin  
insecticide, Penick Corp., 1050 Wall Street West,  
Lyndhurst, NJ 07071

KEEP OUT OF REACH OF CHILDREN

### CAUTION

See Side Panel for Additional Precautionary  
Statements

NET WEIGHT: \_\_\_\_\_

EPA Reg. No. 11715-59  
EPA Est. No. 11715-TN-1

## PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS CAUTION

Avoid contact with eyes, skin or clothing. Cover  
or remove exposed foods. Avoid contamination of  
cooking utensils and food preparation surfaces.

Remove birds, pets, and cover aquariums before  
spraying.

In case of contact immediately flush eyes and skin  
with plenty of water. Get medical attention if  
irritation persists.

FIRST AID	
IF IN EYES:	<ul style="list-style-type: none"><li>• Hold eye open and rinse slowly and gently with water for 15-20 minutes.</li><li>• Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.</li><li>• Call a poison control center or doctor for treatment advice.</li></ul>
IF ON SKIN OR CLOTHING:	<ul style="list-style-type: none"><li>• Take off contaminated clothing.</li><li>• Rinse skin immediately with plenty of water for 15-20 minutes.</li><li>• Call a poison control center or doctor for treatment advice.</li></ul>

ACCEPTED  
with COMMENTS  
In EPA Letter Dated:

AUG 26 2003

Under the Federal Insecticide,  
Fungicide, and Rodenticide Act,  
as amended, for the pesticide  
registered under EPA Reg. No.

11715-59

IF SWALLOWED:	<ul style="list-style-type: none"><li>• Call poison control center or doctor immediately for treatment advice.</li><li>• Have person sip a glass of water if able to swallow.</li><li>• Do not induce vomiting unless told to do so by the poison control center or doctor.</li><li>• Do not give anything by mouth to an unconscious person.</li></ul>
IF INHALED:	<ul style="list-style-type: none"><li>• Move person to fresh air.</li><li>• If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible.</li><li>• Call a poison control center or doctor for further treatment advice.</li></ul>
<b>HOT LINE NUMBER</b> Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-877-757-4943 for emergency medical treatment information.	

### PHYSICAL OR CHEMICAL HAZARD

Contents under pressure. Do not puncture. Do not use near heat or open flame. Exposure to temperatures above 130° F. may cause bursting.

### DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

SHAKE WELL BEFORE EACH USE.

W  
8  
4

Remove protective cap. Aim spray opening away from person. Push button to spray.

### HOUSEHOLD PESTS

**To Kill Houseflies, Mosquitoes, and Gnats:** Close all doors and windows. Point nozzle upward. Direct spray mist to all parts of the room especially windows and other light sources which attract these insects. Fill the room with mist, then leave the treated area. Keep the room closed for at least 15 minutes. Ventilate the room when treatment is completed.

**To Kill Crawling Insects:** Roaches, earwigs, grain mites, sowbugs, spiders and centipedes: Spray thoroughly into hiding places such as cracks, crevices, moist areas, openings around pipes and sinks, under refrigerators, baseboards, and storage areas. Spray directly on insects where possible.

**To Kill Ants:** Spray trails, nests and points of entry. Spray on ants where possible. Repeat as necessary.

### ANIMAL PESTS—To Kill Fleas—Dogs, Cats

Apply directly to animals along back, under forelegs and on other areas except scrotum and anus. Part hair to contact skin and insure good coverage. Hold nozzle about one foot away while spraying. Apply until hair is thoroughly moist. Do not directly spray in eyes, ears, or mouth of animal. To reduce reinfestation, thoroughly spray the animals bedding and other resting areas. Treat these areas at the rate of two seconds per linear foot while spraying at a distance of 12 to 18 inches. Also spray entire inside surface of dog houses. Repeat as necessary.

### OUTDOORS—To Reduce Annoyance from Flying Insects:

Kills mosquitoes, gnat (midges), houseflies, horse flies, deer flies, and flying moths (millers) by spraying their resting areas. Follow precautions listed above. Hold container 18 to 24

inches from shrubs, bushes and grassy areas. Spray these areas with a slow sweeping motion at the rate of from 1 to 3 seconds per cubic yard of space while moving away from the treated areas. To reduce annoyance from these flying insects, treat open porches and patios in a similar manner. Spray only when the air is still. Allow spray to dissipate before occupying the treated area. Repeat as necessary.

**OUTDOORS—To Protect Ornamental Plants:** Kills aphids, exposed thrips, leafhoppers, two-spotted mites, plant bugs, Japanese beetles on smaller rhododendrons, pines, spruce, hemlock spirea, dogwood, palm, mimosa, toyon, viburnum, euonymus, oaks, maples, locust, forsythia and althea. Kills mimosa webworm larvae on mimosa. Spray directly on insects.

Kills aphids, exposed thrips, adult whiteflies, leafhoppers, two-spotted mites, spittlebugs and Japanese beetles on peonies, iris, zinnia, snapdragons, ageratum, chrysanthemums, nasturtiums, daisies, geranium, marigolds, daphne, fatshedra, ivy, tobira, queen sago, broad-leaf acacia.

Hold container 18 inches from the infested plants. Spray in short bursts of one to three seconds, or spray at the rate of one linear foot of growth per second. Direct spray to all sides, covering foliage until slightly moist. Avoid heavy wetting. Repeat as necessary to obtain control.

**USE WITH CAUTION** on young tender foliage. Avoid heavy wetting. Plants such as flowering quince, ash and camelias may be subject to burn under certain conditions.

For adult whiteflies and two-spotted mites and mealybugs, be sure to direct spray to contact these pests. Use several repeat applications at two day intervals if necessary.

**PROTECT HOUSE PLANTS:** Kills aphids, exposed thrips, adult whiteflies, two-spotted

mites on African violets, philodendrons, geraniums, begonias, coleus. Spray as directed above. Leave the sprayed area when done indoors, and ventilate area after treatment is completed.

### TO KILL NUISANCE PESTS—ON OR ENTERING BUILDINGS

**Wasps:** Applications should be made in late evening when insects are at rest. Spray liberally into hiding and breeding places, contacting as many insects as possible. Repeat as necessary. Spray directly on stray wasps that enter buildings.

**Ants:** Spray trails, nests and points of entry. Spray on ants where possible. Repeat as necessary.

**Spiders:** Direct short burst of spray on spiders and repeat as necessary.

**Earwigs:** Spray directly on earwigs in crevices and other hiding places on outdoor porches, patio floor and doorway entrances.

### STORAGE AND DISPOSAL

**STORAGE:** Do not store near heat or open flame.

**DISPOSAL:** Do Not Puncture or Incinerate! If empty: Place in trash or offer for recycling if available. If partly filled: Call your local solid waste agency or 1-800-CLEANUP for disposal instructions.

[Distributors may chose to use their own emergency numbers and times of operation]

MANUFACTURED BY:  
SPEER PRODUCTS, INC.  
P.O. BOX 18993  
MEMPHIS, TN 38118-0993

4  
2  
4