PURR-R-FECT PET **FLEA SPRAY** for CATS

Kills Fleas on Cats

ACTIVE INGREDIENTS:

Tetramethrin (1-Cyclohexene-1,2-dicarboxi methyl 2,2-dimethyl-3-(2-methylpropenyl)	mido)
cyclopropanecarboxylate)	0.0500%
*3-Phenoxybenzyl d-cis and trans** 2, 2-	
dimethyl-3-(2-methylpropenyl) cyclo-	
propanecarboxylate	0.0956%
*Other isomers	0.0044%
INERT INGREDIENTS:	<u>99.8500%</u>
	100,0000%

*d-(cis/trans) phenothrin

**cis/trans isomer ratio:

max, 25% (+ or -) cis min. 75% (+ or -) trans

KEEP OUT OF REACH OF CHILDREN CAUTION

See Back Panel For Additional Precautionary Statements

CONTENTS:

Manufactured By SPEER PRODUCTS, INC. P. O. Box 18993 Memphis, TN 38181-0993

EPA REG. NO. 11715-78

EPA EST. NO. 11715-TN-1

READ ENTIRE LABEL BEFORE EACH USE USE ONLY ON CATS

PRECAUTIONARY STATEMENTS HAZARD TO HUMANS & DOMESTIC ANIMALS IF INHALED: Remove affected person to fresh air. CAUTION

Harmful if swallowed. Avoid inhalation of vapors, Avoid IF ON SKIN: Wash contaminated skin promptly with contact with skin. Wash contaminated skin promptly soap and warm water, with soap and warm water. Avoid spraying food or foodstuffs. Avoid storage near food or foodstuffs. Remove birds and cover fish aquariums before spraying. Sensitivities may occur after using ANY pesticide STORAGE: Store in a cool, dry area away from heat product for pets. If signs of sensitivity occur, bathe your or open flame. pet with mild soap and rinse with large amounts of DISPOSAL: Do not re-use empty container. Wrap water. If signs continue, consult a veterinarian container and put in trash collection. immediately.

PHYSICAL HAZARDS

Do not store near heat or open flame.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a numbers and hours of operation). manner inconsistent with its labeling.

SHAKE WELL BEFORE USING

TO KILL FLEAS

Hold bottle upright and point nozzle opening in desired direction of spray. Pump the cap up and down with C.MisPUB/reg78.pub-(9/25/97) forefinger to create spray. Apply at the rate of one second per pound of body weight.

Spray the animal from a distance of 3-12 inches, Start spraying at the tail, moving the dispenser rapidly and making sure that the animal's entire body is edvered, including the legs and under the body. While spraying, fluff the hair so the spray will penetrate to the skin. Make sure spray wets thoroughly. Do not spray into eyes, face or genitals. Repeat weekly, if needed.

Do Not Use On Cats Under 12 Weeks, Consult a veterinarian before using this product on debilitated, aged, pregnant or nursing animals, or animals on medication.

FIRST AID

IF IN EYES: Flush immediately with plenty of water. Get medical attention if irritation persists.

Apply artificial respiration if indicated.

STORAGE AND DISPOSAL

In case of emergency or for product use information call (901) 362-1950, Monday - Friday, 7:30 a.m. - 4:30 p.m. CST (distributors may elect to use their own phone

Under the Fuderal Insecticide, Fungicide, and Redouticide Act, as amended, for the pesticide rabitu batelsiget EPA Reg. No.

10/27/p-