

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460

OFFICE OF PESTICIDES AND TOXIC SUBSTANCES

MAR 1 8 1991

Dr. J.D. Commerford Speer Products, Inc. PO Box 18993 Memphis, TN 38118

Dear Mr. Commerford:

Subject: Revised formula; deletion of methylene chloride

Speer 2x Indoor Fogger (Double strength)

EPA Registration No. 11715-81 Submission: September 20, 1988

The labeling referred to above, submitted in connection with Registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, is acceptable. A stamped copy is enclosed for your records.

The revised formula, dated September 20, 1988 is acceptable and has been included in our files for this pesticide. It is understood that use of methylene chloride in this formulation would no longer be consistent with the terms of its registration.

As new labels are printed,

a. Delete petroleum distillate as an active ingredient; include
its total in the inert percentage; and add a substatement to the
ingredient statement - "Contains petroleum distillate".

b. Delete - "GENERAL" Classification - uses of this pesticide have not been classified.

Sincerely,

Richard F. Mountfort
Product Manager 10
Insecticide & Rodenticide Branch
Registration Division (H7505C)

SPEER 2X INDOOR FOGGER

For Use in Rooms, Apartments, Homes, Attics, Basements, Campers, Boats, Garages, Kennels, Pet Sleeping Areas, Storage Areas, Cabins.

One Unit Treats Up to 5,000 cubic feet

LCTIVE INGREDIENTS:

600% d-trans Allethrin (allyl hamolog of Ginerin I) Related compounds .046% /

"3-Phenoxybenzyi d-cis and trans" 2,

2-dimethyl-3- (2-methylpropenyl)

cyclopropanecarboxylate

Other isomers Petroleum distillate

.018% 28.934%

.382%

70.020%

WERT HOREOTERTS:

'd-(cis, Irans) phenothrin

"cisritans isomer ratio: max. 25% (+ or -) cis min. 75% (+ or -) trans

KEEP OUT OF REACH OF CHILDREN

CAUTION

See Back Fasel for Middlessi Precentessing Statements

Killia Exposed Houselflies, Mosquitoes, Black'e,
Carpel Beetles, Saw-toothed Grain Beetles, Nove 11,
Weevills, Small Flying Moths, Cockreaches, Nove 11,
Spiders, Fleas, Centipedees, Ticks, Wales, Flying Moths, Crickets, Wales, Flying Moths, Cockreaches, Nove 11,
Spiders, Fleas, Centipedees, Ticks, Wales, Flying Moths, Cockreaches, Nove 11,
Bugs, Crickets, Silvertists

Net Weight 3 ounces



EDA COMMENTED
COMMENTS
OSIO

16

STATEMENT OF PRACTICAL TREATMENT

Call a physician or fois ntrol Center imediate ial was taken internally lavage is indicated if a

INDUCE VOMITING. Vemiting may cause aspiration pnew

If inhaled-Remove victim to fresh sir. Apply artificial respira indicated.

Remove contaminated clothing and wash affected areas If on okinseap and water.

If in eyes-Flunk eyes with plenty of water. Get medical attact irritation persists.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

Harmful if swallowed. Avoid inhalation of vapors. Avoid contact vi eyes, or clothing. Wash contaminated akin promptly with soap and wa For eyes, flush with plenty of water. Get medical attention if irri sixts. Avoid contamination of food and feedstuffs. Do not use in c lood processing, preparation, serving, or storage areas. In the hom food processing surfaces and utensils should be covered during tre thoroughly washed before use. Cover exposed food. Remove pets, bir cover fish aquariums before spraying.

PHYSICAL OF CHEHICAL HAZARDS

Contents under pressure. Do not use or store near heat or open flo Do not puncture or incinerate container. Exposute to temperatures 130° F. may cause bursting.

DIRECTIONS FOR USE

GENERAL, CLASSIFICATION.

It is a violation of rederal law to use this product in a manner is tent with its labeling.

STORAGE AND DISPOSAL

STORAGE: Store in a cool, dry area away from heat or open flame. DIRPOSAL: Replace cap and discard containers in trash. Do not pund incinerate.

FOR USE ONLY WHEN BUILDING HAS BEEN VACATED BY HUMAN BEINGS AND PETS

DIRECTIONS FOR USE

Use one canister for each \$ 000 cu. ft. of unobstructed area Example 30° long X 20 wide X 10° high = 6 000 cu. it. Use additional units for remote rooms or where the firee flow of the most is not assured PREPARATION: Open cabinets and doors to

reas to be treated. Shut of lans and ar condisioners. Put out all open flames except pilot ign: Remove pers and cover fish lares or lish bowis with paper or remove from area. Close exterior doors and windows. Cover exposed loods dishes and food handling equipment. TO START FOGGING. Place Fogger on IRbre chair or stand, at least six feet from bilds light. Place several shicknesses of newspapersunder canister to present marring of sufface Hold can at arms length, with look! can someing away from face and eyes. Push fown on linger pad until it tocks -- this will start fogong action. Set canases in congrupos ton on table, etc. and leave building at once. DO NOT RELENTER BUILDING FOR FOUR HOURS. Then open exterior doors and with sows and allow to air for 30 minutes before recopusing area