

# SPEER 2X INDOOR FOGGER (DOUBLE STRENGTH)

FOR USE IN ROOMS, APARTMENTS,  
HOMES, ATTICS, BASEMENTS, CAMPERS,  
BOATS, GARAGES, KENNELS, PET  
SLEEPING AREAS, STORAGE AREAS,  
CABINS

ONE UNIT TREATS UP TO  
5,000 CUBIC FEET.

## ACTIVE INGREDIENTS:

d-trans allethrin.....0.646%

\*3-phenoxybenzyl-(1RS,3RS; 1RS,3SR)\*\*

-2,2-dimethyl-3-(2-methylpropenyl)

cyclopropanecarboxylate.....0.400%

INERT INGREDIENTS+:.....98.934%  
100.000%

\*d(cis,trans)phenothrin

\*\*cis/trans isomer ratio: max. 25% (±)cis  
min. 75% (±)trans

+Contains petroleum distillates

KEEP OUT OF REACH OF CHILDREN

## CAUTION

See back panel for additional precautionary  
statements

NET WEIGHT: \_\_\_\_\_ oz.

EPA Reg. No. 11715-81  
EPA Est. No. 11715-TN-1

Kills Houseflies, Mosquitoes, Black Carpet  
Beetles, Sawtoothed Grain Beetles, Rice  
Weevils, Small Flying Moths, Cockroaches,  
Spiders, Fleas, Centipedes, Ticks, Wasps, Pill  
Bugs, Crickets, and Silverfish


## PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS CAUTION

Harmful if swallowed. Avoid inhalation of  
vapors. Avoid contact with skin, eyes, or clothing.  
In case of contact, wash contaminated skin  
promptly with soap and warm water. For eyes,  
flush with plenty of water. Get medical attention  
if irritation persists.

Do not use in commercial food processing or  
preparation areas. In the home, all food  
processing surfaces and utensils should be covered  
during treatment or thoroughly washed before use.  
Cover exposed food.

Remove pets, birds, and cover fish aquariums  
before spraying.

FIRST AID	
IF SWALLOWED:	<ul style="list-style-type: none"> <li>Immediately call a poison control center or doctor.</li> <li>Do not induce vomiting unless told to do so by a poison control center or doctor.</li> <li>Do not give any liquid to the person.</li> <li>Do not give anything by mouth to an unconscious person.</li> </ul>



IF INHALED:	<ul style="list-style-type: none"> <li>Move person to fresh air.</li> <li>If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible.</li> <li>Call a poison control center or doctor for further treatment advice.</li> </ul>
IF IN EYES:	<ul style="list-style-type: none"> <li>Hold eye open and rinse slowly and gently with water for 15-20 minutes.</li> <li>Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.</li> <li>Call a poison control center or doctor for treatment advice.</li> </ul>
IF ON SKIN OR CLOTHING:	<ul style="list-style-type: none"> <li>Take off contaminated clothing.</li> <li>Rinse skin immediately with plenty of water for 15-20 minutes.</li> <li>Call a poison control center or doctor for treatment advice.</li> </ul>
<b>HOT LINE NUMBER</b> Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-877-757-4943 for emergency medical treatment information.	
<b>NOTE TO PHYSICIAN</b> Contains petroleum distillate-vomiting may cause aspiration pneumonia.	

## PHYSICAL OR CHEMICAL HAZARD

Contents under pressure. Do not use or store near heat or open flame. Do not puncture or incinerate container. Exposure to temperatures above 130° F. may cause bursting.

5/7/2003

This product contains a highly flammable ingredient. It may cause a fire or explosion if not used properly. Follow the "Directions for Use" on this label very carefully.



Highly Flammable Ingredient  
Ingrediente Altamente Inflamable

**FOR USE ONLY WHEN BUILDING HAS  
BEEN VACATED BY HUMAN BEINGS  
AND PETS**

**DIRECTIONS FOR USE**

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Use one canister for each 6,000 cu. ft. of unobstructed area. Example 30' long x 20' wide x 10' high = 6,000 cu. ft. DO NOT use more than one fogger per room. DO NOT use in small, enclosed spaces such as closets, cabinets or under counters or tables. Do not use in a room 5 ft x 5 ft. or smaller, instead, allow fog to enter from other rooms. Turn off ALL ignition sources such as pilot lights (shut off gas valves), other open flames or running electrical appliances that cycle off and on (i.e., refrigerators, thermostats, etc) Call your gas utility or management company if you need assistance with your pilot lights.

**PREPARATION:** Open cabinets and doors to areas to be treated. Shut off fans and air conditioners. Put out all open flames except pilot light. Remove pets and cover fish tanks or fish bowls with paper, or remove from area. Close exterior doors and windows. Cover exposed foods, dishes, and food handling equipment.

**TO START FOGGING:** Place fogger on table, chair or stand, at least six feet from pilot light.

Place several thicknesses of newspapers under canister to prevent marring of surface. Hold can at arm's length with top of can pointing away from face and eyes. Push down on finger pad until it locks—this will start fogging action. Set canister in upright position on table, etc. and leave building at once.

DO NOT RE-ENTER BUILDING FOR FOUR HOURS; then open exterior doors and windows and allow to air for 30 minutes before reoccupying area.

**STORAGE AND DISPOSAL**

**STORAGE:** Store in a cool, dry area away from heat or open flame.

**DISPOSAL:** Do Not Puncture or Incinerate! **If empty:** Place in trash or offer for recycling if available. **If partly filled:** Call your local solid waste agency or 1-800-CLEANUP for disposal instructions.

[Distributors may chose to use their own emergency numbers and times of operation]

**MANUFACTURED BY:  
SPEER PRODUCTS, INC.  
P.O. BOX 18993  
MEMPHIS, TN 38118-0993**

c:\MSPUB\reg104.pub-(9/11/97)-11715-81-NOTIF-98-6, 2001-1&6-(3-04-03)