# PET GUARD FLEA & TICK SPRAY FOR DOGS & CATS (WITH REPELLENT)

Kills Fleas, Ticks and Lice Stops Scratching

### Repellent to Gnats, Mosquitoes and Flies

Contains deodorant that controls bacterial odors

ACTIVE MIGREPIENTS
Another ally numbered to a 19 per variebut inger for he 5 stockyphyphigheigh en 6 s stockyphyphigheigh en 6 s stockyphyphigheigh en f 5 stockyphyphigheigh en f 5 stockyphyphigheigh en f 5 stockyphyphigh

# KEEP OUT OF REACH OF CHILDREN CAUTION

Harmful if swallowed or inhaled. Avoid contact with skin Sec rear panel for additional precautions

Manufactured By

SPEER PRODUCTS, INC.
MEMPHIS.TN 38118

Net Wt. \_

ACTEPTED

## PRECAUTIONARY SYNTEMENTS HAZARDS TO HUMARS & DOMESTIC ANIMALS

Harmful if swallowed or inhaled. Avoid breathing of spray mist. Avoid contact with skin, wash thoroughly after use. Avoid contamination of feed and foodstuffs. Do not treat or hause exposure of kittenuic pupplies less than four weeks uld.

PHYSICAL OR CHEMICAL HAZARDS

Contents under pressure. Do not use or store near heat or open hame. Do not puncture or incinerate container. Exposure to temperatures above 130 F may cause bursting.

#### **DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling

#### STORAGE AND DISPOSAL

Do not reuse empty container Wrap container and put in trash collection

Remove protective cap hold container upright inozzle away from you. With nozzle 10 to 12 inches away, direct spray over the animal beginning at the tail spray over the animal until the entire coat is damp up to the back of neck. On longhaired dogs and cats ruffle the coat and spray against the lay of hair, spraying directly behind hand so that spray reaches skin. For best results in controlling tick infestations, locate ticks and spray directly on them. Avoid spraying face and genitals. An application of 30 to 45 seconds is usually sufficient for an average size dog, for cats about 10 seconds is adequate. Receat application weekly if necessary.

NOTE: Do not treat or cause exposure of littless or giveness.

NOTE. Do not treat or cause exposure of kittens or puppies less than four weeks old.

In kennels or other sleeping quarters to control these insects and to deodorize the quarters, spray the animal regularly as above, and spray bedding, wells, cracks, crevices and flooring as often as necessary.

Buyer assumes all risks of use istorage or handling of this material not in strict accordance with directions given herewith

11715-92

or 14