

**A LIVESTOCK REMEDY
NOT FOR HUMAN USE.
FOR EXTERNAL USE ONLY**
(Violet Color Added for
Marking Treated Areas)

ACCEPTED
SEP 0 2 1960
11715-94

SPEER SCREWWORM & EAR TICK KILLER

Pressurized

Violet Color Added

ACTIVE INGREDIENTS:

Gamma Isomer of Benzene Hexachloride (From Lindane)	3.0%
Xylene	30.0%
INERT INGREDIENTS	67.0%
	100.0%

**KEEP OUT OF REACH OF CHILDREN
CAUTION**
See Back Panel for Additional Precautionary Statements

Net Wt. _____ Oz.

EPA Reg No 11715-94

EPA Est No 11715-TN-1

Manufactured by:
SPEER PRODUCTS, INC.
Memphis, TN 38118

DIRECTIONS FOR USE:
It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

For Control of Screwworm Larvae: On cattle, sheep, goats and horses. Point nozzle towards wound to be treated. Release spray by pushing nozzle forward or to either side. Hold nozzle 4 inches away from wound during application, and continue to spray until it is completely covered and wet. Work thoroughly into wounds and open holes. Spray a light application on drainage area below wounds. Color has been added to this product to enable easy identification of treated wounds. Repeat application twice weekly until wound is healed.

Some strains of screwworms may develop resistance to lindane. This will be observed by lack of response to treatment.

Protect Uninfested Wounds: Spray all wounds on cattle, sheep, goats and horses, such as wire cuts, shear cuts, docking and dehorning, as soon as possible to avoid infestation. Repeat at 7 days intervals until healed.

Young Calves: Young calves over 3 months old spray sparingly. Never use more than necessary for adequate coverage of affected area.

To Kill Fleecce Worm: Spray directly on infested area and drainage area below. Repeat as necessary.

To Kill Spinose Ear Tick: In cattle, horses, goats and sheep. Grasp animal's ear firmly and direct spray downward into the ear. Release spray for three seconds per ear in treating cattle and two seconds per ear in treating smaller animals. Do not use on calves under the age of 3 months.

**Precautionary Statements
HAZARDS TO HUMANS AND
DOMESTIC ANIMALS
CAUTION**

Harmful if swallowed. May be absorbed through skin. Avoid inhalation of spray mist and contamination with hands as much as possible. If sprayed on skin or in eyes, wash thoroughly. Do not use on dogs, cats or other household pets or humans.

For external use only. Do not use more than necessary, especially on young calves. Do not use this product on lactating dairy animals, in dairy barns, milk rooms or milk processing rooms. Do not use on newborn (very young) animals or calves under three (3) months old. Areas near eyes should be treated with extreme caution. Avoid contamination of feed and feedstuffs. Apply this product only as specified on label.

CHEMICAL OR PHYSICAL HAZARDS

EXTREMELY FLAMMABLE. Contents under pressure. Keep away from fire, sparks, and heated surfaces. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting.

STATEMENT OF PRACTICAL TREATMENT

If swallowed—Call a physician immediately. Gastric lavage is indicated if material was taken internally. **DO NOT INDUCE VOMITING** unless other treatment is not available. Vomiting may cause aspiration pneumonia. If it is necessary to induce vomiting, give victim one or two glasses of water and insert finger in back of throat. Repeat until vomit fluid is clear. Do not induce vomiting or give anything by mouth to an unconscious person.

If inhaled—Remove victim to fresh air. Apply respiration if indicated.

If on skin—Wash contaminated skin with soap and water.

If in eyes—Flush eyes with plenty of water for at least 15 minutes. Get medical attention immediately.

STORAGE AND DISPOSAL

STORAGE: Store in a cool area away from heat or open flame.

DISPOSAL: Do not reuse empty container. Wrap container and put in trash collection.