

Reg # 11715-94

PM-15

10/26/57

193

SPEER SCREWWORM & EAR TICK KILLER

Pressurized

Violet Color Added

ACTIVE INGREDIENTS:

Lindane (gamma isomer of benzene hexachloride)

3.0%

INERT INGREDIENTS:

Contains xylene

97.0%
100.0%

KEEP OUT OF REACH OF CHILDREN

CAUTION

See Back Panel for Additional Precautionary Statements

Net. Wt. _____ Oz.


EPA Reg. No. 11715-94

EPA Est. No. 11715-TN-1

Manufactured by:
SPEER PRODUCTS, INC.
Memphis, TN 38118

Not Reviewed. Registrant claims to be in accordance with Reregistration of Pesticide Product Guidance for Phase 2 Response, Page 2.12, Active to Inert Change in Status.

BEST AVAILABLE COPY



A LIVESTOCK REMEDY NOT FOR HUMAN USE.
FOR EXTERNAL USE ONLY.

273

(Violet Color Added for Marking Treated Areas)

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

For Control of Screwworm Larvae:

On cattle, sheep, goats and horses. Point nozzle towards wound to be treated. Release spray by pushing nozzle forward or to either side. Hold nozzle 4 inches away from wound during application, and continue to spray until it is completely covered and wet. Work thoroughly into wounds and open holes. Spray a light application on drainage area below wounds. Color has been added to this product to enable easy identification of treated wounds. Repeat application twice weekly until wound is healed.

Some strains of screwworms may develop resistance to lindane. This will be observed by lack of response to treatment.

Protect Uninfested Wounds:

Spray all wounds on cattle, sheep, goats and horses, such as wire cuts, shear cuts, docking and dehorning, as soon as possible to avoid infestation. Repeat at 7 days intervals until healed.

Young Calves:

Young calves over 3 months old spray sparingly. Never use more than necessary for adequate coverage of affected area.


To Kill Fleece Worm:

Spray directly on infested area and drainage area below. Repeat as necessary.

To Kill Spinose Ear Tick:

In cattle, horses, goats and sheep. Grasp animal's ear firmly and direct spray downward into the ear. Release spray for three seconds per ear in treating cattle and two seconds per ear in treating smaller animals. Do not use on calves under the age of 3 months.

BEST AVAILABLE COPY



3 9 3

Precautionary Statements

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION

Harmful if swallowed. May be absorbed through skin. Avoid inhalation of spray mist and contamination with hands as much as possible. If sprayed on skin or in eyes, wash thoroughly. Do not use on dogs, cats or other household pets or humans. Applicators must wear the following protective clothing during the treatment process: Elbow-length, waterproof gloves; a waterproof apron; and unlined, waterproof boots. **DO NOT ALLOW CHILDREN TO HANDLE OR APPLY THIS PESTICIDE.**

For external use only. Do not use more than necessary, especially on young calves. Do not use this product on lactating dairy animals, in dairy barns, milk rooms or milk processing rooms. Do not use on newborn (very young) animals or calves under three (3) months old. Areas near eyes should be treated with extreme caution. Avoid contamination of feed and feedstuffs. Apply this product only as specified on label.

This pesticide is toxic to fish, birds, and other wildlife.

CHEMICAL OR PHYSICAL HAZARDS

EXTREMELY FLAMMABLE. Contents under pressure. Keep away from fire, sparks, and rated surfaces. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting.

STATEMENT OF PRACTICAL TREATMENT

If swallowed: Call a physician immediately. Gastric lavage is indicated if material was taken internally. **DO NOT INDUCE VOMITING.** Vomiting may cause aspiration pneumonia.

If inhaled - Remove victim to fresh air. Apply respiration if indicated.

If on skin - Wash contaminated skin with soap and water.

If in eyes - Flush eyes with plenty of water for at least 15 minutes. Get medical attention immediately.

BEST AVAILABLE COPY

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.
STORAGE: Store in cool, dry place away from heat or open flame.
PESTICIDE DISPOSAL: Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instruction, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance. **CONTAINER DISPOSAL:** Replace cap and discard container in trash. Do not incinerate or puncture.