PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND **DOMESTIC ANIMALS** CAUTION

Harmful if swallowed, inhaled or absorbed through the skin. Avoid breathing spray mist or contact with skin. Wash thoroughly after using. Avoid storage near food or feed. Do not spray on pets, humans or other animals. Do not use in edible product areas of food processing plants, restaurants or other areas where food is commercially prepared or processed. Do not use in serving areas while food is exposed.

PHYSICAL HAZARDS

Extremely flammable. Contents under pressure. Do not use near fire, heated surfaces, sparks or flame. Do not puncture or incinerate container. Exposure to temperatures above 130 F. may cause bursting.

STATEMENT OF PRACTICAL **TREATMENT**

If Swallowed: Do not induce vomiting due to aspiration hazard. Call a physician or Poison Control Center immediately.

If Inhaled: Remove to fresh air.

If On Skin: Remove contaminated clothing and wash affected areas with soap and water. Get medical attention if irritation persists.

If In Eyes: Flush with plenty of water. Get medical

attention if irritation persists.

NOTE TO PHYSICIAN: Contains petroleum distillates. Vomiting may cause aspiration pneumonia.

SPEER FAST ACTING WASP, HORNET & YELLOW **JACKET** KILLER

Shoots a Stream 12 feet or more

ACTIVE INGREDIENTS: *Piperonyl butoxide, technical...... 0.188% Carbaryl (1-Naphtyl N-methylcarbamate)...... 0.500% INERT INGREDIENTS:**......99.237%

*Equivalent to 0.150% (butylcarbityl)(6-propylpiperonyl) ether and 0.038% related compounds Contains petroleum distillates

KEEP OUT OF REACH OF CHILDREN CAUTION

See side panel for additional Precautionary Statements and Statement of Practical Treatment

Manufactured by:

SPEER PRODUCTS, INC. 4242 B.F. Goodrich Blvd. Memphis, TN 38118

EPA Reg No 11715-95

EPA Est No 11715-TN-1

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL

Storage: Store in a cool-area away from heat or open flame.

Disposal: Replace cap and discard container in trash. Do not incinerate or puncture.

To operate, remove projective cap and depress button, being sure to aim spray opening at the location to be sprayed. Direct spray at insects whenever possible and under eaves, into nests, cracks, holes or crevices wherever insects are noticed. Spray for about 10 seconds or until surface is moist from insecticide. To prevent entrance of insects into the house, spray around points where outside plumbing, faucets, enter the house and into any cracks or crevices in foundation as well as along sills and ledges.

Kills Wasos, Hornets, and Yellow Jackets:

This spray is fast acting when insects are hit directly. Allow about 24 hours for those insects which were not hit directly by spray to leave area. If insects should return to the treated area, spray again. This container delivers a stream type spray, making it possible for the operator to stay back from the places sprayed.

This formulation utilizes pyrethrins, piperonyl butoxi Je and a carbamate type insecticide, a combination particularly effective on this class of insects.



Under the Federal Incecticide, Fungicide, and Redenicide Act. as amer 'ed, for the posticide 'egister under LPA Reg. No. 1 // /