

# SPEER

## MILK ROOM INSECTICIDE SPRAY

**Kills Houseflies, Mosquitoes, Gnats,  
Wasps, and Small Flying Moths.**  
A non-aqueous insecticide for use in Milk Rooms.

ACTIVE INGREDIENTS:	
Pyrethrins .....	0.3%
*Piperonyl Butoxide, Technical .....	0.6%
N-Octyl Bicycloheptene Dicarboximide .....	1.0%
Petroleum Distillates .....	13.1%
INERT INGREDIENTS .....	85.0%
TOTAL INGREDIENTS .....	100.0%
*Equivalent to 0.48% (butylcarbitol) (6-Propylpiperonyl) ether and 0.12% other related compounds.	

**KEEP OUT OF REACH OF CHILDREN**

### CAUTION

See Back Panel for Additional Precautionary Statements

NET WT. \_\_\_\_\_

Manufactured By  
**SPEER PRODUCTS, INC.**  
Memphis, TN 38116

EPA Reg. No. 11719-101

EPA Est. No. 11719-714-1

DOT-39-NRC-200/250-M1C47  
Federal Law forbids transportation if refilled—Penalty up to \$10,000 and 10 years imprisonment.  
(18 USC 831-835)

### PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS

#### CAUTION

Harmful if swallowed or absorbed through skin. Avoid contact with skin, eyes, or clothing. Avoid contamination of feed and food-stuffs. In case of contact, immediately flush skin and eyes with plenty of water for at least 15 minutes. For skin and eyes, call a physician.

Do not apply over uncovered milk or food products. Any exposed utensils or food handling surfaces should be thoroughly cleaned before use.

#### PHYSICAL HAZARDS

Contents under pressure. Do not use or store near heat or open flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting.

#### DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

#### STORAGE AND DISPOSAL

Storage: Store in a cool area away from heat or open flame.  
Disposal: Do not reuse empty container. Wrap container and put in trash collection.

Hold container upright, with nozzle pointing away from you, and spray as directed.

**MILK ROOMS:** For rapid control of Houseflies, Mosquitoes, Gnats, Wasps, and Small Flying Moths, close windows and doors and spray 2 to 5 seconds per 1,000 cubic feet of space. For best results keep area closed for 10 minutes after spraying. Do not remain in treated area and ventilate after treatment is completed. Repeat as necessary.