Mr. David Williams Speer Products, Inc. P.O. Box 18993 Memphia, IN 38181-0993

Dear Mr. Williams:

Subject:

)

Adverse Incident Report, Product Chemistry and Final Printed Labeling

Better World Automatic Pogger with Vapona & Baygon

EPA Registration Number 11715-103

Your Submissions Dated March 28, June 15, June 27, and July 21, 1989

The labeling referred to above, submitted in connection with registration under the Pederal Insecticide, Fungicide, and Rodenticide Act, as amended, is acceptable. A stamped copy is enclosed for your records.

At the next label printing make the following changes:

- 1. Add "Extremely Planmable" to the Physical or Chemical Hazards section.
- 2. Under If On Skin, add "Remove contaminated clothing."
- 3. Add a street address or P.O. Box number to the address on the front panel.

This will acknowledge receipt of the subject report, submitted in connection with Section 6(a)(2) of the Federal Insecticide, Pungicide, and Rodenticide Act, as amended.

This information has been noted and included in or files for the subject product. A copy of this incident has also been forwarded to the EPA Pesticide Incident Response Section for any follow-up if necessary.

Sincerely,

George T. LaRocca Product Manager (15) Insecticide-Rodenticide Branch Registration Division (H7505C)

Le Muster 5/9/90

# Precautionary Statements CAUTION Nazarda to Memons

and Bomestic Asimais

Harmful if swallowed. Avoid inhalation of vapors Avoid contact with Skin, eyes or Clothing. Avoid contact mination of food and food-stuffs. Wash hands with soap and water after using and before eating or smoking. Do that allow children to lie, play or steep in treated areas until at least six hours following treatment.

Do not use in commercial food processing, preparation, or serving areas or in household storage areas, in home, all food processing surfaces and utensits should be covered during treatment or thoroughly washed before use. Sover or remove exposed food.

Remove pets, birds, and cover fish aquariums before spraying

For barns — Remove animals before applying. On not treat animals. Do not contaminate milk or milking utensils. Ventitate before allowing animals to reoccupy treated buildings.

#### PHYSICAL OR, CHEMICAL NAZAROS

Contents under pressire. Do not use or store near heat or open flame. Do not puncture or incinerate container. Exposure to temperatures above 130° F may cause bursting. Unplug or turn off electrical equipment in the use area. If used directly uver asphalt or no wax tife, place in a large pain.

#### STATEMENT OF PRACTICAL TREATMENT

If Susflowed: Call a Physician or Poison Control Center Drink one or two glasses of water and induce vometing by louching finger to back of throat. Do not induce vomiting or give anything by mouth to an unconscious person. If failabled: Remove victim to fresh air. Apply

artificial respiration if indicated.
If the Stin: Wash with plenty of soap and water Get medical attention if irritation

persists
If the Eyes: Flush eyes with plenty of water. Get
medical attention if irritation persists.

### BETTER WORLD AUTOMATIC FOGGER With Vapons® and Baygon®

For homes, apartments, attics, basements, campers, boats, garages, plants, warehouses, boxcars, trucks, barns, kennels, and pet sleeping areas.

#### FOCE UP TO 5,000 CM. FT.

Kills roaches, ants, ticks, fleas, small flying moths, and spiders.

ACTIVE INSDEDMENTS:

Bayen [2-(1-nethyl ethexy) phenyl methyl carbanater] 1 000% Dichlervos [2,2 dichlerovinyl dimethyl phesphate†] 0 470%

 BAYGON is a Reg. TM of the Parent Company of Farbunizarities Bryon Gmbh. Levertuses

## KEEP OUT OF REACH OF CHILDREN CAUTION

See side panel for additional precautionary statements

NET WT. 6 oz. (170 gms.)

EPA Res No 11715-103

EPA EST No.11715-TN-1 accordingly

Manufactured by
SPEER PRODUCTS, INC.
MEMPHIS, TN 38118

#### DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

#### STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

Storage: Store in a cool, dry area away from heat or flame.

Blopesil: Replace cap and discard in trash. Do not puncture or incinerate.

Use one canister for each 5,000 cu. ft. of unobstructed area. Example 25' long x 20' wir"... x 10' high = 5,000 cu.ft. Use additional units for remote rooms or where free flow of the mist is not assured.

PREPARATION: Cover exposed loods, dishes and tood handling equipment. Open cabinets and doors to areas to be treated. Shut off tans and air conditioners. Put out all open flames except pilot light. Remove pets and cover fish tanks or fish bowls with paper, or remove from area. Close exterior doors and windows.

TB START F008188: Place Fogger on table, chair or stand. Place several thicknesses of newspapers under canister to prevent marring of surface. Hold can at arm's fengiti, with top of can pointing away from face and eyes. Push down on finger pad until if locks — this will start fogging action. Set canister in upright position on table, etc. and leave building at once.

OF NOT BE-ENTER BUILD!RE FOR TWO ROUNS, then open exterior doors and windows and allow to air for one hour before reoccupying area. If additional units are used for remote rooms or where free flow of mist is not assured, increase airing out time accordingly.

> MODEL/ALD with COMMENTS in EPA Letter Dated:

Mark • 9 ( ) . Under the Ectoral Insecticide.