

STATEMENT OF PRACTICAL TREATMENT

If swallowed—Call a physician or Poison Control Center immediately. Drink one or two glasses of water and induce vomiting by touching the back of the throat with finger. Repeat until vomit fluid is clear. Do not induce vomiting or give anything by mouth to an unconscious person.

If inhaled—Remove victim to fresh air. Apply respiration if indicated.

If on skin—Remove contaminated clothing and wash affected areas with soap and water.

If in eyes—Flush eyes with plenty of water. Call physician immediately.

If victim is displaying poisoning symptoms keep prone and quiet. Start artificial respiration immediately if patient is not breathing. Transport the patient immediately to the nearest physician.

Precautionary Statements
Hazards to Humans and Domestic Animals
DANGER

VAPONA with BAYGON insecticide is poisonous if swallowed, inhaled, or absorbed through skin or eyes. Do not get on skin or eyes. Do not breathe fumes. Wear rubber gloves, protective clothing and goggles when handling. Wear a pesticide respirator (approved by the Mining Enforcement Administrator (formerly the U.S. Bureau of Mines) and by the National Institute for Occupational Safety and Health under the provisions of 30 CFR Part II for DDVP (VAPONA INSECTICIDE) protection. Keep all unprotected persons out of operation area. In case of contact, wash immediately with soap and water. Wash hands, arms, and face thoroughly with soap and water before smoking or eating. Wash all contaminated clothing with soap and hot water before reuse. Do not use in edible products area of food processing plants, restaurants, or other areas where food is commercially prepared or processed. Do not use in serving areas while food is exposed.

Physical or Chemical Hazards
 Contents under pressure. Do not use near heat or open flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting.

Storage and Disposal

Do not contaminate water, food or feed by storage or disposal.

Storage: Store in a cool, dry area away from heat or flame.

Disposal: Do not reuse empty container. Wrap container and put in trash collection.

FOR SALE TO, USE, AND STORAGE BY PROFESSIONAL PEST CONTROL OPERATORS AND PERSONS UNDER THEIR DIRECT SUPERVISION ONLY

SPEER VAPONA® with BAYGON® ONE-SHOT FOGGER

Kills Exposed Roaches, Fleas, Ticks, Crickets, Silverfish, Centipedes, Earwigs, Spiders and Wasps.

One Unit Treats up to 3,000 cubic feet

ACTIVE INGREDIENTS	
2,2-dichlorovinyl dimethyl phosphate†	6.50%
related compounds	0.50%
2-(1-methylethoxy)phenyl methylcarbamate*	1.00%
Petroleum distillate	5.00%
Xylene	2.00%
INERT INGREDIENTS	85.00%
TOTAL	100.00%

†VAPONA is a Reg. TM of Shell Oil Company
 *BAYGON is Reg. TM of the Parent Company of Farbenfabriken Bayer GmbH, Leverkusen

KEEP OUT OF REACH OF CHILDREN DANGER—POISON



Carefully Read Statement of Practical Treatment and Precautions on Side Panels

Net Wt. 3.75 Oz.
Manufactured by SPEER PRODUCTS, INC.
Memphis, TN 38118

EPA Reg. No. 11715-105 EPA Est. No. 11715 TN 1

Directions For Use

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Use one canister for each 3,000 cu. ft. of unobstructed area. Example: 20' long x 15' wide x 10' high = 3,000 cu. ft. Use additional units for remote rooms or where free flow of the mist is not assured.

PREPARATION: Cover or remove exposed foods, dishes, and food handling equipment. Open cabinets and doors to areas to be treated. Shut off fans and air conditioners. Put out all open flames except pilot light. Remove pets and cover fish tanks or fish bowls with paper or remove from area. Close exterior doors and windows.

TO START FOGGING: Place Fogger on table, chair or stand, at least six feet from pilot light. Place several thicknesses of newspapers under canister to prevent marring of surface. Hold can at arm's length with top of can pointing away from face and eyes. Push down on finger pad until it locks—this will start fogging action. Set canister in upright position on table etc. and leave building at once. **DO NOT RE-ENTER BUILDING FOR TWO HOURS,** then open exterior doors and windows and allow to air for 30 minutes before reoccupying area.

NOTE TO PHYSICIAN: **POISONING SYMPTOMS:** Symptoms include weakness, headache, tightness in chest, blurred vision, non-reactive pinpoint pupils, sweating, nausea, vomiting, diarrhea and abdominal cramps.

TREATMENT: ATROPINE is the specific therapeutic antagonist of choice against parasympathetic nervous stimulation. If there are signs of parasympathetic stimulation, atropine sulfate should be injected at 10 minute intervals in doses of 1 to 2 milligrams until complete atropinization has occurred. Morphine is contraindicated. Clear chest by postural drainage. Observe patient continuously for 48 hours. Repeated exposure to cholinesterase inhibitors may, without warning, cause prolonged susceptibility to very small doses of any cholinesterase inhibitor. Allow no further exposure until time for cholinesterase regeneration has been allowed as determined by blood test.

PRECAUTIONS IN USING: VAPONA IS POISONOUS. THEREFORE, precautions must be observed when handling. (See antidote and poisoning symptoms.) Store in a safe place. Children or animals must not be able to reach or handle. Care should be used in handling empty containers. Do not contaminate feed, water or foodstuffs.

11715-105
 1993
 EPA Reg. No. 11715-105
 EPA Est. No. 11715 TN 1

300 | 87344
17 | 2

Mr. M. S. Caumisar
Speer Products Incorporated
4242 S. R. Goodrich Blvd.
P.O. Box 18993
Memphis, TN 38118

Dear Mr. Caumisar:

Subject: Additional Product Size - 3.75 oz
Speer Vapona with Saygon One-Shot Fogger
EPA Registration No. 11715-105
Your Application Dated January 3, 1982

The amendment referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act (FIFRA), is acceptable. A stamped copy of the label is enclosed for your records.

The following revisions should be incorporated into the labeling for both sizes at the next label printing.

1. Increase the airing out time from 30 minutes to one hour.
2. Add the following precaution:

Do not allow children to lie or sleep in treated area until at least six hours following treatment.

Sincerely yours,

George T. LaRocca
Product Manager (15)
Insecticide-Rodenticide Branch
Registration Division (TS-767)

Enclosure

TS-767:LaROCCA:DCR-39884:WANG-2004C:jjk:Raven:479-2013:1/13/83