

E. S. Caunissar
Speer Products, Inc.
P.O. Box 18993
4242 B.F. Goodrich Boulevard
Memphis, TN 38118

FEB 1 1985

300 / 139665
17 / 4

Dear Mr. Caunissar:

Subject: Amendment - Minor Label Revisions
Speer Vapors with Baygon One-Shot Fogger
EPA Registration No. 11715-105
Your Application Dated September 27, 1984

The amendment referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA) is acceptable, provided that you make the labeling changes listed below before you release the product for shipment bearing the amended labeling:

1. In our February 4, 1984, letter, we requested that the airing out time be increased from 30 minutes to one hour. Please make this revision.
2. In the precautionary text concerning respirators delete "Mining Enforcement Administrator" and substitute "Mine Safety and Health Administration."
3. The front panel signal word DANGER, POISON and the skull and crossbones must appear in red.

Submit five (5) copies of your revised final printed labeling before you release the product for shipment with the amended labeling.

A stamped copy of the label is enclosed for your records.

Sincerely yours,

George T. LaRocca
Product Manager (15)
Insecticide-Rodenticide Branch
Registration Division (TS-767)

Enclosure

RD/IRB-JOB:50433:LaRocca:RD-61:Kendrick:898-1270:cac:1/11/85:Del.1/22/85

CONCURRENCES

SYMBOL	DATE							
▶	▶							
▶	▶	T Parsley						
▶	▶	1/25/85						

BEST AVAILABLE COPY

STATEMENT OF PRACTICAL TREATMENT

If inhaled—Call a physician or Poison Control Center immediately. Drink one or two glasses of water and induce vomiting by reaching the back of the throat with finger. Repeat until vomit fluid is clear. Do not induce vomiting or give anything by mouth to an unconscious person.

If ingested—Remove victim to fresh air. Apply resuscitation if indicated.

If on skin—Remove contaminated clothing and wash affected areas with soap and water.

If in eyes—Flush eyes with plenty of water. Call physician immediately.

If victim is displaying poisoning symptoms, keep prone and quiet. Start artificial respiration immediately if patient is not breathing. Transport the patient immediately to the nearest physician.

**Precautionary Statements
Hazards to Humans
and Domestic Animals**

DANGER

VAPONA with BAYGON insecticide is poisonous if swallowed, inhaled or absorbed through skin or eyes. Do not get on skin or eyes. Do not breathe fumes. Wear rubber gloves, protective clothing and goggles when handling. Wear a pesticide respirator (fully approved by the Mining Enforcement Administration (formerly the U.S. Bureau of Mines) and by the National Institute for Occupational Safety and Health under the provisions of 30 CFR Part 11 for DDVP (VAPONA INSECTICIDE) protection. Keep all unprotected persons out of operation area. In case of contact, wash immediately with soap and water. Wash hands, arms, and face thoroughly with soap and water before smoking or eating. Wash or decontaminate clothing with soap and hot water before reuse. Do not use in edible products area or food processing plants, restaurants, or other areas where food is commercially prepared or processed. Do not use in serving areas while food is exposed. Do not allow children to be or sleep in treated area until at least six hours following treatment.

Physical or Chemical Hazards

Contents under pressure. Do not use near heat or open flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting.

Storage and Disposal

Do not contaminate water, food or feed by storage or disposal.

Storage: Store in a cool dry area away from heat or flame.

Disposal: Do not re-use empty container. Wrap container and put in trash receptacle.

**FOR SALE TO, USE, AND STORAGE
BY PROFESSIONAL PEST CONTROL
OPERATORS AND PERSONS UNDER
THEIR DIRECT SUPERVISION ONLY**

**SPEER
VAPONA® with BAYGON®
ONE-SHOT FOGGER**

*Kills Exposed Roaches, Fleas, Ticks,
Crickets, Silverfish, Centipedes,
Earwigs, Spiders and Wasps*

One Unit Treats up to 3,000 cubic feet

ACTIVE INGREDIENTS

2,2-dichlorovinyl dimethyl phosphate related compounds	6.50%
2-(1-methyltetrahydropyridyl)methyl carbamate	1.00%
Petroleum distillate	5.00%
Xylene	2.00%
INERT INGREDIENTS	85.00%
TOTAL	100.00%

VAPONA is a Reg. TM of Shell Oil Company
BAYGON is Reg. TM of the Parent Company
© Farbmittelwerke Bayer GmbH, Leverkusen

**KEEP OUT OF REACH OF CHILDREN
DANGER—POISON**



Carefully Read Statement of Practical Treatment and Precautions on Side Panels

Net Wt. 3.75 Oz.

**Manufactured by
SPEER PRODUCTS, INC.
Memphis, TN 38118**

EP Reg. No. 11715-105 EPA Reg. No. 11715-105

Directions For Use

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Use one canister for each 3,000 cu. ft. of unobstructed area. Example: 20' long x 15' wide x 10' high = 3,000 cu. ft. Use additional units for remote rooms or where free flow of the mist is not assured.

PREPARATION: Cover or remove exposed leads, dishes, and food handling equipment. Open cabinets and doors to areas to be treated. Shut off fans and air conditioners. Put out all open flames except pilot light. Remove pets and cover fish tanks or fish bowls with paper or remove from area. Close exterior doors and windows.

TO START FOGGING: Place fogger on table, chair or stand at least six feet from pilot light. Place several thicknesses of newspapers under canister to prevent marring of surface. Hold can at arm's length with top of can pointing away from face and eyes. Push down on trigger part until it clicks—P's will start fogging action. Set canister in upright position on table, etc. and leave building at once. **DO NOT RE-ENTER BUILDING FOR TWO HOURS** then remove exterior doors and windows and allow to air for 30 minutes before reoccupying area.

NOTE TO PHYSICIAN:

POISONING SYMPTOMS: Symptoms include weakness, headache, tightness in chest, blurred vision, non-reactive pinpoint pupils, sweating, nausea, vomiting, diarrhea and abdominal cramps.

TREATMENT: ATROPINE is the specific therapeutic antagonist of choice against parasympathetic nervous stimulation. If there are signs of parasympathetic stimulation, atropine sulfate should be injected at 15 minute intervals, in doses of 1 to 2 milligrams, until complete atropinization has occurred. Morphine is contraindicated. Clear chest by postural drainage. Observe patient continuously for 48 hours. Repeat exposure to cholinesterase inhibitors may without warning cause prolonged susceptibility to very small doses of any cholinesterase inhibitor. Allow no further exposure until time for cholinesterase regeneration has been allowed as determined by blood test.

PRECAUTIONS IN USING VAPONA'S POISONOUS THEREFORE: precautions must be observed when handling. (See antidote and poisoning symptoms.) Store in a safe place. Children or animals must not be able to reach or handle. Care should be used in handling empty containers. Do not contaminate food, water or foodstuffs.

ACCEPTED
ELEMENTS
Date: FEB 1 1985

Insecticide
Fenticide Act
the pesticide
EPA Reg. No.

11715-105