

**STATEMENT OF PRACTICAL TREATMENT**  
 If swallowed—Call a physician or Poison Control Center immediately. Drink one or two glasses of water and induce vomiting by touching the back of the throat with finger. Repeat until vomit fluid is clear. Do not induce vomiting or give anything by mouth to an unconscious person.  
 If inhaled Remove victim to fresh air. Apply respiration if indicated.  
 If on skin Remove contaminated clothing and wash affected areas with soap and water.  
 If in eyes Flush eyes with plenty of water. Call physician immediately.  
 If victim is displaying poisoning symptoms keep prone and quiet. Start artificial respiration immediately if patient is not breathing. Transport the patient immediately to the nearest physician.

**Precautionary Statements Hazards to Humans and Domestic Animals DANGER**

VAPONA with BAYGON insecticide is poisonous if swallowed, inhaled, or absorbed through skin or eyes. Do not get on skin or eyes. Do not breathe fumes. Wear rubber gloves, protective clothing, and goggles when handling. Wear a pesticide respirator (preferably approved by the Mining Enforcement and Safety Administration (formerly the U.S. Bureau of Mines) and the National Institute for Occupational Safety and Health under the provisions of 30CFR Part II for DDVP (VAPONA INSECTICIDE) protection. Keep all unprotected persons out of operation area. In case of contact, wash immediately with soap and water. Wash hands, arms, and face thoroughly with soap and water before smoking or eating. Wash all contaminated clothing with soap and water before reuse. Do not use in edible products areas of food processing plants, restaurants, or other areas where food is commercially prepared or processed. Do not use in serving areas while food is in use. Do not allow children to be in sleep or treated areas until at least six hours following reentry. (See side panel).

**Physical or Chemical Hazards**  
 Contains under pressure. Do not use or store near heat or open flame. Do not puncture or incinerate container. Exposure to temperatures above 130° F. may cause bursting.

**Storage and Disposal**

Do not contaminate water, food or feed by storage and disposal.  
**Storage:** Store in a cool dry area away from heat or flame.  
**Disposal:** Replace cap and discard containers in trash. Do not reuse or recycle.

**FOR SALE TO, USE AND STORAGE BY PROFESSIONAL PEST CONTROL OPERATORS AND PERSONS UNDER THEIR DIRECT SUPERVISION ONLY**

**SPEER VAPONA® with BAYGON® ONE SHOT FOGGER**

*Kills exposed Roaches, Fleas, Ticks, Crickets, Silverfish, Centipedes, Earwigs, Spiders, and Wasps*


*One unit treats up to 3,000 cu. feet*

**ACTIVE INGREDIENTS**

Dichlorvos (2,2-dichloroethyl dimethyl phosphate)	5.500%
related compounds	0.500%
Baygon (2-(1-methylbutyl) phenyl methyl carbamate)	1.000%
<b>INERT INGREDIENTS</b>	<b>92.000%</b>
<b>TOTAL</b>	<b>100.00%</b>

VAPONA is a Reg. TM of Shell Oil Company  
 BAYGON is a Reg. TM of the Parent Company of Fabimaflex Bayer GmbH, Leverkusen  
 \*Contains petroleum distillates and xylene

**KEEP OUT OF REACH OF CHILDREN DANGER — POISON**



See Side panels for additional precautionary statements.

**Net Wt. 3.75 Oz.**  
 Manufactured by **SPEER PRODUCTS, INC.**  
 Memphis, TN 38118  
 EPA Reg. No. 11715-105 EPA Est. No. 11715-TN-1

**DIRECTIONS FOR USE**

It is a violation of Federal Law to use this product in a manner inconsistent with the labeling.

Use one canister for each 3,000 cu. ft. of unobstructed area. Example: 20' long x 15' wide x 10' high = 3,000 cu. ft. Use additional units for remote rooms or where free flow of the mist is not assured.

**PREPARATION:** Cover or remove exposed foods, dishes, and food handling equipment. Open cabinets and doors to areas to be treated. Shut off fans and air conditioners. Put out all open flames including pilot light. Remove pets and cover fish tanks or fish bowls with paper, or remove from area. Close exterior doors and windows.

**TO START FOGGING:** Place fogger on table, chair or stand. Place several thicknesses of newspapers under canister to prevent marring of surface. Hold can at arm's length, with top of can pointing away from face and eyes. Push down on finger pad until it locks - this will start fogging action. Set canister in upright position on table, etc. and leave building at once. **DO NOT RE-ENTER BUILDING FOR TWO HOURS.** Then open exterior doors and windows and allow to air for 30 minutes before reoccupying area.

**NOTE TO PHYSICIAN:**  
**POISONING SYMPTOMS** Symptoms include weakness, headache, tightness in chest, blurred vision, nonreactive pinpoint pupils, sweating, nausea, diarrhea and abdominal cramps.  
**TREATMENT:** ATROPINE is the specific therapeutic antagonist of choice against parasympathetic nervous stimulation. If there are signs of parasympathetic stimulation, atropine sulfate should be injected at 10 minute intervals, in doses of 1 to 2 milligrams until complete atropinization has occurred. Morphine is contraindicated. Clear chest by postural drainage. Observe patient continuously for 48 hours. Repeated exposure to cholinesterase inhibitors may, without warning, cause prolonged susceptibility to very small doses of any cholinesterase inhibitor. Allow no further exposure until time for cholinesterase regeneration has been allowed as determined by blood test.

**PRECAUTIONS IN USING:** VAPONA IS POISONOUS. THEREFORE, precautions must be observed when handling. (See antidote and poisoning symptoms.) Store in a safe place. Children or animals must not be able to reach or handle. Care should be used in handling empty containers. Do not contaminate feed, water, or foodstuffs.

Not Reviewed. Registrant claims to be in accordance with Reregistration or Pre-market Product Guidance for Phase 2 Response. Page 2-12, Active Ingredient Change in Status.