

Reg no: 11715 - 105
yellow

PM-15

1983

APR 23

391 235-422
~~395 252698~~
17/

Mr. David Williams
Speer Products, Inc.
4242 B.F. Goodrich Blvd.
P.O. Box 18993
Memphis, TN 38181-0993

Dear Mr. Williams:

Subject: Amendment - Updated CSF and Labeling
SPEER VAPONA with BAYGON One-Shot Fogger
EPA Registration No. 11715-105
Your Applications Dated October 5, October 21,
and November 14, 1988

The amendment referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act, as amended, is acceptable provided that you make the labeling changes indicated below prior to release for shipment of product bearing the amended labeling.

1. Replace the sentences "Do not use in edible products areas of food processing plants, restaurants or other areas where food is commercially prepared or processed. Do not use in serving areas when food is exposed" with the following:

Do not use in food areas of food handling establishments, restaurants or other areas where food is commercially prepared or processed. Do not use in serving areas while food is exposed or facility is in operation. Serving areas are areas where prepared foods are served such as dining rooms but excluding areas where foods may be prepared or held.

In the home, cover all food handling surfaces and cover or remove all food and cooking utensils, or wash thoroughly after treatment.

Non-food areas are areas such as garbage rooms, lavatories, floor drains (to sewers entries and vestibules), offices, locker rooms, machine rooms, boiler rooms, garages, mop closets and storage (after canning or bottling).

Richards

2. Use in food handling establishments can imply use in the United States Department of Agriculture (USDA) Meat and Poultry Plants. Therefore, either add the statement "Not for Use in USDA Meat and Poultry Plants" or submit an application to USDA requesting these areas. If granted you can then indicate on the label that the product can be used in these areas.

3. The label does not identify where the product can be used. Therefore, the front panel should include a statement similar to "For use in: Homes, Offices, Warehouses, Barns, Kennels, Buses and Motels."

4. The statement of practical treatment is required on the front panel when the signal word "Danger" and the skull and crossbones are present.

5. Add an address or P.O. Box number following your company name on the label.

The submitted Confidential Statement of Formulas are acceptable and have been made a part of the record for this product.

Submit five (5) copies of your final printed labeling before you release the product for shipment.

A stamped copy of the labeling is enclosed for your records.

Sincerely yours,

George T. LaRocca
Product Manager 15
Insecticide-Rodenticide Branch
Registration Division (H7505C)

3
3
3

BEST AVAILABLE COPY

STATEMENT OF PRACTICAL TREATMENT

If inhaled—Call a physician or Poison Control Center immediately. Drink one or two glasses of water and induce vomiting by touching the back of the throat with finger. Repeat until vomit fluid is clear. Do not induce vomiting or give anything by mouth to an unconscious person.

If ingested—Remove victim to fresh air. Apply respiration if indicated.

If on skin—Remove contaminated clothing and wash affected areas with soap and water.

If in eyes—Flush eyes with plenty of water. Call physician immediately.

If victim is displaying poisoning symptoms, keep prone and quiet. Start artificial respiration immediately if patient is not breathing. Transport the patient immediately to the nearest physician.

FOR SALE TO, USE AND STORAGE BY PROFESSIONAL PEST CONTROL OPERATORS AND PERSONS UNDER THEIR DIRECT SUPERVISION ONLY

SPEER VAPONA® with BAYGON® ONE SHOT FOGGER

Kills exposed Roaches, Fleas, Ticks, Crickets, Silverfish, Centipedes, Earwigs, Spiders, and Wasps


One unit treats up to 3,000 cu. feet

ACTIVE INGREDIENTS

| | |
|---|----------------|
| Dichlorvos (2,2-dichlorovinyl dimethyl phosphate)-I | 8.500% |
| residual component | 0.500% |
| Baygon (2-(3-methylthio)propyl methyl carbamate) | 1.000% |
| NET INGREDIENTS | 10.000% |
| TOTAL | 100.00% |

VAPONA is a Reg. TM of Shell Oil Company
BAYGON is a Reg. TM of the Parent Company of Farmland Industries, Inc.
*Contains petroleum distillates and solvents

**KEEP OUT OF REACH OF CHILDREN
DANGER — POISON**



See Side panels for additional precautionary statements.

Net Wt. 3.75 Oz.
Manufactured by
SPEER PRODUCTS, INC.
Memphis, TN 38118
EPA Reg. No. 11715-105 EPA Est. No. 11715-TN-1

DIRECTIONS FOR USE
It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Use one canister for each 3,000 cu. ft. of unobstructed area. Example: 20' long x 15' wide x 10' high = 3,000 cu. ft. Use additional units for remote rooms or where free flow of air must be not assured.

PREPARATION: Cover or remove exposed food, dishes, and food handling equipment. Open cabinets and doors to area to be treated. Shut off fans and air conditioners. Put out all open flames including pilot lights. Remove pets and cover fish tanks or fish bowls with paper or remove from area. Close exterior doors and windows.

TO START FOGGING: Place fogger on table, chair or stand. Place several thicknesses of newspapers under canister to prevent warping of surface. Hold can at arms length, wring top of can pointing away from face and eyes. Push down on fogger pad until it locks - this will start fogging action. Set canister in upright position on table, etc. and leave building at once. **DO NOT RE-ENTER BUILDING FOR TWO HOURS.** Close open exterior doors and windows and allow to air for 30 minutes before reoccupying area.

NOTE TO PHYSICIAN:
POISONING SYMPTOMS: Symptoms include weakness, headache, tightness in chest, blurred vision, nonreactive pupils, perspiration, sweating, nausea, diarrhea and abdominal cramps.
TREATMENT: ATROPINE is the specific therapeutic antagonist of choice against parasympathetic nervous stimulation. If there are signs of parasympathetic stimulation, atropine sulfate should be injected at 10 minute intervals in doses of 1 to 2 milligrams until complete atropinization has occurred. Morphine is contraindicated. Clear chest by postural drainage. Observe patient continuously for 48 hours. Repeated exposure to cholinesterase inhibitors may, without warning, cause prolonged sensitivity to very small doses of any cholinesterase inhibitor. Allow no further exposure until time to cholinesterase reagentation has been allowed as determined by blood test.

PRECAUTIONS IN USING: VAPONA IS POISONOUS. THEREFORE, precautions must be observed when handling. (See article and poisoning symptoms.) Store in a safe place. Children or animals must not be able to reach or handle. Care should be used in handling empty containers. Do not contaminate food, water, or foodstuffs.

**Precautionary Statements
Hazards to Humans
and Domestic Animals
DANGER**

VAPONA with BAYGON insecticide is poisonous if swallowed, inhaled, or absorbed through skin or eyes. Do not get on skin or eyes. Do not breathe fumes. Wear rubber gloves, protective clothing, and goggles when handling. Use a pesticide applicator properly approved by the Illinois Enforcement Administrator (formerly the U.S. Bureau of Insect) and the National Institute for Occupational Safety and Health under the provisions of FIFRA, Part B for BOPV (BAYGON INSECTICIDE) protection. Keep all unconnected persons out of operation area. In case of contact, wash immediately with soap and water. Wash hands, arms, and face thoroughly with soap and water before handling or eating. Wash all contact of clothing with soap and water before reuse. Do not use in edible products areas of food processing plants, restaurants, or other areas where food is commercially prepared or processed. Do not use in serving areas which food is prepared. Do not allow children to be in sleep in treated area until at least one hour following reentry. (See side panel)

Physical or Chemical Hazards
Containers under pressure. Do not use or store near heat or open flame. Do not puncture or recaps. Containers. Exposure to temperatures above 120°F may cause bursting.

Storage and Disposal
Do not contaminate water, food or feed by storage and disposal. Storage: Store in a cool dry area away from heat or flame. Dispose of: Recycle, use and discard containers in trash. Do not reuse if or puncture.

100% FULFILLING
SPEER PRODUCTS, INC.
MEMPHIS, TENN. 38118
EPA Reg. No. 11715-105

Under
Fung
EPA
11715-105