JUN 2 1 1991

Mr. David Williams, J.D. Speer Products, Inc. P.O. Box 18993 Memphis, TN 38181-0993

Dear Mr. Williams:

Subject: Revised labels, CSF

Magic Guard Automatic Fogger No. IV EPA Registration Number 11715-107

Submissions dated August 10, 1988; July 25, 1989

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, is acceptable. A stamped copy is enclosed for your records.

As new labels are prepared, delete petroleum distillate as an active ingredient and add its percentage to the total for inerts. You may add a substatement to the ingredients statement "Contains petroleum distillate". Also, delete "General Classification". The uses of this pesticide have not been classified.

The formula statement dated August 10, 1988 is acceptable and has been added to the files for this pesticide. It is understood that the use of methylene chloride in the formulation is no longer consistent with the terms of its registration.

Sincerely,

Richard F. Mountfort
Product Manager 10
Insecticide-Rodenticide Branch
Registration Division (H7505C)

STATEMENT OF PRACTICAL TREATMENT

H lebeled — Remove victim to tresh air. Apply artificial respiration if indicated

H Se Side or Clubbing — Remove contaminated clothing. Wash skin with soap and warm water. Get medical attention if irritation persists.

If le Eyes — Flush eyes with plenty of water. Obtain medical attention if irritation persists.

M Swallowed — Call a physician or Polson Control Center immediately. Do not induce vorwiting without medical supervision because of possible aspiration hazard.

PRECAUTIONARY STATEMENTS

NAZAROS TO NUMANS AND DOMESTIC ANIMALS

CAUTION

Harmful II swallowed. Avoid inhilation of vapors. Avoid contact with skin, eyes, or clothing. Wash contaminated skin promptly with soap and warm water. For eyes, flush with plenty of water. Get medical attention if irritation persists. Avoid contamination of food and feedstuffs.

Do not apply directly to food. In food plants do not use while food processing is underway. All food processing surfaces and utensits should be covered during treatment or thoroughly washed before use. Cover exposed food

Remove pets, birds and cover fish aquariums before spraying. Remove all motor vehicles before using in garages.

PHYSICAL AND CHEMICAL NAZANDS

Contents under pressure. Do not use or store near heat or open flame. Do not puncture or incinerate container. Exposure to temperatures above 130° F may cause **bursting**

MAGIC GUARD AUTOMATIC FOGGER NO. IV

KILLS EXPOSED STAGES OF FLEAS, TICKS MOACHES, SILVERFISH (MYMPHS AND ABULTS). CRICKETS FLIES MOSSUITSES, CHATS. FRUIT FLIER SMALL FLYING MOTHS WASPS AND NORMETS.

For Homes, Apartments. Restaurants Hotel Kitchens Dairies. Food **Processing** Plants. Warehouses, Cars, Trucks, Barns, Kennels and Buildings up to 5,000 cubic feet

ACTIVE INGOESIEUTS:	
Pyretteins	2 909%
*Piperary! Instantide, technical	4 000%
† N-actyl bicyclohoptona dictr-	
hantride	6 670%
Petroloym Distillate	\$ 560%
MERT INCOCOLEUTY	. 27 770%
TOTAL	100 000%
*Equivalent to 3 20% (buty/carbityl) (6-proj and 0 000% other related compounds	Die Legensteil aggest
† MCK 264, Innecticate Communic	

KEEP OUT OF REACH OF CHILDREN CAUTION

See side panels for Statement of Practical Treatment and additional precautionary statements.

NET WT. 1.5 OZ

EPA EST. NO 11715-TN-1

Warudactured 6)
SPEER PRODUCTS,
Society 118
Society 12 36118
Society 12 36118
Society 14 36118
Society 15 60 Position 16 Posit In With CCEPTED ES COMMENTS SPEER PRODUCTS, INC.

DIRECTIONS FOR USE SEMERAL CLASSIFICATION

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL

Storage: Store in a cool, dry area away from heat or open flame.

Blassel: Replace cap and discard container in trash. Do not incinerate or puncture.

To kill ticks, destroy old pet bedding and replace. Treat dogs and cats with a registered tick control product prior to reentry.

for Not Buly When Reliding Hon Some Vacated By Homes Belogs And Pots.

Use one carrister for each 5,000 cu. ft. of unobstructed area. Example: 25' long x 20' high = 5,000 cu ft. Use additional units for remote rooms or where the free flow of the mist is not assured

PREPARATION: Open cabinets and doors to areas to be treated. Shut off fans and air conditioners. Put out all open flames except pilot light. Remove pets and cover fish tanks or fish bowls with paper, or remove from area. Close exterior doors and windows. Cover exposed foods, dishes, and food handling equipment. Remove and dispose of infested food and feed products prior to togging.

TR START FOCSIBE: Place Fogger on table, chair or stand, at least six feet from pilot light. Place several thicknesses of newspapers under canister to prevent marring of surface. Hold can at arm's length, with top of can pointing away from face and eyes. Push down on finger pad until it locks - this will start logging action Set canister in upright position on table, etc., and leave building at once. DO NOT REENTER BUILDING FOR TWO HOURS Then open exterior doors and windows and allow to air for 30 minutes before reoccupying 2712

REPEAT AS NECESSARY.

BEST AVAILABLE COPY