# MAGIC GUARD AUTOMATIC FOGGEER NO. IV

FOR HOMES, APARTMENTS,
RESTRAURANTS, HOTEL KITCHENS,
DAIRIES, FOOD PROCESSING PLANTS,
WAREHOUSES, BOXCARS, TRUCKS,
BARNS, KENNELS AND BUILDINGS UP TO
5000 CUBIC FEET.

Kills exposed stages of Fleas, Ticks, Roaches, Silverfish (nymphs and adults), Flies, Mosquitoes, Gnats, Fruit Flies, Small Flying Moths, Wasps and Hornets.

#### **ACTIVE INGREDIENTS:**

Piperonyl Butoxide, Technical*	4.000%
N-octyl bicycloheptane dicarboxmide	+6.670%
INERT INGREDIENTS**:	87.330%
	100.000%

- \*Equivalent to 3.20% (butylcarbityl) (6-Propylpiperonyl) ether and 0.080% other related compounds.
- +MGK-264, Insecticide Synergist
- \*\*Contains petroleum distillates

#### KEEP OUT OF REACH OF CHILDREN

### **CAUTION**

See side panels for First Aid and additional precautionary statements.

NET WEIGHT:

EPA Reg. No. 11715-107 EPA Est. No. 11715-TN-1

## PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS CAUTION

Harmful if swallowed. Avoid inhalation of vapors. Avoid contact with skin, eyes, or clothing. Wash contaminated skin promptly with soap and warm water. For eyes, flush with plenty of water. Get medical attention if irritation persists. Avoid contamination of food and feedstuffs.

Do not apply directly to food. In food plants do not use while food processing is underway. All food processing surfaces and utensils should be covered or thoroughly washed before use. Cover exposed food.

Remove pets, birds and cover fish aquariums before spraying. Remove all motor vehicles before using in garages.

	FIR:	ST AID
IF SWALLOWED:	•	Immediately call a poison control center or doctor.
	•	Do not induce vomiting unless told to do so by a poison control center or doctor.
	•	Do not give <b>any</b> liquid to the person.
	•	Do not give anything by mouth to an unconscious person.
IF INHALED:	•	Move person to fresh air.
	•	If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by
		mouth-to-mouth, if possible.
	•	Call a poison control center
		or doctor for further
	<u> </u>	treatment advice.

		11 1
IF IN EYES:	•	Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.  Call a poison control center or doctor for treatment advice.
IF ON SKIN OR CLOTHING:	•	Take off contaminated clothing.
	•	Rinse skin immediately with plentry of water for 15-20 minutes.
	•	Call a poison control center or doctor for treatment advice.
I TOO I THE MUMBER		

#### HOT LINE NUMBER

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-877-757-4943 for emergency medical treatment information.

#### NOTE TO PHYSICIAN

Contains petroleum distillates-vomiting may cause aspiration pneumonia.

#### PHYSICAL OR CHEMICAL HAZARD

Contents under pressure. Do not use or store near heat or open flame. Do not puncture or incinerate container. Exposure to temperatures above 130° F. may cause bursting.

This product contains a highly flammable ingredient. It may cause a fire or explosion if not used properly. Follow the "Directions for Use" on this label very carefully.

Highly Flammable Ingredient Ingrediente Altamente Inflamable

#### DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

To kill ticks, destroy old beddiding and replace. Treat dogs and cats weith a registered tick control product prior to reentry.

## FOR USE ONLY WHEN BUILDING HAS BEEN VACATED BY HUMAN BEINGS AND PETS.

Use one canister for each 5,000 cu. ft. of unobstructed area.

Example: 25' long x 20' wide x 10' high = 5,000 cu.ft. Use additional units for remote rooms or where the free flow of the mist is not assured.

DO NOT use more than one fogger per room. DO NOT use in small, enclosed spaces such as closets, cabinets or under counters or tables. Do not use in a room 5 ft. x 5 ft. or smaller, instead, allow fog to enter from other rooms.

Turn off ALL ignition sources such as pilot lights (shut off gas valves), other open flames or running electrical appliances that cycle off and on (i.e., refrigerators, thermostats, etc.) Call your gas utility or management company if you need assistance with your pilot lights.

PREPARATION: Open cabinets and doors to areas to be treated. Shut off fans and air conditioners. Put out all open flames except pilot light. Place several thicknesses of newspapers under canister to prevent marring of surface. Hold can at arm's length, with top of can pointing away from face and eyes. Push down on finger pad until it locks- this will start fogging action. Set canister in upright position on table, etc. and leave building at once. Do not reenter building for two hours. Then open exterior doors and windows and allow to air for 30 minutes before reoccupying area. Repeat as necessary.

#### STORAGE AND DISPOSAL

STORAGE: Store in a cool, dry area away from heat or open flame.

**DISPOSAL:** Do Not Puncture or Incinerate! If empty: Place in trash or offer for recycling if available. If partly filled: Call your local solid waste agency or 1-800-CLEANUP for disposal instructions.

[Distributors may chose to use their own emergency numbers and times of operation]

MANUFACTURED BY: SPEER PRODUCTS, INC. P.O. BOX 18993 MEMPHIS, TN 38118-0993

Netserver/Reg/SPIIables-11715-107-NOTTF-98-6; 2001-1&6-(3-11-03)

ACCEPTED

MAY 12 2003

Under the Federal Insecticide, Fungicide, and Redenticide Act, as amended, for the pesticide registered under BPA Reg. No. //7/5-107