OCT 2 8 1991

T. David Williams, J.D. Speer Products, Inc. 4242 B.P. Goodrich Boulevard Memphis, TN 38118

Dear Mr. Williams:

Subject: Revised Labeling

Magic Guard Automatic Fogger No. II

EPA Reg. No. 11715-108

Submission dated September 18, 1991

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, is acceptable subject to the comments listed below. Five copies of the finished labeling must be submitted prior to releasing the product for shipment.

Delete the phrase, "General Classification", since the use of this pesticide is not classified.

As new labels are prepared, modify the existing statement, "All food processing surfaces and utensils should be covered during treatment or thoroughly washed before use", to read:

"All food processing surfaces and utensils should be covered during treatment or thoroughly washed with an effective cleaning compound followed by a potable water rinse before use."

Sincerely,

Richard F. Mountfort
Product Manager (10)
Insecticide-Rodenticide Branch
Registration Division (H7505C)

## **MAGIC GUARD AUTOMATIC** FOGGER NO. II (DOUBLE STRENGTH FORMULA)

One Unit Treats Up to 5,000 Cubic Feet

#### **ACTIVE INGREDIENTS:**

Pyrethrins	1.00%
*Piperonyl Butoxide Technical	2.00%
+N-octyl bicycloheptane dicarboximide	3.34%
INERT INGREDIENTS:	93.66%
* Equivalent to 1.60% (butylcarbityl)(6- piperonyl) ethe: and 0.40% other related compounds. +MGK 264, Insecticide Synergist Contains Petroleum Distillate	·propyl-

**KEEP OUT OF REACH OF** CHILDREN CAUTION: See side panel for additional precautions.

NET WT. 3 OZ.

Manufactured by:

SPEER PRODUCTS, INC.

Memphis, TN 38118

EPA REG.NO. 11715-108

EPA EST. NO 11715-TN-1

### Precautionary Statements Hazards to Humans and domestic Animals

CAUTION Harmful if swallowed. Avoid inhalation of vapors. Avoid contact with skin, eyes, or clothing. Wash contaminated skin promptly with soap and warm water. For eyes, flush with plenty of water. Get medical attention for introduction of contamination of

food and feedstuffs.

hazard.

Do not apply c'irectly to food. In food plants do not use while food processing is underway. All food processing surfaces and utensils should be covered during treatment or thoroughly washed before use. Cover exposed food. Remove pets, birds and cover fish aquariums before spraying.

Physical Hazards
Contents under pressure. Do not use or store near heat or open flame. Do not puncture or incinerate container. Exposure to temperature above 130 F may cause bursting.

Statement of practical treatment IF INHALED- Remove victim to fresh air. Apply artificial respiration if indicated.

IF ON SKIN OR CLOTHING- Remove contaminated clothing. Wash skin with soap and warm water. Get medical attention if irritation persists.

IF IN EYES- Flush eyes with plenty of water. Obtain

medical attention if irritation persists.

IF SWALLOWED- Call a physician or Poison control Center immediately. Do not induce vomiting without medical supervision because of possible aspiration

#### **Directions for Use**

**GENERAL CLASSIFICATION** It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. Not for use in USDA meat and poultry processing plants.

STORAGE AND DISPOSAL

Storage: Store in a cool, dry area away from heat or open flame.

Disposal: Replace cap and discard containers in trash. Do not incinerate or puncture.

Carefully read DIRECTIONS FOR USE shown on carton.

ACCEPTE with COMME In EPA Letter

OCT 28 19.

Under the Federal Is Fungicide, and Rode as amended, for the registered under EP

#### Directions for Use

General Classification

at

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. Not for use in USDA meat and poultry processing plants.

STORAGE AND DISPOSAL

Storage: Store in a cool dry area away from heat or open flame.

Disposal: Replace cap and discard containers in trash. Do not incinerate or puncture.

To kill ticks, destroy old pet bedding and replace. Treat dogs and cats with a registered tick control product prior to reentry.

FOR USE ONLY WHEN BUILDING HAS BEEN VA-CATED BY HUMAN BEINGS AND PETS

Use one canister for each 5,000 cu. ft. of unobstructed area. Example: 25' long x 20' wide x 10' high = 5,000 cu. ft. Use additional units for remote rooms or where the free flow of the mist is not assured.

PREPARATION: Open cabinets and doors to areas to be treated, shut cut fans and air conditioners. Put out all open flames except pilot light. Remove pets and cover fish tanks or fish bowls with paper, or remove from area. Close exterior doors and windows. Cover exposed foods, dishes, and food handling equipment. Remove and dispose of insect infested food and feed products prior to fogging.

TO START FOGGING: Place fogger on table, chair or stand, at least six first from pilot light. Place several thicknesses of newspapers under canister to prevent marring of surface. Hold can at arm's length with top of can pointing away from face and eyes. Push down on finger pad until it locks- this will start fogging action. Set canister in upright position on table, etc. and leave building at once. DO NOT RE-ENTER BUILDING FOR TWO HOURS. Then open exterior doors and windows and allow to air for 30 minutes before reoccupying area.

KILLS: FLIES, MOSQUITOES, WASPS & HORNETS, SMALL FLYING MOTHS, FRUIT FLIES, GNATS.

KILLS EXPOSED: COCKROACHES, FLFAS, TICKS, CRICKETS, SILVERFISH (NYMPHS & ADULTS)

## MAGIC GUARD AUTOMATIC FOGGER NO. II (DOUBLE STRENGTH FORMULA)

For Homes, Apartments, Restaurants, Hotel Kitchens, Dairies, food Processing Plants, Warehouses, Box CArs, Trucks, Barns, Kennels, and Buildings Up to 5,000 Cubic Feet.

#### **ACTIVE INGREDIENTS:**

Pyrethrins	. 1.00%
*Piperonyl Butoxide Technical	. 2.00%
+ N-octyl bicycloheptane dicarboximide	3.34%
*Piperonyl Butoxide Technical + N-octyl bicycloheptane dicarboximide INERT INGREDIENTS:	3.66%

\*equivalent to 1.60% (butylcarbityl)(6-propylpiperonyl) ether and 0.04% other related compounds. +MGK 264 Insecticide Synergist Contains Petroleum Distillate

# CAUTION KEEP OUT OF REACH OF CHILDREN See Side Panel for Additional Precautionary Statements

EPA REG. NO. 11715-108

EPA EST, NO. 11715-TN-1

NET WT. 3 oz.

Mfg. By: SPEER PRODUCTS, INC. MEMPHIS, TN 38118

## Precautionary Statements Hazards to Humans and Domestic Animals CAUTION

Harmful if swallowed. Avoid inhalation of vapors. Avoid corrtact with skin, eyes, or clothing. Wash contaminated skin promptly with soap and warm water. For eyes, flush with plenty of water. Get medical attention if irritation persists. Avoid contamination of food and feedsturis.

Do not apply directly to food, in food plants do not use while food processing is underway. All food processing surfaces and utensils should be covered during treatment or thoroughly washed before use. Cover exposed food.

Remove pets, birds and cover fish aquariums before spraying.

#### PHYSICAL HAZARDS

Contents under pressure. Do not use or store near heat or open flame. Do not puncture or incinerate container. Exposure to temperature above 130 F may cause bursting.

## STATEMENT OF PRACTICAL TREATMENT

IF INHALED - Remove victim to fresh air. Apply artificial respiration if indicated

IF ON SKIN OR CLOTHING - Remove contaminated clothing. Wash skin with soap and warm water. Get medical attention if irritation persists.

IF SWALLOWED - Call physician or Poison Control Center immediately. Do not induce vomiting without medical supervision because of possible aspiration hazard.

**IF IN EYES -** flush eyes with plenty of water. Obtain medical attention if irritation persists.